



LT-S901 | Pentacene

Pentacene


CAS No. : 135-48-8
 Grade : Sublimed >99%
 Formula : C₂₂H₁₄
 M.W. : 278.35 g/mole
 UV : 300 nm (in CH₂Cl₂)
 PL : 509 nm (in CH₂Cl₂)
 TGA : >240 °C (0.5% weight loss)

**LT-S902** | PDCDT*N,N'*-Bis(2,5-di-*tert*-butylphenyl)-3,4,9,10-perylene dicarboximide


CAS No. : 83054-80-2
 Grade : Sublimed >99%
 Formula : C₅₂H₅₀N₂O₄
 M.W. : 766.96 g/mole
 UV : 524 nm (in CH₂Cl₂)
 PL : 544, 574 nm (in CH₂Cl₂)
 TGA : >350 °C (0.5% weight loss)

**LT-S904** | PenPTC*N,N'*-Dipentyl-3,4,9,10-perylene dicarboximide


CAS No. : 76372-75-3
 Grade : Sublimed >99%
 Formula : C₃₄H₃₀N₂O₄
 M.W. : 530.61 g/mole
 UV : 523 nm (in CH₂Cl₂)
 PL : 535, 573 nm (in CH₂Cl₂)
 TGA : >350 °C (0.5% weight loss)

**LT-S918** | PTCBIBisbenzimidazo[2,1-a:1',2-b]anthra[2,1,9-def,6,5,10-d'ef] diisoguinoline-10,21-dione, with *cis* isomer

CAS No. : 79534-91-1
 Grade : Sublimed >99%
 Formula : C₃₆H₁₆N₄O₂
 M.W. : 536.54 g/mole
 PL : 414 nm (in CH₂Cl₂)
 TGA : >420 °C (0.5% weight loss)

**LT-S919** | ADIDIAnthra[2',1'',9'':4,5,6:6',5',10'':4',5',6']diisoquino[2,1-a:2',1'-a'] dipiperidine-12,25-dione, with *cis* isomer

CAS No. : 6859-32-1
 Grade : Sublimed product
 Formula : C₄₄H₂₀N₄O₂
 M.W. : 636.66 g/mole
 PL : 413 nm (in CH₂Cl₂)
 TGA : >430 °C (0.5% weight loss)

**LT-S920** | PTCDA


3,4,9,10-Perylenetetracarboxylic dianhydride

CAS No. : 128-69-8
 Grade : Sublimed >99%
 Formula : C₂₄H₈O₆
 M.W. : 392.32 g/mole
 PL : 413 nm (in CH₂Cl₂)
 TGA : >450 °C (0.5% weight loss)

**LT-S921** | PTCDI


3,4,9,10-Perylenetetracarboxylic diimide

CAS No. : 81-33-4
 Grade : Sublimed >99%
 Formula : C₂₄H₁₀N₂O₄
 M.W. : 390.35 g/mole
 PL : 413 nm (in CH₂Cl₂)
 TGA : >450 °C (0.5% weight loss)


**LT-S924** | NTDA

1,4,5,8-Naphthalenetetracarboxylic dianhydride

CAS No. : 81-30-1
 Grade : Sublimed >99%
 Formula : C₁₄H₄O₆
 M.W. : 268.18 g/mole
 UV : 366 nm (in CH₂Cl₂)
 PL : 394 nm (in CH₂Cl₂)
 TGA : >270 °C (0.5% weight loss)

**LT-S925** | MePTC*N,N'*-Dimethyl-3,4,9,10-perylene dicarboximide

CAS No. : 5521-31-3
 Grade : Sublimed product
 Formula : C₂₆H₁₄N₂O₄
 M.W. : 418.4 g/mole
 UV : 522 nm (in CH₂Cl₂)
 PL : 571 nm (in CH₂Cl₂)
 TGA : >440 °C (0.5% weight loss)


**LT-S926** | HepPTC*N,N'*-Diheptyl-3,4,9,10-perylene dicarboximide

CAS No. : 95689-91-1
 Grade : Sublimed >99%
 Formula : C₃₈H₃₈N₂O₄
 M.W. : 586.72 g/mole
 UV : 524 nm (in CH₂Cl₂)
 PL : 537, 571 nm (in CH₂Cl₂)
 TGA : >390 °C (0.5% weight loss)

**LT-S928** | F₁₆CuPC

Copper(II) 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-hexadecafluoro-29H,31H-phthalocyanine


CAS No. : 14916-87-1
 Grade : Sublimed product
 Formula : C₃₂F₁₆CuN₈
 M.W. : 863.92 g/mole
 UV : 690 nm (in CH₂Cl₂)

**LT-S935** | 4CIPEPTC*N,N'*-Bis[2-(4-chloro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide


CAS No. : 215726-51-5
 Grade : Sublimed >99%
 Formula : C₄₀H₂₄Cl₂N₂O₄
 M.W. : 667.53 g/mole
 UV : 524 nm (in CH₂Cl₂)
 PL : 544 nm (in CH₂Cl₂)
 TGA : >370 °C (0.5% weight loss)

**LT-S936** | 4FPEPTC*N,N'*-Bis[2-(4-fluoro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide

CAS No. : 215726-57-1
 Grade : Sublimed >99%
 Formula : C₄₀H₂₄F₂N₂O₄
 M.W. : 634.63 g/mole
 UV : 524 nm (in CH₂Cl₂)
 PL : 538 nm (in CH₂Cl₂)
 TGA : >370 °C (0.5% weight loss)


**LT-S937** | 2,4CIPEPTC*N,N'*-Bis[2-(2,4-dichloro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide

Grade : Sublimed >99%
 Formula : C₄₀H₂₂Cl₄N₂O₄
 M.W. : 736.42 g/mole
 UV : 524 nm (in CH₂Cl₂)
 PL : 536 nm (in CH₂Cl₂)
 TGA : >390 °C (0.5% weight loss)




LT-S938 | 2,6ClPEPTC*N,N'*-Bis[2-(2,6-dichloro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide

Grade : Sublimed >99%
 Formula : C₄₀H₂₂Cl₄N₂O₄
 M.W. : 736.42 g/mole
 UV : 524 nm (in CH₂Cl₂)
 PL : 536 nm (in CH₂Cl₂)
 TGA : >440 °C (0.5% weight loss)


**LT-S939** | PEPTC*N,N'*-Bis(2-phenyl-ethyl)-3,4,9,10-perylene dicarboximide

CAS No. : 67075-37-0
 Grade : Sublimed >99%
 Formula : C₄₀H₂₆N₂O₄
 M.W. : 598.64 g/mole
 UV : 524 nm (in CH₂Cl₂)
 PL : 537 nm (in CH₂Cl₂)
 TGA : >390 °C (0.5% weight loss)


**LT-S940** | Tetracene

2,3-Benzanthracene


CAS No. : 92-24-0
 Grade : Sublimed >99% (HPLC)
 Formula : C₁₈H₁₂
 M.W. : 228.29 g/mole
 UV : 277 nm (in CH₂Cl₂)
 PL : 514 nm (in CH₂Cl₂)
 TGA : >180 °C (0.5% weight loss)

**LT-S941** | DP-PTCDI*N,N'*-Diphenyl-3,4,9,10-perylene dicarboximide


CAS No. : 128-65-4
 Grade : Sublimed >99%
 Formula : C₃₆H₁₈N₂O₄
 M.W. : 542.54 g/mole
 UV : 481, 515 nm (in THF)
 PL : 531 nm (in THF)
 TGA : >380 °C (0.5% weight loss)

**LT-S956** | PDI1*N,N'*-Bis(3,4,5-tridodecyloxyphenyl)-3,4,9,10-perylene dicarboximide

CAS No. : 351377-40-7
 Grade : >99% (NMR)
 Formula : C₁₀₈H₁₆₂N₂O₁₀
 M.W. : 1648.45 g/mole
 UV : 489, 526 nm (in CH₂Cl₂)
 TGA : >290 °C (0.5% weight loss)


**LT-S960** | 4MeOPEPTC*N,N'*-Bis[2-(4-methoxyphenyl)-ethyl]-3,4,9,10-perylene dicarboximide

CAS No. : 119215-14-4
 Grade : Sublimed >99%
 Formula : C₄₂H₃₀N₂O₆
 M.W. : 658.70 g/mole
 UV : 458, 524 nm (in CH₂Cl₂)
 PL : 534 nm (in CH₂Cl₂)
 TGA : >370 °C (0.5% weight loss)

**LT-S968** | 6,13-DP-Penta


6,13-Diphenylpentacene

CAS No. : 76727-11-2
 Grade : Sublimed >99%
 Formula : C₃₄H₂₂
 M.W. : 430.54 g/mole
 UV : 307 nm (in CH₂Cl₂)
 PL : 447 nm (in CH₂Cl₂)
 TGA : >250 °C (0.5% weight loss)

**LT-S969** | α-6T

α-Sexithiophene

CAS No. : 88493-55-4
 Grade : Sublimed >99%
 Formula : C₂₄H₁₄S₆
 M.W. : 494.76 g/mole
 UV : 437 nm (in CH₂Cl₂)
 PL : 511 nm (in CH₂Cl₂)
 TGA : >330 °C (0.5% weight loss)


**LT-S970** | PTCDI-C₈*N,N'*-Dioctyl-3,4,9,10-perylene dicarboximide

CAS No. : 78151-58-3
 Grade : Sublimed >99%
 Formula : C₄₀H₄₂N₂O₄
 M.W. : 614.77 g/mole
 UV : 456, 524 nm (in CH₂Cl₂)
 PL : 573 nm (in CH₂Cl₂)
 TGA : >390 °C (0.5% weight loss)

**LT-S972** | α,ω-DH6T


5,5''''-Dihexyl-2,2':5',2'':5'',2''':5''',2''''-sexithiophene

CAS No. : 151271-43-1
 Grade : Sublimed >99%
 Formula : C₃₆H₃₈S₆
 M.W. : 663.08 g/mole
 UV : 439 nm (in Toluene)
 TGA : >230 °C (0.5% weight loss)

**LT-S973** | TCNQ


7,7,8,8-Tetracyanoquinodimethane

CAS No. : 1518-16-7
 Grade : Sublimed >99%
 Formula : C₁₂H₄N₄
 M.W. : 204.19 g/mole
 PL : 259, 404 nm (in CH₂Cl₂)
 TGA : >210°C (0.5% weight loss)

**LT-S975** | FTTF


5,5'-Di(9H-fluorene-2-yl)-2,2'-bithiophene

CAS No. : 369599-41-7
 Grade : Sublimed >99%
 Formula : C₃₄H₂₂S₂
 M.W. : 494.67 g/mole
 PL : 378 nm (in Toluene)
 TGA : >200 °C (0.5% weight loss)

**LT-S976** | DH-FTTF


5,5'-Bis(7-hexyl-9H-fluorene-2-yl)-2,2'-bithiophene

CAS No. : 369599-42-8
 Grade : Sublimed >99%
 Formula : C₄₆H₄₆S₂
 M.W. : 662.99 g/mole
 UV : 378 nm (in Toluene)
 TGA : >200 °C (0.5% weight loss)

**LT-S977** | TIPS


6,13-Bis(triisopropylsilyl)ethynyl)pentacene

CAS No. : 373596-08-8
 Grade : >99% (HPLC)
 Formula : C₄₄H₅₄Si₂
 M.W. : 639.07 g/mole
 UV : 307 nm (in CH₂Cl₂)
 TGA : >230 °C (0.5% weight loss)

**LT-S9026** | ADT

Anthra[2,3-b:6,7-b']dithiophene


CAS No. : 144413-58-1
 Grade : Sublimed >99%
 Formula : C₁₈H₁₀S₂
 M.W. : 290.40 g/mole
 UV : 320 nm (in CH₂Cl₂)
 TGA : >250 °C (0.5% weight loss)



LT-S9027 | diF-TES-ADT


2,8-Difluoro-5,11-bis(triethylsilylethynyl)anthradithiophene, mixture of syn & anti isomers

CAS No. : 1015071-21-2
 Grade : >99% (NMR)
 Formula : $C_{34}H_{36}F_2Si_2$
 M.W. : 602.95 g/mole
 TGA : >230 °C (0.5% weight loss)

**LT-S9031** | DNTT **NEW**


Dinaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophene

CAS No. : 935280-42-5
 Grade : Sublimed >99%
 Formula : $C_{22}H_{12}S_2$
 M.W. : 340.46 g/mole

**LT-S9034** | TES-ADT


5,11-Bis(triethylsilylethynyl)anthradithiophene, mixture of syn & anti isomers

CAS No. : 851817-11-3
 Grade : >99% (NMR)
 Formula : $C_{34}H_{38}Si_2$
 M.W. : 566.97 g/mole
 UV : 306 nm (in CH_2Cl_2)
 TGA : >230 °C (0.5% weight loss)

**LT-S9035** | DPT


5,12-Diphenyltetracene

CAS No. : 27130-32-1
 Grade : Sublimed >99% (HPLC)
 Formula : $C_{30}H_{20}$
 M.W. : 380.48 g/mole
 UV : 262, 492 nm (in CH_2Cl_2)
 TGA : >230 °C (0.5% weight loss)

**LT-S9036** | DIP

Diindeno[1,2,3-cd:1',2',3'-lm]perylene


CAS No. : 188-94-3
 Grade : Sublimed product
 Formula : $C_{32}H_{16}$
 M.W. : 400.47 g/mole
 UV : 494, 532 nm (in CH_2Cl_2)
 TGA : >230 °C (0.5% weight loss)

**LT-S9041** | PTCDI- $C_{18}H_{37}$ *N,N'*-Dioctadecyl-3,4,9,10-perylenedicarboximide

CAS No. : 25834-02-0
 Grade : Sublimed >99%
 Formula : $C_{60}H_{82}N_2O_4$
 M.W. : 895.30 g/mole
 UV : 485, 520 nm (in Toluene)
 TGA : >340 °C (0.5% weight loss)


**LT-S9042** | PTCDI- $C_{13}H_{27}$ *N,N'*-Ditridecyl-3,4,9,10-perylenedicarboximide

CAS No. : 95689-92-2
 Grade : Sublimed >99%
 Formula : $C_{50}H_{62}N_2O_4$
 M.W. : 755.04 g/mole
 UV : 484, 520 nm (in Toluene)
 TGA : >390 °C (0.5% weight loss)


**LT-S9043** | Ddodec-FTTF

5,5'-Bis(7-dodecyl-9H-fluoren-2-yl)-2,2'-bithiophene

CAS No. : 846542-27-6
 Grade : Sublimed >99%
 Formula : $C_{58}H_{70}S_2$
 M.W. : 831.31 g/mole
 UV : 254, 409 nm (in CH_2Cl_2)
 TGA : >350 °C (0.5% weight loss)


**LT-S9049** | 2,4-FPEPTC*N,N'*-Bis[2-(2,4-difluoro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide

CAS No. : 1644439-37-1
 Grade : Sublimed >99%
 Formula : $C_{40}H_{22}F_4N_2O_4$
 M.W. : 670.61 g/mole
 UV : 245 nm (in CH_2Cl_2)
 TGA : >340 °C (0.5% weight loss)

**LT-S9054** | C8-BTBT **NEW**


2,7-Dioctyl[1]benzothieno[3,2-b][1]benzothiophene

CAS No. : 583050-70-8
 Grade : Sublimed >99%
 Formula : $C_{30}H_{40}S_2$
 M.W. : 464.77 g/mole

**LT-S9055** | C10-DNTT **NEW**


2,9-Didecylindaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophene

CAS No. : 1169932-40-4
 Grade : Sublimed >99%
 Formula : $C_{42}H_{52}S_2$
 M.W. : 620.99 g/mole


**LT-S9057** | DFH-4T

5,5'-Bis(5-perfluorohexyl)thiophen-2-yl)-2,2'-bithiophene

CAS No. : 446043-85-2
 Grade : Sublimed >99%
 Formula : $C_{28}H_8F_{26}S_4$
 M.W. : 966.58 g/mole
 UV : 259, 404 nm (in CH_2Cl_2)
 TGA : >220 °C (0.5% weight loss)


**LT-S9059** | TEPTC*N,N'*-Di(thiophen-2-yl)ethyl-3,4,9,10-perylene dicarboximide

CAS No. : 1559069-50-9
 Grade : Sublimed >99%
 Formula : $C_{36}H_{22}N_2O_4S_2$
 M.W. : 610.70 g/mole
 UV : 260 nm (in CH_2Cl_2)
 TGA : >400 °C (0.5% weight loss)

**LT-S9077** | BOBTP

1,6-Bis(5'-octyl-2,2'-bithiophen-5-yl)pyrene


CAS No. : 1430207-54-7
 Grade : Sublimed >99% (NMR)
 Formula : $C_{48}H_{50}S_4$
 M.W. : 755.17 g/mole
 UV : 322, 410 nm (in $CHCl_3$)



LT-S9080 | DCP

6,13-Dichloropentacene


CAS No. : 59156-92-2
 Grade : Sublimed >99%
 Formula : C₂₂H₁₂Cl₂
 M.W. : 347.24 g/mole
 TGA : >350 °C (0.5% weight loss)



LT-S9092 | 3PenPTC

N,N'-Bis(ethylpropyl)perylene-3,4,9,10-tetracarboxylicdiimide


CAS No. : 110590-81-3
 Grade : Sublimed >99%
 Formula : C₃₄H₃₀N₂O₄
 M.W. : 530.61 g/mole
 TGA : >270 °C (0.5% weight loss)




LT-S9093 | DCyPTC

N,N'-Dicyclohexylperylene-3,4,9,10-tetracarboxylicdiimide


CAS No. : 41572-86-5
 Grade : Sublimed >99%
 Formula : C₃₆H₃₀N₂O₄
 M.W. : 554.63 g/mole
 TGA : >350 °C (0.5% weight loss)

LT-S9094 | NTDA-C₆H₁₃2,7-Dihexylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone

CAS No. : 23536-15-4
 Grade : Sublimed >99%
 Formula : C₂₆H₃₀N₂O₄
 M.W. : 434.53 g/mole
 TGA : >250 °C (0.5% weight loss)

LT-S9095 | NTDA-C₈H₁₇2,7-Dioctylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 34155-21-0
 Grade : Sublimed >99%
 Formula : C₃₀H₃₈N₂O₄
 M.W. : 490.63 g/mole
 TGA : >280 °C (0.5% weight loss)



LT-S9096 | DCyNTDA

2,7-Dicyclohexylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 173409-43-3
 Grade : Sublimed >99%
 Formula : C₂₆H₂₆N₂O₄
 M.W. : 430.50 g/mole
 TGA : >280 °C (0.5% weight loss)




LT-S9097 | DPNTDA

2,7-Diphenylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 24259-89-0
 Grade : Sublimed >99%
 Formula : C₂₆H₁₄N₂O₄
 M.W. : 418.40 g/mole
 TGA : >280 °C (0.5% weight loss)

LT-S9098 | NTDA-C₅H₁₁2,7-Dipentylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 173409-41-1
 Grade : Sublimed >99%
 Formula : C₂₄H₂₆N₂O₄
 M.W. : 406.47 g/mole
 TGA : >240 °C (0.5% weight loss)

LT-S9099 | NTDA-C₇H₁₅2,7-Diheptylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 698370-78-4
 Grade : Sublimed >99%
 Formula : C₂₈H₃₄N₂O₄
 M.W. : 462.58 g/mole
 TGA : >280 °C (0.5% weight loss)

LT-S9100 | NTDA-C₁₃H₂₇2,7-Ditridecylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone

CAS No. : 1373274-00-0
 Grade : Sublimed >99%
 Formula : C₄₀H₅₈N₂O₄
 M.W. : 630.90 g/mole
 TGA : >280 °C (0.5% weight loss)

LT-S9101 | NTDA-C₁₈H₃₇2,7-Dioctadecylbenzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 144742-50-7
 Grade : Sublimed >99%
 Formula : C₅₀H₇₈N₂O₄
 M.W. : 771.17 g/mole
 TGA : >280 °C (0.5% weight loss)



LT-S9102 | DTT-12

2,6-Bis(4-dodecylphenyl)-dithieno[3,2-*b*:2',3'-*d'*]thiophene


CAS No. : 1446140-70-0
 Grade : Sublimed >99% (NMR)
 Formula : C₄₄H₆₀S₃
 M.W. : 685.14 g/mole
 TGA : >280 °C (0.5% weight loss)



LT-S9103 | DTT-8

2,6-Bis(4-octylphenyl)-dithieno[3,2-*b*:2',3'-*d'*]thiophene


CAS No. : 1429377-95-6
 Grade : Sublimed >99% (NMR)
 Formula : C₃₆H₄₄S₃
 M.W. : 572.93 g/mole
 TGA : >270 °C (0.5% weight loss)



LT-S9128 | Dp-triene-2,5-CN

(2*Z*,3*E*,5*Z*)-2,5-Dibenzylidenehex-3-enedinitrile


CAS No. : 1376166-32-3
 Grade : >99%
 Formula : C₂₀H₁₄N₂
 M.W. : 282.34 g/mole



LT-S9129 | Dp-tetraene

(1*E*,3*E*,5*E*,7*E*)-1,8-Diphenylocta-1,3,5,7-tetraene


CAS No. : 3029-40-1
 Grade : >99%
 Formula : C₂₀H₁₈
 M.W. : 258.36 g/mole



LT-S9130 | Dp-pentaene

(1*E*,3*E*,5*E*,7*E*,9*E*)-1,10-Diphenyldeca-1,3,5,7,9-pentaene


CAS No. : 3029-41-2
 Grade : >99%
 Formula : C₂₂H₂₀
 M.W. : 284.39 g/mole



LT-S9131 | Dp-triene

(1*E*,3*E*,5*E*)-1,6-Diphenylhexa-1,3,5-triene


CAS No. : 1720-32-7
 Grade : >99%
 Formula : C₁₈H₁₆
 M.W. : 232.32 g/mole



LT-S9132 | PTCPI-CH₂C₃F₇


N,N'-Bis(2,2,3,3,4,4,4-heptafluorobutyl)-3,4,9,10-perylene dicarboximide

CAS No. : 1150578-28-1
Grade : Sublimed >99%
Formula : C₃₂H₁₂F₁₄N₂O₄
M.W. : 756.44 g/mole
TGA : >300 °C (0.5% weight loss)

LT-S9134 | F₄CuPC

Copper(II)-2,9,16,23-tetrafluoro-29*H*,31*H*-phthalocyanine


CAS No. : 65602-84-8
Grade : Sublimed >99%
Formula : C₃₂H₁₂CuF₄N₈
M.W. : 648.03 g/mole
TGA : >350 °C (0.5% weight loss)



LT-S9159 | p-Septiphenyl


p-Septiphenyl

CAS No. : 70352-20-4
Grade : >99%
Formula : C₄₂H₃₀
M.W. : 534.69 g/mole
TGA : >280 °C (0.5% weight loss)

LT-S9171 | F₄ZnPC


Zinc(II)-1,8,15,22-tetrafluoro-29*H*,31*H*-phthalocyanine, mixture of isomers

CAS No. : 1120355-28-3
Grade : Sublimed >99%
Formula : C₃₂H₁₂F₄N₈Zn
M.W. : 649.89 g/mole
UV : 681 nm (in CHCl₃)
TGA : >300 °C (0.5% weight loss)

LT-S9172 | F₈ZnPC

Zinc(II)-2,3,9,10,16,17,23,24-octafluoro-29*H*,31*H*-phthalocyanine


CAS No. : 676519-80-5
Grade : Sublimed >99%
Formula : C₃₂H₈F₈N₈Zn
M.W. : 721.86 g/mole
UV : 338, 656 nm (in DMF)
TGA : >300 °C (0.5% weight loss)



LT-S9173 | An-PDN

2,2'-(9,10-Anthracenediylidene)-bis-propanedinitrile


CAS No. : 70359-39-6
Grade : Sublimed >99% (HPLC)
Formula : C₂₀H₈N₄
M.W. : 304.3 g/mole
UV : 283, 348 nm (in CHCl₃)
TGA : >250 °C (0.5% weight loss)



LT-S9174 | DTTCNQ

2,2'-Benzo[1,2-*b*:4,5-*b'*]dithiophene-4,8-diylidene-bis-propanedinitrile


CAS No. : 109573-90-2
Grade : Sublimed >99% (HPLC)
Formula : C₁₆H₄N₄S₂
M.W. : 316.36 g/mole
UV : 231, 438 nm (in CHCl₃)
TGA : >250 °C (0.5% weight loss)



LT-S9175 | 5,12-TIPS-Tetracene


5,12-Bis((triisopropylsilyl)ethynyl)tetracene

CAS No. : 628316-50-7
Grade : >99% (NMR)
Formula : C₄₀H₅₂Si₂
M.W. : 589.01 g/mole
UV : 389 nm (in CH₂Cl₂)
TGA : >250 °C (0.5% weight loss)

LT-S9177 | F₁₆FePC

Iron(II) 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-hexadecafluoro-29*H*,31*H*-phthalocyanine


CAS No. : 23844-93-1
Grade : Sublimed >99%
Formula : C₃₂F₁₆FeN₈
M.W. : 856.22 g/mole
UV : 333, 627 nm (in Acetone)
TGA : >300 °C (0.5% weight loss)



LT-S9179 | BDT2TH

2,6-Bis[(5'-octyl[2,2'-bithiophene])[(4,8-bis(5-octyl-2-thienyl)benzo[1,2-*b*:4,5-*b'*]dithiophene)]


Grade : >99% (NMR)
Formula : C₆₆H₈₂S₈
M.W. : 1131.88 g/mole
UV : 249, 359, 442 nm (in CHCl₃)



LT-S9211 | DTT-8

Tribenzo[*de,kl,rs*]pentaphene


CAS No. : 188-72-7
Grade : >98% (NMR)
Formula : C₃₀H₁₆
M.W. : 376.45 g/mole



LT-S9213 | DPA

2,6-Diphenylantracene


CAS No. : 95950-70-2
Grade : Sublimed >99% (HPLC)
Formula : C₂₆H₁₈
M.W. : 330.42 g/mole
TGA : >200 °C (0.5% weight loss)



LT-S9259

2,7-Bis(2-(dimethylamino)ethyl)benzo[*mn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 22291-04-9
Formula : C₂₂H₂₄N₄O₄
M.W. : 408.45 g/mole



LT-S9260

4,9-Dibromo-isochromeno[6,5,4-*def*]isochromene-1,3,6,8-tetraone


CAS No. : 83204-68-6
Formula : C₁₄H₂Br₂O₆
M.W. : 425.97 g/mole



LT-S9261

4,9-Dibromo-2,7-dihexylbenzo[*lmn*][3,8]phenanthroline-1,3,6,8-tetraone


CAS No. : 1239327-73-1
 Formula : C₂₆H₂₈Br₂N₂O₄
 M.W. : 592.32 g/mole



LT-S9262

4,9-Dibromo-2,7-bis(2-ethylhexyl)benzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 1088205-02-0
 Formula : C₃₀H₃₆Br₂N₂O₄
 M.W. : 648.43 g/mole



LT-S9263

4,9-Dibromo-2,7-bis(2-butyloctyl)benzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 1614253-96-1
 Formula : C₃₈H₅₂Br₂N₂O₄
 M.W. : 760.64 g/mole



LT-S9264

4,9-Dibromo-2,7-bis(2-octyldecyl)benzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 1100243-35-3
 Formula : C₅₄H₈₄Br₂N₂O₄
 M.W. : 985.06 g/mole



LT-S9265

4,9-Dibromo-2,7-bis(2-hexyldecyl)benzo[*lmn*][3,8]phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 1459168-68-3
 Grade : >98% (HPLC)
 Formula : C₄₆H₆₈Br₂N₂O₄
 M.W. : 872.85 g/mole



LT-S9267

4,5,9,10-Tetrabromo-2,7-dioctylbenzo[*lmn*][3,8]phenanthroline-1,3,6,8-tetraone


CAS No. : 954374-43-7
 Formula : C₃₀H₃₄Br₄N₂O₄
 M.W. : 806.22 g/mole



LT-S9268 PDIN

2,9-Bis(3-(dimethylamino)propyl)anthra[2,1,9-*def*:6,5,10-*d'e'f'*]diisoquinoline-1,3,8,10(2*H*,9*H*)-tetraone


CAS No. : 117901-97-0
 Formula : C₃₄H₃₂N₄O₄
 M.W. : 560.64 g/mole
 HOMO : -6.05 eV
 LUMO : -3.72 eV



LT-S9269

5,12-Dibromo-2,9-bis(2-ethylhexyl)anthra[2,1,9-*def*:6,5,10-*d'e'f'*]diisoquinoline-1,3,8,10(2*H*,9*H*)-tetraone


CAS No. : 851786-15-7
 Formula : C₄₀H₄₀Br₂N₂O₄
 M.W. : 772.56 g/mole



LT-S9270

5,12-Dibromo-2,9-bis(2-decyltetradecyl)anthra[2,1,9-*def*:6,5,10-*d'e'f'*]diisoquinoline-1,3,8,10(2*H*,9*H*)-tetraone


CAS No. : 909019-78-9
 Formula : C₇₂H₁₀₄Br₂N₂O₄
 M.W. : 1221.42 g/mole



LT-S9285 C6-DPA

2,6-Bis(4-hexylphenyl)anthracene


CAS No. : 1258209-99-2
 Grade : Sublimed >99%
 Formula : C₃₈H₄₂
 M.W. : 498.74 g/mole
 TGA : >260 °C (0.5% weight loss)



LT-S9500 Bis-HFI-NTCDI

2,7-Di(9*H*-fluoren-2-yl)benzo[*lmn*][3,8]-phenanthroline-1,3,6,8(2*H*,7*H*)-tetraone


CAS No. : 1397188-84-9
 Grade : Sublimed >99%
 Formula : C₄₀H₂₂N₂O₄
 M.W. : 594.61 g/mole
 EA : 3.5 eV
 Conductivity : 1.3 x 10⁻⁴ S/cm




LT-S9540 TIPS anti DNI

8,16-Bis((triisopropylsilyl)ethynyl)benzo[*a*]benzo[4,5]-indeno[2,1-*h*]fluorine

CAS No. : 2080320-19-8
 Grade : >99% (HPLC)
 Formula : C₅₀H₅₆Si₂
 M.W. : 713.15 g/mole
 Hole Mobility : 7.1 cm² / Vs


LT-S9541 C13-BTBT **NEW**2-Tridecyl-[1]benzothieno[3,2-*b*][1]benzothiophene

CAS No. : 1198290-20-8
 Grade : Sublimed >99%
 Formula : C₂₇H₃₄S₂
 M.W. : 422.69 g/mole


LT-S9553 DPTTA **NEW**

2,13-Diphenyl-23,24,25,26-tetrathiapentacyclo-[1,8,2,1,13,6,19,12,14,17]hexacosane-1,3,5,7,9,11,13,15,17,19,21-undecaene

CAS No. : 1265748-61-5
 Grade : >99%
 Formula : C₃₄H₂₂S₄
 M.W. : 558.80 g/mole
 UV : 319, 401 nm (Toluene)
 HOMO : -4.42 eV
 LUMO : -2.51 eV

LT-S9561 **NEW**2-(5'-(2-Ethylhexyl)-[2,2'-bithiophen]-5-yl)-9*H*-fluoren-9-one


CAS No. : 2499491-20-0
 Grade : >99%
 Formula : C₂₉H₂₈OS₂
 M.W. : 456.66 g/mole
 UV : 252, 302 nm (CHCl₃)
 HOMO : -5.17 eV
 LUMO : -2.89 eV



LT-S9579 | PDIF-CN2 **NEW**


2,9-Bis(2,2,3,3,4,4,4-heptafluorobutyl)-1,3,8,10-tetraoxo-1,2,3,8,9,10-hexahydroanthra[2,1,9-def,6,5,10-d'e'f']diisoquinoline-5,12-Dicarbonitrile, mixture of isomers

CAS No. : 844868-47-9
Grade : Sublimed >99%
Formula : C₃₄H₁₀F₁₄N₄O₄
M.W. : 804.45 g/mole
HOMO : -6.8 eV
LUMO : -4.50 eV

LT-S9586 | p-6P **NEW**


p-Sexiphenyl

CAS No. : 4499-83-6
Grade : Sublimed >99%
Formula : C₃₆H₂₆
M.W. : 458.59 g/mole
HOMO : -5.6 eV
LUMO : -1.8 eV

LT-S9587 | Ph-BTBT-10 **NEW**


2-Decyl-7-phenyl[1]benzothieno[3,2-b][1]benzothiophene

CAS No. : 1398395-83-9
Grade : Sublimed >99%
Formula : C₃₀H₃₂S₂
M.W. : 456.71 g/mole

LT-S9592 | C10-BTBT **NEW**


2,7-Didecyl[1]benzothieno[3,2-b][1]benzothiophene

CAS No. : 583050-71-9
Grade : Sublimed >99%
Formula : C₃₄H₄₈S₂
M.W. : 520.87 g/mole

LT-S9593 | C3-BTBT **NEW**


2,7-Dipropyl-4b,9b-dihydrobenzo[b]benzo[4,5]thieno[2,3-d]thiophene

CAS No. : 1198290-38-8
Grade : Sublimed >99%
Formula : C₂₀H₂₀S₂
M.W. : 324.5 g/mole

LT-S9594 | C6-BTBT **NEW**


2,7-Dihexyl-4b,9b-dihydrobenzo[b]benzo[4,5]thieno[2,3-d]thiophene

CAS No. : 583050-69-5
Grade : Sublimed >99%
Formula : C₂₆H₃₂S₂
M.W. : 408.66 g/mole

LT-S9595 | BTBT **NEW**


Benzo[b]benzo[4,5]thieno[2,3-d]thiophene

CAS No. : 248-70-4
Grade : Sublimed >99%
Formula : C₁₄H₈S₂
M.W. : 240.34 g/mole

LT-S9596 | C12-BTBT **NEW**


2,7-Didodecylbenzo[b]benzo[4,5]thieno[2,3-d]thiophene

CAS No. : 473723-54-5
Grade : Sublimed >99%
Formula : C₃₈H₅₆S₂
M.W. : 576.98 g/mole

LT-S9597 | DPh-DNTT **NEW**


2,9-Diphenyl-dinaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophene

CAS No. : 1310198-13-0
Grade : Sublimed >99%
Formula : C₃₄H₂₀S₂
M.W. : 492.65 g/mole

LT-S9598 | C6-DNTT **NEW**


2,9-Dihexylnaphtho[2,3-b]naphtho[2',3':4,5]thieno[2,3-d]thiophene

CAS No. : 1242239-89-9
Grade : Sublimed >99%
Formula : C₃₄H₃₆S₂
M.W. : 508.78 g/mole

LT-S9599 | C3-DNTT **NEW**


2,9-Dipropylnaphtho[2,3-b]naphtho[2',3':4,5]-thieno[2,3-d]thiophene

CAS No. : 1242239-91-3
Grade : Sublimed >99%
Formula : C₂₈H₂₄S₂
M.W. : 424.62 g/mole

LT-S9600 | C14-DNTT **NEW**


2,9-Ditetradecylnaphtho[2,3-b]naphtho[2',3':4,5]thieno[2,3-d]thiophene

CAS No. :
Grade : Sublimed >99%
Formula : C₅₀H₆₈S₂
M.W. : 733.2 g/mole

LT-S9601 | C2-DNTT **NEW**


2,9-Diethylnaphtho[2,3-b]naphtho[2',3':4,5]thieno[2,3-d]thiophene

CAS No. :
Grade : Sublimed >99%
Formula : C₂₆H₂₀S₂
M.W. : 396.57 g/mole

LT-S9602 | C8-DNTT **NEW**


2,9-Dioctylnaphtho[2,3-b]naphtho[2',3':4,5]thieno[2,3-d]thiophene

CAS No. :
Grade : Sublimed >99%
Formula : C₃₈H₄₄S₂
M.W. : 564.89 g/mole

LT-S9603 | C4-DNTT **NEW**


2,9-Dibutylnaphtho[2,3-b]naphtho[2',3':4,5]thieno[2,3-d]thiophene

CAS No. :
Grade : Sublimed >99%
Formula : C₃₀H₂₈S₂
M.W. : 452.67 g/mole

LT-S9605 | C4-DNTT **NEW**


Bis[1-(4-dimethylamino)phenyl-2-phenyl-1,2-ethenedithiolato]nickel(II)

CAS No. : 38465-55-3
Grade : >98%
Formula : C₃₂H₃₀N₂NiS₄
M.W. : 629.55 g/mole




LT-S9621 | C10-DNT **NEW**3,9-Didecyldinaphtho[2,3-*b*:2',3'-*d*]thiophene


CAS No. : 1451918-60-7
 Grade : Sublimed >99%
 Formula : C₄₀H₅₂S
 M.W. : 564.91 g/mole

**LT-S9629** | C4-BTBT **NEW**2,7-Dibutyl[1]benzothieno[3,2-*b*]benzothiophene


CAS No. : 1198290-40-2
 Grade : Sublimed >99%
 Formula : C₂₂H₂₄S₂
 M.W. : 352.56 g/mole

**LT-S9630** | C5-BTBT **NEW**2,7-Dipentyl[1]benzothieno[3,2-*b*]benzothiophene


CAS No. : 1003601-76-0
 Grade : Sublimed >99%
 Formula : C₂₄H₂₈S₂
 M.W. : 380.61 g/mole

**LT-S9631** | C12-Ph-BTBT **NEW**2-(4-Dodecylphenyl) [1]benzothieno[3,2-*b*]benzothiophene


CAS No. : 1398395-77-1
 Grade : Sublimed >99%
 Formula : C₃₂H₃₆S₂
 M.W. : 484.76 g/mole

**LT-S9632** | ditBu-BTBT **NEW**2,7-Di-tert-butyl-[1]benzothieno[3,2-*b*]benzothiophene


CAS No. : 1198290-42-4
 Grade : Sublimed >99%
 Formula : C₂₂H₂₄S₂
 M.W. : 352.56 g/mole

**LT-S9633** | Ph-BTBT **NEW**2-Phenyl[1]benzothieno[3,2-*b*]benzothiophene


CAS No. : 1801421-69-1
 Grade : Sublimed >99%
 Formula : C₂₀H₁₂S₂
 M.W. : 316.44 g/mole

**LT-S9634** | D(PhFCO)-BTBT **NEW**2,7-Diylbis(perfluorophenyl)methanone[1]benzothieno[3,2-*b*]benzothiophene


CAS No. : 2366264-40-4
 Grade : Sublimed >99%
 Formula : C₂₈H₆F₁₀O₂S₂
 M.W. : 628.46 g/mole

**LT-S9635** | C10-DNF-VV **NEW**2,10-Didecyldinaphtho[2,3-*b*:2',3'-*d*]furan


CAS No. : 1451918-45-8
 Grade : Sublimed >99%
 Formula : C₄₀H₅₂O
 M.W. : 548.84 g/mole

**LT-S9636** | C10-DNF-VW **NEW**3,9-Didecyldinaphtho[2,3-*b*:2',3'-*d*]furan


CAS No. : 1451918-51-6
 Grade : Sublimed >99%
 Formula : C₄₀H₅₂O
 M.W. : 548.84 g/mole

**LT-S9637** | DNF-V **NEW**Dinaphtho[2,3-*b*:2',3'-*d*]furan


CAS No. : 242-51-3
 Grade : Sublimed >99%
 Formula : C₂₀H₁₂O
 M.W. : 268.31 g/mole

**LT-S9638** | C10-DNT-WV **NEW**2,10-Didecyldinaphtho[2,3-*b*:2',3'-*d*]thiophene

CAS No. : 1451918-48-1
 Grade : Sublimed >99%
 Formula : C₄₀H₅₂S
 M.W. : 564.91 g/mole

**LT-S9639** | S-DNTT-10 **NEW**3,10-Didecylnaphtho[2,1-*b*]naphtho[1',2':4,5]thieno[2,3-*d*]thiophene


CAS No. : 2648594-24-3
 Grade : Sublimed >99%
 Formula : C₄₂H₅₂S₂
 M.W. : 620.99 g/mole



LT-S979 | F8T2

Poly[(9,9-di-*n*-octylfluorenyl-2,7-diyl)-*alt*-2,2'-bithiophene-5,5'-diyl]


CAS No. : 210347-56-1
 Grade : Mw >20,000 (GPC)
 Formula : (C₃₇H₄₄S₂)_n
 UV : 454 nm (in THF)
 PL : 500 nm (in THF)
 Solubility : Soluble in CHCl₃, Chlorobenzene, Dichlorobenzene




LT-S980 | PQT-12

Poly[bis(3-dodecyl-2-thienyl)-2,2'-dithiophene-5,5'-diyl]


CAS No. : 827343-06-6
 Grade : Mw = 10,000 ~ 40,000 (GPC)
 Formula : (C₄₀H₅₆S₄)_n
 UV : 473 nm (in Toluene)
 Solubility : >5 mg/mL in CHCl₃

LT-S981 | PBTTT-C₁₂Poly[2,5-bis(3-dodecylthiophen-2-yl)thieno[3,2-*b*]thiophene]


CAS No. : 888491-18-7
 Grade : Mw = 10,000~100,000 (GPC)
 Formula : (C₃₈H₅₄S₄)_n
 UV : 460 nm (in THF)
 PL : 557 nm (in THF)
 Solubility : >5 mg/mL in CHCl₃

LT-S982 | PBTTT-C₁₄Poly[2,5-bis(3-tetradecylthiophen-2-yl)thieno[3,2-*b*]thiophene]

CAS No. : 888491-19-8
 Grade : Mw = 10,000~100,000 (GPC)
 Formula : (C₄₂H₆₂S₄)_n
 UV : 466 nm (in THF)
 PL : 557 nm (in THF)
 Solubility : >5 mg/mL in CHCl₃

LT-S9060 | PBTTT-C₁₆Poly[2,5-bis(3-hexadecylthiophen-2-yl)thieno[3,2-*b*]thiophene]


Grade : Mw = 10,000~100,000 (GPC)
 Formula : (C₄₆H₇₀S₄)_n
 UV : 466 nm (in THF)
 PL : 557 nm (in THF)
 Solubility : >5 mg/mL in CHCl₃



LT-S9091 | TQ1

Poly[2,3-bis(3-octyloxyphenyl)quinoxaline-5,8-diyl-*alt*-thiophene-2,5-diyl]


CAS No. : 565228-37-7
 Grade : Mw >20,000 (GPC)
 Formula : (C₄₀H₄₆N₂O₂S)_n
 Solubility : Soluble in CHCl₃, Chlorobenzene, Dichlorobenzene



LT-S9117 | PDQT

Poly[2,2'-[(2,5-bis(2-octyldodecyl)-3,6-dioxo-2,3,5,6-tetrahydropyrrolo[3,4-*c*]pyrrole-1,4-diyl)dithiophene-5,5'-diyl-*alt*-2,2'-bithiophene-5,5'-diyl]


CAS No. : 1267540-03-3
 Grade : Mw >30,000 (GPC)
 Formula : (C₆₂H₉₀N₂O₂S₄)_n
 UV : 810 nm (in CHCl₃)
 Solubility : Soluble in CHCl₃, Chlorobenzene, Dichlorobenzene



LT-S9118 | PDBT-co-TT

Poly[2,2'-[(2,5-bis(2-octyldodecyl)-3,6-dioxo-2,3,5,6-tetrahydropyrrolo[3,4-*c*]pyrrole-1,4-diyl)dithiophene-5,5'-diyl-*alt*-thieno[3,2-*b*]thiophen-2,5-diyl]


CAS No. : 1260685-65-1
 Grade : Mw >30,000 (GPC)
 Formula : (C₆₀H₈₈N₂O₂S₄)_n
 UV : 810 nm (in CHCl₃)
 Solubility : Soluble in CHCl₃, Chlorobenzene, Dichlorobenzene



LT-S9119 | PDPPBT

Poly[2,2'-[(2,5-bis(2-octyldodecyl)-3,6-dioxo-2,3,5,6-tetrahydropyrrolo[3,4-*c*]pyrrole-1,4-diyl)dithiophene-5,5'-diyl-*alt*-thiophen-2,5-diyl]


CAS No. : 1270977-98-4
 Grade : Mw >30,000 (GPC)
 Formula : (C₆₂H₈₈N₂O₂S₃)_n
 UV : 812 nm (in CHCl₃)
 Solubility : Soluble in CHCl₃, Chlorobenzene, Dichlorobenzene



LT-S9133 | PDVT-10

Poly[3,6-dithiophen-2-yl-2,5-di(2-decyltetradecyl)pyrrolo[3,4-*c*]pyrrole-1,4-dione-*alt*-thienylenevinylene-2,5-yl]


CAS No. : 1442682-99-6
 Grade : Mw >30,000 (GPC)
 Formula : (C₇₂H₁₀₈N₂O₂S₄)_n
 Solubility : Soluble in CHCl₃, Chlorobenzene, Dichlorobenzene



LT-S9155 | PDVT-8

Poly[3,6-dithiophen-2-yl-2,5-di(2-octyldodecyl)pyrrolo[3,4-*c*]pyrrole-1,4-dione-*alt*-thienylenevinylene-2,5-yl]


CAS No. : 1403959-01-2
 Grade : Mw >20,000 (GPC)
 Formula : (C₆₄H₉₂N₂O₂S₄)_n
 Solubility : Soluble in CHCl₃, Chlorobenzene, Dichlorobenzene



LT-S9178 | PMDPP3T

Poly[[2,5-bis(2-hexyldodecyl)-2,3,5,6-tetrahydro-3,6-dioxopyrrolo[3,4-*c*]pyrrole-1,4-diyl]-*alt*-[3',3''-dimethyl-2,2':5',2''-terthiophene]-5,5''-diyl]

CAS No. : 1429119-71-0
 Grade : Mw >30,000 (GPC)
 Formula : (C₅₂H₇₆N₂O₂S₃)_n
 UV : 830 nm (in CHCl₃)
 Solubility : Soluble in CHCl₃, Chlorobenzene, Dichlorobenzene



LT-S9591 | PZ1

NEW

Poly(2,2'-((2Z,2'Z)-((4,4,9,9-tetrahexadecyl-4,9-dihydro-s-indaceno[1,2-b:5,6-b']dithiophene-2,7-diyl)bis(methanylylidene)bis(3-oxo-2,3-dihydro-1H-indene-2,1-diylidene)dimalononitrile-5,5'-diyl-*alt*-thiophen-2,5-diyl)

CAS No. : 2177247-65-1

Grade : Mw > 10000

Formula : (C₁₁₀H₁₄₆N₄O₂S₃)_n