

K0485


5,15-Bis[3,5-di(tert-butyl)phenyl]porphyrin

CAS No. : 173613-63-3

Grade : >97%

Formula : $C_{48}H_{54}N_4$

M.W. : 686.97 g/mole



LT-D0001 H2TPP

meso-Tetraphenylporphine


CAS No. : 917-23-7

Grade : >98% (HPLC)

Formula : $C_{44}H_{30}N_4$

M.W. : 614.75 g/mole

UV : 415 nm (in CH_2Cl_2)



LT-D0002 NiTPP


Nickel(II) meso-tetraphenylporphine

CAS No. : 14172-92-0

Grade : >98% (NMR)

Formula : $C_{44}H_{28}N_4Ni$

M.W. : 671.41 g/mole



LT-D0003

Vanadyl meso-tetraphenylporphine


CAS No. : 14705-63-6

Grade : >97% (HPLC)

Formula : $C_{44}H_{28}N_4OV$

M.W. : 679.66 g/mole

UV : 423 nm (in THF)



LT-D0004


Iron(III) meso-tetraphenylporphine Chloride

CAS No. : 16456-81-8

Grade : >98% (HPLC)

Formula : $C_{44}H_{28}ClFeN_4$

M.W. : 704.02 g/mole



LT-D0005 ZnTPP


Zinc(II) meso-tetraphenylporphine

CAS No. : 14074-80-7

Grade : >98% (HPLC)

Formula : $C_{44}H_{28}N_4Zn$

M.W. : 678.11 g/mole



LT-D0006


Magnesium(II) meso-tetraphenylporphine hydrate

CAS No. : 14640-21-2

Grade : >95% (NMR)

Formula : $C_{44}H_{30}MgN_4O$

M.W. : 655.04 g/mole



LT-D0007


Manganese(III) meso-tetraphenylporphine chloride

CAS No. : 32195-55-4

Grade : >98% (NMR)

Formula : $C_{44}H_{28}ClMnN_4$

M.W. : 703.11 g/mole



LT-D0008 PtTPP


Platinum(II) meso-tetraphenylporphine

CAS No. : 14187-14-5

Grade : >98% (HPLC)

Formula : $C_{44}H_{28}N_4Pt$

M.W. : 807.8 g/mole



LT-D0009 CoTPP


Cobalt(II) meso-tetraphenylporphine

CAS No. : 14172-90-8

Grade : >98% (HPLC)

Formula : $C_{44}H_{28}CoN_4$

M.W. : 671.65 g/mole



LT-D0010 | H₂TCPP

meso-Tetra(4-carboxyphenyl)porphine


CAS No. : 14609-54-2

Grade : >97% (HPLC)

Formula : C₄₈H₃₀N₄O₈

M.W. : 790.79 g/mole

UV : 411 nm (in CH₂Cl₂)



LT-D0011 | PdTCPP


Palladium(II) meso-tetra(4-carboxyphenyl)porphine

CAS No. : 94288-44-5

Grade : >95% (NMR)

Formula : C₄₈H₂₈N₄O₈Pd

M.W. : 895.18 g/mole



LT-D0012 | TCPP-Fe(3+)


Iron(III) meso-tetra(4-carboxyphenyl)porphine chloride

CAS No. : 55266-17-6

Grade : >95%

Formula : C₄₈H₂₈ClFeN₄O₈

M.W. : 880.06 g/mole



LT-D0013 | CuTCPP


Copper(II) meso-tetra(4-carboxyphenyl)porphine

CAS No. : 41699-93-8

Grade : >98%

Formula : C₄₈H₂₈CuN₄O₈

M.W. : 852.3 g/mole



LT-D0014 |


Manganese(III) meso-tetra(4-carboxyphenyl)porphine chloride

CAS No. : 55266-18-7

Grade : >98% (NMR)

Formula : C₄₈H₂₈ClMnN₄O₈

M.W. : 879.15 g/mole



LT-D0015 | PtTCPP


Platinum(II) meso-tetra(4-carboxyphenyl)porphine

CAS No. : 94288-45-6

Grade : >98% (NMR)

Formula : C₄₈H₂₈N₄O₈Pt

M.W. : 983.84 g/mole



LT-D0016 |


meso-Tetra(4-carboxyphenyl)porphine tetramethyl ester

CAS No. : 22112-83-0

Grade : >98% (NMR)

Formula : C₅₂H₃₈N₄O₈

M.W. : 846.88 g/mole



LT-D0017 |

meso-Tetra(p-hydroxyphenyl)porphine


CAS No. : 51094-17-8

Grade : >98% (NMR)

Formula : C₄₄H₃₀N₄O₄

M.W. : 678.73 g/mole

UV : 421 nm (in CH₂Cl₂)



LT-D0018 |


meso-Tetra(3-hydroxyphenyl)porphine

CAS No. : 22112-79-4

Grade : >98% (NMR)

Formula : C₄₄H₃₀N₄O₄

M.W. : 678.73 g/mole



LT-D0019 |

meso-Tetra(4-methoxyphenyl)porphine


CAS No. : 22112-78-3

Grade : >98% (NMR)

Formula : C₄₈H₃₈N₄O₄

M.W. : 734.86 g/mole

UV : 424 nm (in CH₂Cl₂)



LT-D0020


Cobalt(II) meso-Tetra(4-methoxyphenyl)porphine

CAS No. : 28903-71-1

Grade : >98% (NMR)

Formula : $C_{48}H_{36}CoN_4O_4$

M.W. : 791.77 g/mole



LT-D0021

meso-Tetra(pentafluorophenyl)porphine


CAS No. : 25440-14-6

Grade : >98% (HPLC)

Formula : $C_{44}H_{10}F_{20}N_4$

M.W. : 974.56 g/mole

UV : 416 nm (in CH_2Cl_2)



LT-D0022


Platinum(II) meso-tetra(pentafluorophenyl)porphine

CAS No. : 109781-47-7

Grade : >98% (HPLC)

Formula : $C_{44}H_8F_{20}N_4Pt$

M.W. : 1167.61 g/mole



LT-D0023

Palladium(II) meso-tetra(pentafluorophenyl)porphine


CAS No. : 72076-09-6

Grade : >98% (NMR)

Formula : $C_{44}H_8F_{20}N_4Pd$

M.W. : 1078.95 g/mole

UV : 400 nm (in Acetone)



LT-D0024


meso-Tetra(o-dichlorophenyl)porphine

CAS No. : 37083-37-7

Grade : >98% (NMR)

Formula : $C_{44}H_{22}Cl_8N_4$

M.W. : 890.29 g/mole



LT-D0025


Iron(III) meso-tetra(o-dichlorophenyl)porphine chloride

CAS No. : 91042-27-2

Grade : >98% (NMR)

Formula : $C_{44}H_{20}Cl_8FeN_4$

M.W. : 979.58 g/mole



LT-D0026


meso-Tetra(2,4,6-trimethylphenyl)porphine

CAS No. : 56396-12-4

Grade : >98% (NMR)

Formula : $C_{56}H_{54}N_4$

M.W. : 783.08 g/mole



LT-D0027


Manganese(III) meso-tetra(2,4,6-trimethylphenyl)porphine chloride

CAS No. : 85939-49-7

Grade : >95% (NMR)

Formula : $C_{56}H_{52}ClMnN_4$

M.W. : 871.43 g/mole



LT-D0028


meso-Tetra(2-methylphenyl)porphine

CAS No. : 37083-40-2

Grade : >98% (NMR)

Formula : $C_{48}H_{38}N_4$

M.W. : 670.84 g/mole



LT-D0029


meso-Tetra(3-methylphenyl)porphine

CAS No. : 50849-45-1

Grade : >98% (NMR)

Formula : $C_{48}H_{38}N_4$

M.W. : 670.84 g/mole



LT-D0030


meso-Tetra(4-methylphenyl)porphine

CAS No. : 14527-51-6

Grade : >98% (NMR)

Formula : $C_{48}H_{38}N_4$

M.W. : 670.84 g/mole



LT-D0031


meso-Tetra(3,5-di-*t*-butylphenyl)porphine

CAS No. : 89372-90-7

Grade : >98% (NMR)

Formula : $C_{76}H_{94}N_4$

M.W. : 1063.59 g/mole



LT-D0032


meso-Tetra(4-*tert*-butylphenyl)porphine

CAS No. : 110452-48-7

Grade : >98% (NMR)

Formula : $C_{60}H_{62}N_4$

M.W. : 839.16 g/mole



LT-D0033

meso-Tetra(4-pyridyl)porphine


CAS No. : 16834-13-2

Grade : >98% (NMR)

Formula : $C_{40}H_{26}N_8$

M.W. : 618.69 g/mole

UV : 412 nm (in CH_2Cl_2)



LT-D0034


Zinc(II) meso-tetra(4-pyridyl)porphine

CAS No. : 31183-11-6

Grade : >98%

Formula : $C_{40}H_{24}N_8Zn$

M.W. : 682.06 g/mole



LT-D0035


meso-Tetra(2-pyridyl)porphine

CAS No. : 40904-90-3

Grade : >98% (NMR)

Formula : $C_{40}H_{26}N_8$

M.W. : 618.69 g/mole



LT-D0036 H2TAPP


meso-Tetra(4-aminophenyl)porphine

CAS No. : 22112-84-1

Grade : >98% (NMR)

Formula : $C_{44}H_{34}N_8$

M.W. : 674.81 g/mole



LT-D0037


meso-Tetra(4-chlorophenyl)porphine

CAS No. : 22112-77-2

Grade : >98% (NMR)

Formula : $C_{44}H_{26}Cl_4N_4$

M.W. : 752.52 g/mole



LT-D0038


meso-Tetra(4-bromophenyl)porphine

CAS No. : 29162-73-0

Grade : >98% (HPLC)

Formula : $C_{44}H_{26}Br_4N_4$

M.W. : 930.32 g/mole



LT-D0039


meso-Tetra(N-methyl-4-pyridyl)porphine tetrachloride

CAS No. : 92739-63-4

Grade : >95% (NMR)

Formula : $C_{44}H_{38}Cl_4N_8$

M.W. : 820.64 g/mole



LT-D0040


Zinc(II) meso-tetra(N-methyl-4-pyridyl)porphine tetrachloride

CAS No. : 28850-44-4

Grade : >95% (NMR)

Formula : $C_{44}H_{36}Cl_4N_8Zn$

M.W. : 884.03 g/mole



LT-D0041


Iron(III) meso-tetra(N-methyl-4-pyridyl)porphine pentachloride

CAS No. : 133314-07-5

Grade : >95% (NMR)

Formula : $C_{44}H_{36}Cl_5FeN_8$

M.W. : 909.92 g/mole



LT-D0042


Palladium(II) meso-tetra(N-methyl-4-pyridyl)porphine tetrachloride

CAS No. : 110314-07-3

Grade : >95% (NMR)

Formula : $C_{44}H_{36}Cl_4N_8Pd$

M.W. : 925.04 g/mole



LT-D0043

Manganese(III) meso-tetra(N-methyl-4-pyridyl)porphine pentachloride


CAS No. : 125565-45-9

Grade : >95% (NMR)

Formula : $C_{44}H_{36}Cl_5MnN_8$

M.W. : 909.01 g/mole

UV : 462 nm (in CH_2Cl_2)



LT-D0044


Nickel(II) meso-tetra(N-methyl-4-pyridyl)porphine tetrachloride

CAS No. : 79407-86-6

Grade : >95% (NMR)

Formula : $C_{44}H_{36}Cl_4N_8Ni$

M.W. : 877.32 g/mole



LT-D0045


meso-Tetra(N-methyl-3-pyridyl)porphine tetrachloride

CAS No. : 94343-62-1

Grade : >95% (NMR)

Formula : $C_{44}H_{36}Cl_4N_8$

M.W. : 820.64 g/mole



LT-D0046


meso-Tetra(N-methyl-2-pyridyl)porphine tetrachloride

CAS No. : 129051-18-9

Grade : >95% (NMR)

Formula : $C_{44}H_{36}Cl_4N_8$

M.W. : 820.64 g/mole



LT-D0047 H2DPP


5,15-Diphenylporphine

CAS No. : 22112-89-6

Grade : >98% (HPLC)

Formula : $C_{32}H_{22}N_4$

M.W. : 462.56 g/mole



LT-D0048 H2DPPBr2


5,15-Dibromo-10,20-diphenylporphine

CAS No. : 151256-86-9

Grade : >98%

Formula : $C_{32}H_{20}Br_2N_4$

M.W. : 620.34 g/mole



LT-D0049


5-Bromo-10,15,20-triphenylporphine

CAS No. : 67066-09-5

Grade : >95%

Formula : $C_{38}H_{25}BrN_4$


M.W. : 617.54 g/mole



LT-D0050 | H2OEP

Octaethylporphine


CAS No. : 2683-82-1
Grade : >97% (HPLC)
Formula : $C_{36}H_{46}N_4$
M.W. : 534.78 g/mole



LT-D0051 | NiOEP

Nickel(II) octaethylporphine


CAS No. : 24803-99-4
Grade : >98% (NMR)
Formula : $C_{36}H_{44}N_4Ni$
M.W. : 591.45 g/mole



LT-D0052 |

Vanadyl octaethylporphine


CAS No. : 27860-55-5
Grade : >95% (NMR)
Formula : $C_{36}H_{44}N_4OV$
M.W. : 599.7 g/mole
UV : 407 nm (in THF)



LT-D0053 | CuOEP

Copper(II) octaethylporphine


CAS No. : 14409-63-3
Grade : >98% (HPLC)
Formula : $C_{36}H_{44}CuN_4$
M.W. : 596.31 g/mole



LT-D0054 |

Tin(IV) octaethylporphine dichloride


CAS No. : 25777-43-9
Grade : >98% (NMR)
Formula : $C_{36}H_{44}Cl_2N_4Sn$
M.W. : 722.38 g/mole



LT-D0055 |

Manganese(III) octaethylporphine chloride


CAS No. : 28265-17-0
Grade : >98% (HPLC)
Formula : $C_{36}H_{44}ClMnN_4$
M.W. : 623.15 g/mole



LT-D0056 | PdOEP

Palladium(II) octaethylporphine


CAS No. : 24804-00-0
Grade : >98% (HPLC)
Formula : $C_{36}H_{44}N_4Pd$
M.W. : 639.18 g/mole
UV : 393 nm (in THF)



LT-D0057 |

Iron(III) octaethylporphine chloride


CAS No. : 28755-93-3
Grade : >98% (NMR)
Formula : $C_{36}H_{44}ClFeN_4$
M.W. : 624.06 g/mole



LT-D0058 | ZnOEP

Zinc(II) octaethylporphine


CAS No. : 17632-18-7
Grade : >98% (NMR)
Formula : $C_{36}H_{44}N_4Zn$
M.W. : 598.17 g/mole
UV : 400 nm (in THF)



LT-D0062 |

meso-Tetra(4-sulfonatophenyl)porphine dihydrochloride


CAS No. : 13050-15-0
Grade : >95%
Formula : $C_{44}H_{32}Cl_2N_4O_{12}S_4$
M.W. : 1007.99 g/mole



LT-D0063 |

Iron(III) meso-tetra(4-sulfonatophenyl)porphine chloride (acid form)

CAS No. : 90384-82-0
Grade : >95%
Formula : $C_{44}H_{28}ClFeN_4O_{12}S_4$
M.W. : 1024.27 g/mole



LT-D0064


Manganese(III)meso-tetra(4-sulfonatophenyl)porphine chloride (acid form)

CAS No. : 221176-50-7

Grade : >95%

Formula : $C_{44}H_{28}ClMnN_4O_{12}S_4$

M.W. : 1023.36 g/mole



LT-D0065


meso-Tetra(3-methoxy-4-hydroxyphenyl)porphine

CAS No. : 22112-80-7

Grade : >95% (NMR)

Formula : $C_{48}H_{38}N_4O_8$

M.W. : 798.84 g/mole



LT-D0066

meso-Tetra(N-methyl-4-pyridyl)porphine tetratosylate


CAS No. : 36951-72-1

Grade : >95%

Formula : $C_{72}H_{66}N_8O_{12}S_4$

M.W. : 1363.6 g/mole

UV : 421 nm



LT-D0068


5,15-Diphenyl-10,20-di(4-pyridyl)-21H,23H-porphine

CAS No. : 71410-72-5

Grade : >98% (NMR)

Formula : $C_{42}H_{28}N_6$

M.W. : 616.71 g/mole



LT-D0069


5,15-Di(4-aminophenyl)-10,20-diphenyl porphine

CAS No. : 116206-75-8

Grade : >98% (NMR)

Formula : $C_{44}H_{32}N_6$

M.W. : 644.77 g/mole



LT-D0074


5,10,15,20-Tetrakis(3,5-dimethoxyphenyl)porphyrin

CAS No. : 74684-34-7

Grade : >95% (NMR)

Formula : $C_{52}H_{46}N_4O_8$

M.W. : 854.96 g/mole



LT-D0075


5,10,15,20-Tetra(4-phosphonatophenyl)porphyrin

CAS No. : 143969-69-1

Grade : >95%

Formula : $C_{44}H_{34}N_4O_{12}P_4$

M.W. : 934.66 g/mole



LT-D0076


5,10,15,20-Tetra(trimethylsilylethynyl)porphyrin

CAS No. : 140702-08-5

Grade : >95% (NMR)

Formula : $C_{40}H_{46}N_4Si_4$

M.W. : 695.16 g/mole



LT-D0077


5,10,15,20-Tetra(4-ethynylphenyl)porphyrin

CAS No. : 160240-15-3

Grade : >98%

Formula : $C_{52}H_{30}N_4$

M.W. : 710.82 g/mole




LT-D0078 | H2TCNPP

5,10,15,20-Tetra(4-cyanophenyl)porphyrin

CAS No. : 14609-51-9

Grade : >98% (NMR) Formula : $C_{48}H_{26}N_8$

M.W. : 714.77 g/mole



LT-D0079 |


5,10,15,20-Tetra(3,4,5-trimethoxyphenyl)porphyrin

CAS No. : 74684-35-8

Grade : >98% (NMR)

Formula : $C_{56}H_{54}N_4O_{12}$

M.W. : 975.05 g/mole



LT-D0080 |


5,10,15,20-Tetra(4-trifluoromethylphenyl)porphyrin

CAS No. : 56420-24-7

Grade : >98% (NMR)

Formula : $C_{48}H_{26}F_{12}N_4$

M.W. : 886.73 g/mole



LT-D0081 |


5,10,15,20-Tetra(2-naphthalenyl)porphyrin

CAS No. : 132055-60-8

Grade : >98% (NMR)

Formula : $C_{60}H_{38}N_4$

M.W. : 814.97 g/mole



LT-D0082 |


5,10,15,20-Tetra(2,6-difluorophenyl)porphyrin

CAS No. : 104322-39-6

Grade : >98% (NMR)

Formula : $C_{44}H_{22}F_8N_4$

M.W. : 758.66 g/mole



LT-D0083 |


5,10,15,20-Tetra(4-sulfonatophenyl)porphyrin tetraammonium

CAS No. : 39174-47-5

Grade : >95%

Formula : $C_{44}H_{42}N_8O_{12}S_4$

M.W. : 1003.11 g/mole



LT-D0084 |


5,10,15,20-Tetra(N,N-diethyl-4-aminophenyl)porphyrin

CAS No. : 14609-52-0

Grade : >95% (NMR)

Formula : $C_{60}H_{66}N_8$

M.W. : 899.22 g/mole



LT-D0085 |


5,10,15,20-Tetra(3-methoxyphenyl)porphyrin

CAS No. : 29114-93-0

Grade : >98% (NMR)

Formula : $C_{48}H_{38}N_4O_4$

M.W. : 734.84 g/mole



LT-D0086 |


5,10,15,20-Tetra(N-methyl-4-pyridyl)porphyrin tetraiodide

CAS No. : 36674-90-5

Grade : >98% (NMR)

Formula : $C_{44}H_{38}I_4N_8$

M.W. : 1186.44 g/mole



LT-D0087 |


5,10,15,20-Tetra(4-nitrophenyl)porphyrin

CAS No. : 22843-73-8

Grade : >95% (NMR)

Formula : $C_{44}H_{26}N_8O_8$

M.W. : 794.73 g/mole



LT-D0088


5,10,15,20-Tetra(4-dihydroxyborylphenyl)porphyrin

CAS No. : 97654-08-5

Grade : >95%

Formula : $C_{44}H_{34}B_4N_4O_8$

M.W. : 790.01 g/mole



LT-D0089


5,15-Di(2,6-dodecyloxyphenyl)porphyrin

CAS No. : 2098053-76-8

Grade : >98% (NMR)

Formula : $C_{80}H_{118}N_4O_4$

M.W. : 1199.82 g/mole



LT-D0090


5,15-Di(4-carboxyphenyl)-10,20-diphenylporphyrin

CAS No. : 142168-26-1

Grade : >98% (NMR)

Formula : $C_{46}H_{30}N_4O_4$

M.W. : 702.75 g/mole



LT-D0091


5,15-Di(trimethylsilyl ethynyl)porphyrin

CAS No. : 220676-02-8

Grade : >98% (NMR)

Formula : $C_{30}H_{30}N_4Si_2$

M.W. : 502.76 g/mole



LT-D0092


5,15-Di(trimethylsilyl ethynyl)-10,20-diphenylporphyrin

CAS No. : 186382-65-0

Grade : >98% (NMR)

Formula : $C_{42}H_{38}N_4Si_2$

M.W. : 654.95 g/mole



LT-D0093


5,15-Di(2,6-octyloxyphenyl)porphyrin

CAS No. : 1350927-85-3

Grade : >98% (NMR)

Formula : $C_{64}H_{86}N_4O_4$

M.W. : 975.39 g/mole



LT-D0094


5,15-Dimesitylporphyrin

CAS No. : 382138-82-1

Grade : >98% (NMR)

Formula : $C_{38}H_{34}N_4$

M.W. : 546.7 g/mole



LT-D0095


5,15-Di(p-tolyl)porphyrin

CAS No. : 128374-05-0

Grade : >98% (NMR)

Formula : $C_{34}H_{26}N_4$

M.W. : 490.6 g/mole



LT-D0096


5,15-Di(p-tolyl)-10,20-dibromoporphyrin

CAS No. : 460088-30-6

Grade : >98% (NMR)

Formula : $C_{34}H_{24}Br_2N_4$

M.W. : 648.39 g/mole



LT-D0097


5,15-Di(4-ethynylphenyl)porphyrin

CAS No. : 632301-81-6

Grade : >98% (NMR)

Formula : $C_{36}H_{22}N_4$

M.W. : 510.59 g/mole



LT-D0098


5-(4-Aminophenyl)-10,15,20-triphenylporphyrin

CAS No. : 67605-64-5

Grade : >98% (NMR)

Formula : $C_{44}H_{31}N_5$

M.W. : 629.75 g/mole



LT-D0099


5-(4-Aminophenyl)-10,15,20-tri(4-sulfonatophenyl)porphyrin triammonium

CAS No. : 1007126-46-6

Grade : >95% (NMR)

Formula : $C_{44}H_{40}N_8O_3S_3$

M.W. : 921.03 g/mole



LT-D0100


5-(4-Hydroxyphenyl)-10,15,20-triphenylporphyrin

CAS No. : 87345-22-0

Grade : >98% (NMR)

Formula : $C_{44}H_{30}N_4O$

M.W. : 630.74 g/mole



LT-D0101


5-(Trimethylsilylethynyl)-10,15,20-triphenylporphyrin

CAS No. : 1205553-90-7

Grade : >98% (NMR)

Formula : $C_{43}H_{34}N_4Si$

M.W. : 634.84 g/mole



LT-D0102


5-(4-Isothiocyanatophenyl)-10,15,20-triphenylporphyrin

CAS No. : 863708-54-7

Grade : >98% (NMR)

Formula : $C_{45}H_{29}N_5S$

M.W. : 671.81 g/mole



LT-D0103


5-(4-Carboxyphenyl succinimide ester)-10,15,20-triphenyl-porphyrin

CAS No. : 145363-23-1

Grade : >98% (NMR)

Formula : $C_{49}H_{33}N_5O_4$

M.W. : 755.8 g/mole



LT-D0104


5,10,15-(triphenyl)-20-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)porphyrin

CAS No. : 1268697-66-0

Grade : >95% (NMR)

Formula : $C_{44}H_{37}BN_4O_2$

M.W. : 664.6 g/mole



LT-D0105


5,10,15-Triphenylporphyrin

CAS No. : 67066-08-4

Grade : >98% (NMR)

Formula : $C_{38}H_{26}N_4$

M.W. : 538.64 g/mole



LT-D0106


5-(4-Nitrophenyl)-10,15,20-triphenylporphyrin

CAS No. : 67605-65-6

Grade : >98% (NMR)

Formula : $C_{44}H_{29}N_5O_2$

M.W. : 659.73 g/mole



LT-D0107


5-(4-Carboxyphenyl)-10,15,20-triphenylporphyrin

CAS No. : 95051-10-8

Grade : >98% (NMR)

Formula : $C_{45}H_{30}N_4O_2$

M.W. : 658.75 g/mole



LT-D0108


5-(4-Methoxycarbonylphenyl)-10,15,20-triphenylporphyrin

CAS No. : 119730-06-2

Grade : >98% (NMR)

Formula : $C_{46}H_{32}N_4O_2$

M.W. : 672.77 g/mole



LT-D0109


5-(4-Carboxyphenyl)-10,15,20-tri(N-methyl-4-pyridyl) porphyrin trichloride

CAS No. : 211360-21-3

Grade : >95%

Formula : $C_{45}H_{36}Cl_3N_7O_2$

M.W. : 813.17 g/mole



LT-D0110


2,3,7,8,12,13,17,18-Octamethylporphyrin

CAS No. : 1257-25-6

Grade : >95% (NMR)

Formula : $C_{28}H_{30}N_4$

M.W. : 422.56 g/mole



LT-D0111 protoporphyrin IX


7,12-Diethenyl-3,8,13,17-tetramethyl-21H,23H-porphine-2,18-dipropanoic acid

CAS No. : 553-12-8

Grade : >97% (NMR)

Formula : $C_{34}H_{34}N_4O_4$

M.W. : 562.66 g/mole



LT-D0112 protoporphyrin IX dimethyl ester


7,12-Diethenyl-3,8,13,17-tetramethyl-21H,23H-Porphine-2,18-dipropanoic acid-2,18-dimethyl ester

CAS No. : 5522-66-7

Grade : >98% (NMR)

Formula : $C_{36}H_{38}N_4O_4$

M.W. : 590.71 g/mole



LT-D0113


5-Amino-2,3,7,8,12,13,17,18-octaethylporphyrin

CAS No. : 3134/1/8

Grade : >95% (NMR)

Formula : $C_{36}H_{47}N_4$

M.W. : 549.79 g/mole



LT-D0114


5-(4-Aminophenyl)-2,3,7,8,12,18-hexamethyl-13,17-diethyl porphyrin

CAS No. : 1248395-23-4

Grade : >95% (NMR)

Formula : $C_{36}H_{39}N_5$

M.W. : 541.73 g/mole



LT-D0115


5-Nitro-2,3,7,8,12,13,17,18-octaethylporphyrin

CAS No. : 3133-98-0

Grade : >95% (NMR)

Formula : $C_{36}H_{45}N_5O_2$

M.W. : 579.77 g/mole



LT-D0116


2,3,7,8,12,13,17,18-Octaethyl-5,10,15,20-tetraphenylporphyrin

CAS No. : 63511-61-5

Grade : >95% (NMR)

Formula : $C_{60}H_{62}N_4$

M.W. : 839.16 g/mole



LT-D0117


5-Phenyl-2,3,7,8,12,13,17,18-octaethylporphyrin

CAS No. : 60188-33-2

Grade : >98% (NMR)

Formula : $C_{42}H_{50}N_4$

M.W. : 610.87 g/mole



LT-D0118


2,3,7,8,12,13,17,18-Octabromo-5,10,15,20-tetraphenylporphyrin

CAS No. : 131214-86-3

Grade : >98% (NMR)

Formula : $C_{44}H_{22}Br_8N_4$

M.W. : 1245.9 g/mole



LT-D0119 H2TPBP


5,10,15,20-(Tetraphenyl)tetrabenzoporphyrin

CAS No. : 80528-89-8

Grade : >95% (NMR)

Formula : $C_{60}H_{38}N_4$

M.W. : 814.97 g/mole



LT-D0120 CoOEP


Cobalt(II) 2,3,7,8,12,13,17,18-(octaethyl)porphyrin

CAS No. : 17632-19-8

Grade : >98% (NMR)

Formula : $C_{36}H_{44}CoN_4$

M.W. : 591.69 g/mole



LT-D0121 PdTPP


Palladium(II) 5,10,15,20-(tetraphenyl)porphyrin

CAS No. : 14187-13-4

Grade : >98% (NMR)

Formula : $C_{44}H_{28}N_4Pd$

M.W. : 719.14 g/mole



LT-D0122 CuTPP


Copper(II) 5,10,15,20-(tetraphenyl)porphyrin

CAS No. : 14172-91-9

Grade : >98% (NMR)

Formula : $C_{44}H_{28}CuN_4$

M.W. : 676.27 g/mole



LT-D0123


Gallium(III) 2,3,7,8,12,13,17,18-(octaethyl)porphyrin chloride

CAS No. : 87607-70-3

Grade : >98% (NMR)

Formula : $C_{36}H_{44}ClGaN_4$

M.W. : 637.94 g/mole



LT-D0124


Gallium(III) 5,10,15,20-(tetraphenyl)porphyrin chloride

CAS No. : 78833-52-0

Grade : >98% (NMR)

Formula : $C_{44}H_{28}ClGaN_4$

M.W. : 717.9 g/mole



LT-D0125


Indium(III) 2,3,7,8,12,13,17,18-(octaethyl)porphyrin chloride

CAS No. : 32125-07-8

Grade : >98% (NMR)

Formula : $C_{36}H_{44}ClInN_4$

M.W. : 683.03 g/mole



LT-D0126


Indium(III) 5,10,15,20-tetraphenylporphyrin chloride

CAS No. : 63128-70-1

Grade : >98% (NMR)

Formula : $C_{44}H_{28}ClInN_4$

M.W. : 762.99 g/mole



LT-D0130 H4TPP


5,10,15,20-Tetra-1H-pyrazol-4-yl-21H,23H-porphine

CAS No. : 1849676-26-1

Grade : >95%

Formula : $C_{32}H_{22}N_{12}$

M.W. : 574.6 g/mole



LT-N734 | Pt(TPBP)

Platinum(II) 5,10,15,20-tetraphenyltetrabenzoporphyrin

CAS No. : 166174-05-6

Grade : >96%


TGA : >320 °C (0.5% wt. loss)

Formula : $C_{60}H_{36}N_4Pt$

M.W. : 1008.03 g/mole

UV : 430, 610 nm (in THF)

PL : 765 nm (in THF)



LT-N752 | PtOEP

Platinum(II) octaethylporphine

CAS No. : 31248-39-2

Grade : >95%


TGA : >290 °C (0.5% wt. loss)

Formula : $C_{36}H_{44}N_4Pt$

M.W. : 727.84 g/mole

UV : 389, 534 nm (in CH_2Cl_2)

PL : 646 ± 1 nm (in CH_2Cl_2)



LT-S9044 | BP

Tetrabenzoporphine


CAS No. : 52952-31-5

Grade : Sublimed product

TGA : >200 °C (0.5% wt. loss)


Formula : $C_{36}H_{22}N_4$

M.W. : 510.59 g/mole




LT-D2001 | CoPC

Cobalt(II) phthalocyanine
CAS No. : 3317-67-7
Grade : Sublimed >99%
Formula : $C_{32}H_{16}CoN_8$
M.W. : 571.47 g/mole




LT-D2002 | Li₂PC

Dilithium phthalocyanine
CAS No. : 25510-41-2
Grade : Sublimed product
Formula : $C_{32}H_{16}Li_2N_8$
M.W. : 526.42 g/mole
UV : 658 nm (in DMF)




LT-D2003 | Na2PC

Disodium phthalocyanine
CAS No. : 25476-27-1
Grade : Sublimed product
Formula : $C_{32}H_{16}Na_2N_8$
M.W. : 558.52 g/mole
UV : 656, 692 nm (in $CHCl_3$)




LT-D2004 | PbPC

Lead(II) phthalocyanine
CAS No. : 15187-16-3
Grade : Sublimed >99%
Formula : $C_{32}H_{16}PbN_8$
M.W. : 719.74 g/mole
UV : 698 nm (in DMF)



LT-D2006 | MgPC

Magnesium(II) phthalocyanine
CAS No. : 1661-03-6
Grade : Sublimed product
Formula : $C_{32}H_{16}MgN_8$
M.W. : 536.84 g/mole
UV : 668 nm (in DMF)




LT-D2008 | SnCl₂PC

Tin(IV) phthalocyanine dichloride
CAS No. : 18253-54-8
Grade : Sublimed product
Formula : $C_{32}H_{16}Cl_2N_8Sn$
M.W. : 702.15 g/mole




LT-D2009 | FePC

Iron(III) phthalocyanine
CAS No. : 132-16-1
Grade : Sublimed product
Formula : $C_{32}H_{16}FeN_8$
M.W. : 568.38 g/mole
UV : 675 nm (in DMF)



LT-D2010 | 2,3-F8CuPC


Copper(II) 2,3,9,10,16,17,23,24-octafluorophthalocyanine
CAS No. : 148651-60-9
Grade : Sublimed product
Formula : $C_{32}H_8CuF_8N_8$
M.W. : 720.01 g/mole



LT-D2011

Copper(II) 2,9,16,23-tetra-tert-butylphthalocyanine


CAS No. : 39001-64-4
Grade : Sublimed product
Formula : $C_{48}H_{48}CuN_8$
M.W. : 800.51 g/mole
UV : 672 nm (in DMF)



LT-D2012

Phthalocyanine tetrasulfonic acid


CAS No. : 33308-41-7
Grade : >96% (with isomers)
Formula : $C_{32}H_{16}N_8O_{12}S_4$
M.W. : 834.79 g/mole



LT-D2013

Zinc(II) phthalocyanine tetrasulfonic acid


CAS No. : 61586-86-5
Grade : >96% (with isomers)
Formula : $C_{32}H_{16}N_8O_{12}S_4Zn$
M.W. : 898.19 g/mole



LT-D2014

Aluminum(III) phthalocyanine chloride tetrasulfonic acid


CAS No. : 100180-30-1
Grade : >96% (with isomers)
Formula : $C_{32}H_{16}AlClN_8O_{12}S_4$
M.W. : 895.21 g/mole



LT-D2015 | SmPC2

Bis(2(3),9(10),16(17),23(24)-tetrakis-(3,4-phenyl)-phthalocyaninato) samarium(III)

CAS No. : 82800-48-4
Grade : >99%
Formula : $C_{64}H_{32}N_{16}Sm$
M.W. : 1175.41 g/mole



LT-E201 | CuPC

Copper(II) phthalocyanine

CAS No. : 147-14-8

Grade : Sublimed >99%


TGA : >430 °C (0.5% wt. loss)

Formula : $C_{32}H_{16}CuN_8$

M.W. : 576.08 g/mole

UV : 345, 631 nm (in CH_2Cl_2)

PL : 404 nm (film)



LT-E206 | TiOPC

Titanium oxide phthalocyanine

CAS No. : 26201-32-1

Grade : Sublimed >99%


TGA : >440 °C (0.5% wt. loss)

Formula : $C_{32}H_{16}N_8OTi$

M.W. : 576.39 g/mole

UV : 349, 692 nm (in CH_2Cl_2)

PL : 392 nm (film)



LT-N219 | PtPC

Phthalocyanine platinum

CAS No. : 14075-08-2

Grade : Sublimed >99%


TGA : >460 °C (0.5% wt. loss)

Formula : $C_{32}H_{16}N_8Pt$

M.W. : 707.6 g/mole

UV : 228, 270 nm (in CH_2Cl_2)

PL : 372.5 nm (in CH_2Cl_2)



LT-N222 | H₂PC

Phthalocyanine

CAS No. : 574-93-6

Grade : Sublimed >98%


TGA : >350 °C (0.5% wt. loss)

Formula : $C_{32}H_{18}N_8$

M.W. : 514.54 g/mole

UV : 279, 693 nm (in C_6H_6)

PL : 418 nm (in C_6H_6)



LT-S906 | ZnPC

Zinc phthalocyanine


CAS No. : 14320-04-8

Grade : Sublimed >99%

Formula : $C_{32}H_{16}N_8Zn$

M.W. : 577.92 g/mole

PL : 534 nm (in CH_2Cl_2)



LT-S928 | F₁₆CuPC

Copper(II) 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-hexadecafluoro-29H,31H-phthalocyanine

CAS No. : 14916-87-1


Grade : Sublimed product

TGA : >400 °C (0.5% wt. loss)

Formula : $C_{32}CuF_{16}N_8$

M.W. : 863.93 g/mole

UV : 690 nm (in THF)



LT-S943 | SubPC

Boron subphthalocyanine chloride

CAS No. : 36530-06-0

Grade : Sublimed >99%


TGA : >340 °C (0.5% wt. loss)

Formula : $C_{24}H_{12}BN_3Cl$

M.W. : 430.66 g/mole

UV : 565 nm (in DMF)

PL : 577 nm (in DMF)



LT-S947 | SubNC

Boron sub-2,3-naphthalocyanine chloride

CAS No. : 142710-56-3


Grade : Sublimed >99%

TGA : >370 °C (0.5% wt. loss)

Formula : $C_{36}H_{18}BClN_6$

M.W. : 580.83 g/mole

UV : 658 nm (in CH_2Cl_2)



LT-S962 | CuNC

Copper(II) 2,3-naphthalocyanine

CAS No. : 33273-09-5


Grade : Sublimed >99% (TGA)

TGA : >430 °C (0.5% wt. loss)

Formula : $C_{48}H_{24}CuN_8$

M.W. : 776.30 g/mole

UV : 681 nm (in CH_2Cl_2)



LT-S9025 | AlPCCI

Aluminum phthalocyanine chloride

CAS No. : 14154-42-8


Grade : Sublimed >99%

TGA : >370 °C (0.5% wt. loss)

Formula : $C_{32}H_{16}AlClN_8$

M.W. : 574.97 g/mole

UV : 675 nm (in DMF)



LT-S9053 | VOPC

Oxyvanadium phthalocyanine


CAS No. : 13930-88-6

Grade : Sublimed product

Formula : $C_{32}H_{16}N_8OV$

M.W. : 579.47 g/mole

UV : 338, 684 nm (in CH_2Cl_2)



LT-S9086 | SnPC


Tin(II) phthalocyanine

CAS No. : 15304-57-1

Grade : Sublimed product

Formula : $C_{32}H_{16}N_8Sn$

M.W. : 631.25 g/mole



LT-S9171 | F_4ZnPC

Zinc(II)-1,8,15,22-tetrafluoro-29H,31H-phthalocyanine, mixture of isomers

CAS No. : 1120355-28-3


Grade : Sublimed >99%

TGA : >250 °C (0.5% wt. loss)

Formula : $C_{32}H_{12}F_4N_8Zn$

M.W. : 649.89 g/mole

UV : 681 nm (in $CHCl_3$)



LT-S9172 | F_8ZnPC

Zinc(II)-2,3,9,10,16,17,23,24-octafluoro-29H,31H-phthalocyanine

CAS No. : 676519-80-5


Grade : Sublimed >99%

TGA : >300 °C (0.5% wt. loss)

Formula : $C_{32}H_8F_8N_8Zn$

M.W. : 721.86 g/mole

UV : 338, 656 nm (in DMF)



LT-S9176 | InClPC

Indium(III) phthalocyanine chloride

CAS No. : 19631-19-7


Grade : Sublimed >99%

TGA : >300 °C (0.5% wt. loss)

Formula : $C_{32}H_{16}ClInN_8$

M.W. : 662.79 g/mole

UV : 358, 683 nm (in $CHCl_3$)



LT-S9177 | $F_{16}FePC$

Iron(III) 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-hexadecafluoro-29H,31H-phthalocyanine

CAS No. : 23844-93-1


Grade : Sublimed >99%

TGA : >300 °C (0.5% wt. loss)

Formula : $C_{32}F_{16}FeN_8$

M.W. : 856.22 g/mole

UV : 333, 627 nm (in Acetone)



LT-S9180 | $SnNCCl_2$

Tin(IV) 2,3-naphthalocyanine dichloride


CAS No. : 26857-61-4

Grade : Sublimed product

TGA : >300 °C (0.5% wt. loss)

Formula : $C_{48}H_{24}Cl_2N_8Sn$

M.W. : 902.37 g/mole



LT-S9182 | $SnNC$

Tin(II) 2,3-naphthalocyanine


CAS No. : 110479-58-8

Grade : Sublimed product

TGA : >300 °C (0.5% wt. loss)

Formula : $C_{48}H_{24}N_8Sn$

M.W. : 831.47 g/mole



LT-D2016 | $[OH]_8ZnPC$


2,3,9,10,16,17,23,24-Octahydroxy-phthalocyaninato zinc(II)

CAS No. : 121322-70-1

Grade : >95%

Formula : $C_{32}H_{16}N_8O_8Zn$

M.W. : 705.93 g/mole



LT-D2017 |


Iron(III) 1,8,15,22-tetraamino-phthalocyanine

CAS No. : 3040294-90-1

Grade : >95%

Formula : $C_{32}H_{20}FeN_{12}$

M.W. : 628.43 g/mole



LT-D2018 |


Cobalt(III) 1,8,15,22-tetraamino-phthalocyanine

CAS No. : 77135-78-5

Grade : >95%

Formula : $C_{32}H_{20}CoN_{12}$

M.W. : 631.51 g/mole



LT-D2019 |


Nickel(III) 2,9,16,23-tetraamino-phthalocyanine

CAS No. : 27680-33-7

Grade : >95%

Formula : $C_{32}H_{20}NiN_{12}$

M.W. : 631.27 g/mole



LT-D2020 |


Cobalt(III) 2,9,16,23-tetraamino-phthalocyanine

CAS No. : 203860-42-8

Grade : >95%

Formula : $C_{32}H_{20}CoN_{12}$

M.W. : 631.51 g/mole



LT-D2021


Iron(III) 2,9,16,23-tetraamino-phthalocyanine

CAS No. : 95100-27-9

Grade : >95%

Formula : $C_{32}H_{20}FeN_{12}$

M.W. : 628.43 g/mole



LT-D2022


Iron(III) 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-hexadecachloro-phthalocyanine

CAS No. : 50662-67-4

Grade : >95%

Formula : $C_{32}Cl_{16}FeN_8$

M.W. : 1119.49 g/mole



LT-D2023 F16CoPc


Cobalt(III) 1,2,3,4,8,9,10,11,15,16,17,18,22,23,24,25-hexadecafluoro-phthalocyanine

CAS No. : 52629-20-6

Grade : >95%

Formula : $C_{32}CoF_{16}N_8$

M.W. : 859.3 g/mole



LT-D2024


Zinc(II) 2,9,16,23-tetranitro-phthalocyanine

CAS No. : 100043-01-4

Grade : >95%

Formula : $C_{32}H_{12}N_{12}O_8Zn$

M.W. : 757.89 g/mole



LT-D2025


Zinc(II) 2,9,16,23-tetra(t-butyl)phthalocyanine

CAS No. : 39001-65-5

Grade : >95%

Formula : $C_{48}H_{48}N_8Zn$

M.W. : 802.33 g/mole



LT-D2026


Iron(III) 2,9,16,23-tetracarboxy-phthalocyanine

CAS No. : 438527-29-8

Grade : >95%

Formula : $C_{36}H_{16}FeN_8O_8$

M.W. : 744.41 g/mole



LT-D2027 NiPC


Nickel(II) phthalocyanine

CAS No. : 14055-02-8

Grade : Sublimed >99%

Formula : $C_{32}H_{16}N_8Ni$

M.W. : 571.22 g/mole



Near-Infrared (NIR) Dyes

LT-D1237 | HIDC iodide

1,1',3,3,3',3'-Hexamethylindodicarbocyanine iodide

CAS No. : 36536-22-8


Grade : >98% (NMR)

Formula : $C_{27}H_{31}IN_2$

M.W. : 510.45 g/mole

UV : 643 nm (in EtOH)

PL : 670 nm (in EtOH)



LT-D1242 | DTTC iodide

3,3'-Diethylthiatricarbocyanine iodide

CAS No. : 3071-70-3


Grade : >98%

Formula : $C_{25}H_{25}IN_2S_2$

M.W. : 544.51 g/mole

UV : 761 nm (in EtOH)

PL : 813 nm (in EtOH)



LT-D1243 | Indocyanine green

Sodium 2-(7-(3,3-dimethyl-1-(4-sulfonatobutyl)benz(e)indolin-2-ylidene)hepta-1,3,5-trien-1-yl)-3,3-dimethyl-1-(4-sulfonatobutyl)benz[e]indolinium

CAS No. : 3599-32-4


Grade : >90% (NMR)

Formula : $C_{43}H_{47}N_2NaO_6S_2$

M.W. : 774.96 g/mole

UV : 795 nm (in DMSO)

PL : 832 nm (in DMSO)



LT-D1248 | IR-786

2-[2-[2-Chloro-3-[(1,3-dihydro-1,3,3-trimethyl-2H-indol-2-ylidene)ethylidene]-1-cyclohexen-1-yl]ethenyl]-1,3,3-trimethylindolium iodide

CAS No. : 56289-67-9


Grade : >98% (NMR)

Formula : $C_{32}H_{36}ClIN_2$

M.W. : 611.02 g/mole

UV : 775 nm (in MeOH)

PL : 817 nm (in MeOH)



LT-D1249 | IR-786 perchlorate

2-(2-[2-Chloro-3-[(1,3-dihydro-1,3,3-trimethyl-2H-indol-2-ylidene)ethylidene]-1-cyclohexen-1-yl]ethenyl)-1,3,3-trimethylindolium perchlorate

CAS No. : 102185-03-5


Grade : >98%

Formula : $C_{32}H_{36}Cl_2N_2O_4$

M.W. : 583.55 g/mole

UV : 775 nm (in MeOH)

PL : 817 nm (in MeOH)



LT-D1263 | IR-820

2-[2-[2-Chloro-3-[(1,3-dihydro-1,1-dimethyl-3-(4-sulfobutyl)-2H-benzo[e]indol-2-ylidene)-ethylidene]-1-cyclohexen-1-yl]-ethenyl]-1,1-dimethyl-3-(4-sulfobutyl)-1H-benzo[e]indolium hydroxide inner salt, sodium salt


CAS No. : 172616-80-7

Grade : >80% (NMR)

Formula : $C_{46}H_{50}ClN_2NaO_6S_2$

M.W. : 849.47 g/mole

UV : 820 nm (in MeOH)



The chemical structure of 1,1'-Bi-2-naphthol (BINOL) is shown. It consists of two naphthalene rings connected at their 1-positions by a single bond. Each naphthalene ring has a hydroxyl group (-OH) at the 2-position. The structure is drawn in a perspective view, showing the spatial arrangement of the rings and the hydroxyl groups.

LT-D1278


1',3'-Dihydro-8-methoxy-1',3',3'-trimethyl-6-nitrospiro[2H-1-benzopyran-2,2'-[2H]indole]

CAS No. : 1498-89-1

Grade : >97%

Formula : $C_{20}H_{20}N_2O_4$

M.W. : 352.38 g/mole



LT-D1279


1-(2-Hydroxyethyl)-3,3-dimethylindolino-6'-nitrobenzopyrrolospiran

CAS No. : 16111-07-2

Grade : >93%

Formula : $C_{20}H_{20}N_2O_4$

M.W. : 352.38 g/mole



LT-D1280


1,3,3-Trimethylindolinobenzopyrrolospiran

CAS No. : 1485-92-3

Grade : >98%

Formula : $C_{19}H_{19}NO$

M.W. : 277.37 g/mole



LT-D1281


1,3,3-Trimethylindolino-6'-nitrobenzopyrrolospiran

CAS No. : 1498-88-0

Grade : >98%

Formula : $C_{19}H_{18}N_2O_3$

M.W. : 322.36 g/mole



LT-D1282


1,3,3-Trimethylindolino-6'-bromobenzopyrrolospiran

CAS No. : 16650-14-9

Grade : >98%

Formula : $C_{19}H_{18}BrNO$

M.W. : 356.26 g/mole



LT-D1283


1,3,3-Trimethylindolino-8'-methoxybenzopyrrolospiran

CAS No. : 13433-31-3

Grade : >98%

Formula : $C_{20}H_{21}NO_2$

M.W. : 307.39 g/mole



LT-D1284


1,3,3-Trimethylindolino-β-naphthopyrrolospiran

CAS No. : 1592-43-4

Grade : >98%

Formula : $C_{23}H_{21}NO$

M.W. : 327.43 g/mole



LT-D1285


1,3,3-Trimethylindolinonaphthospirooxazine

CAS No. : 27333-47-7

Grade : >98%

Formula : $C_{22}H_{20}N_2O$

M.W. : 328.42 g/mole



LT-D1213


7-Amino-4-methylcoumarin

CAS No. : 26093-31-2

Grade : >97%

Formula : $C_{10}H_9NO_2$

M.W. : 175.19 g/mole



LT-D1214


7-(Ethylamino)-4-methylcoumarin

CAS No. : 28821-18-3

Grade : >98%

Formula : $C_{12}H_{13}NO_2$

M.W. : 203.24 g/mole



LT-D1215


7-(Ethylamino)-4,6-dimethylcoumarin

CAS No. : 26078-25-1

Grade : >98%

Formula : $C_{13}H_{15}NO_2$

M.W. : 217.27 g/mole



LT-D1216


4-Methylumbelliferone

CAS No. : 90-33-5

Grade : >98%

Formula : $C_{10}H_8O_3$

M.W. : 176.17 g/mole



LT-D1217


7-Diethylamino-4-methylcoumarin

CAS No. : 91-44-1

Grade : >98%

Formula : $C_{14}H_{17}NO_2$

M.W. : 231.3 g/mole



LT-D1218


7-(Dimethylamino)-4-methylcoumarin

CAS No. : 1987/1/4

Grade : >98%

Formula : $C_{12}H_{13}NO_2$

M.W. : 203.24 g/mole



LT-D1219


7-(Diethylamino)coumarin

CAS No. : 20571-42-0

Grade : >98%

Formula : $C_{13}H_{15}NO_2$

M.W. : 217.27 g/mole



LT-D1220


2,3,5,6,7,9,10,11-Octahydrocyclopenta[4,5]pyrano[2,3-f]pyrido[3,2,1-ij]quinolin-12(1H)-one

CAS No. : 41175-45-5

Grade : >98%

Formula : $C_{18}H_{19}NO_2$

M.W. : 281.36 g/mole



LT-D1221


9-Methyl-2,3,6,7-tetrahydro-1H-pyrano[2,3-f]pyrido[3,2,1-ij]quinolin-11(5H)-one

CAS No. : 41267-76-9

Grade : >97%

Formula : $C_{16}H_{17}NO_2$

M.W. : 255.32 g/mole



LT-D1222


7-(Diethylamino)-4-(trifluoromethyl)-2H-chromen-2-one

CAS No. : 41934-47-8

Grade : >96%

Formula : $C_{14}H_{14}F_3NO_2$

M.W. : 285.27 g/mole



LT-D1223


7-(Dimethylamino)-4-(trifluoromethyl)-2H-chromen-2-one

CAS No. : 53518-14-2

Grade : >97%

Formula : $C_{12}H_{10}F_3NO_2$

M.W. : 257.21 g/mole



LT-D1225


7-Amino-4-(trifluoromethyl)-2H-chromen-2-one

CAS No. : 53518-15-3

Grade : >97%

Formula : $C_{10}H_6F_3NO_2$

M.W. : 229.16 g/mole



LT-D1226


2,3,6,7-Tetrahydro-1H-pyrano[2,3-f]pyrido[3,2,1-ij]quinolin-11(5H)-one

CAS No. : 58336-35-9

Grade : >97%

Formula : $C_{15}H_{15}NO_2$

M.W. : 241.29 g/mole



LT-D1227


7-(Ethylamino)-4-(trifluoromethyl)-2H-chromen-2-one

CAS No. : 52840-38-7

Grade : >98%

Formula : $C_{12}H_{10}F_3NO_2$

M.W. : 257.21 g/mole



LT-D1228


7-(Ethylamino)-6-methyl-4-(trifluoromethyl)-2H-chromen-2-one

CAS No. : 55804-70-1

Grade : >98%

Formula : $C_{13}H_{12}F_3NO_2$

M.W. : 271.24 g/mole



LT-D1229


Ethyl 11-oxo-2,3,5,6,7,11-hexahydro-1H-pyrano[2,3-f]pyrido[3,2,1-ij]quinoline-10-carboxylate

CAS No. : 55804-66-5

Grade : >98%

Formula : $C_{18}H_{19}NO_4$


M.W. : 313.35 g/mole



Coumarin Dyes


LT-D1230

2,3,6,7-Tetrahydro-10-(3-pyridyl)-1H,5H,11H-[1]benzopyrano[6,7,8-ij]quinolizin-11-one
CAS No. : 87349-92-6
Grade : >98%
Formula : $C_{20}H_{18}N_2O_2$
M.W. : 318.37 g/mole




LT-D1231

3-(Benzo[d]thiazol-2-yl)-7-(diethylamino)-2H-chromen-2-one
CAS No. : 38215-36-0
Grade : >98%
Formula : $C_{20}H_{18}N_2O_2S$
M.W. : 350.44 g/mole




LT-D1286

3-(2-Benzimidazolyl)-7-(diethylamino)coumarin
CAS No. : 27425-55-4
Grade : >98%
Formula : $C_{20}H_{19}N_3O_2$
M.W. : 333.39 g/mole




LT-D1288

7-(Diethylamino)-3-(1-methyl-2-benzimidazolyl)coumarin
CAS No. : 41044-12-6
Grade : >98%
Formula : $C_{21}H_{21}N_3O_2$
M.W. : 347.42 g/mole




LT-D1289

2,3,6,7-Tetrahydro-9-(trifluoromethyl)-1H,5H,11H-[1]benzopyrano[6,7,8-ij]quinolizin-11-one
CAS No. : 53518-18-6
Grade : >98%
Formula : $C_{16}H_{14}F_3NO_2$
M.W. : 309.29 g/mole




LT-D1290

2,3,6,7-Tetrahydro-10-(methylsulfonyl)-1H,5H,11H-[1]benzopyrano[6,7,8-ij]quinolizin-11-one
CAS No. : 87331-48-4
Grade : >98%
Formula : $C_{16}H_{17}NO_4S$
M.W. : 319.38 g/mole




LT-D1291

Ethyl 2,3,6,7-Tetrahydro-1,1,7,7-tetramethyl-11-oxo-1H,5H,11H-[1]benzopyrano[6,7,8-ij]quinolizine-10-carboxylate
CAS No. : 113869-06-0
Grade : >98%
Formula : $C_{22}H_{27}NO_4$
M.W. : 369.46 g/mole




LT-D1292

10-Acetyl-2,3,6,7-tetrahydro-1,1,7,7-tetramethyl-1H,5H,11H-[1]benzopyrano[6,7,8-ij]quinolizin-11-one
CAS No. : 114768-72-8
Grade : >98%
Formula : $C_{21}H_{25}NO_3$
M.W. : 339.44 g/mole




LT-D1293

10-(2-Benzoxazolyl)-2,3,6,7-tetrahydro-1H,5H,11H-[1]benzopyrano[6,7,8-ij]quinolizin-11-one
CAS No. : 87331-47-3
Grade : >97%
Formula : $C_{22}H_{18}N_2O_3$
M.W. : 358.4 g/mole




LT-D1294

2,3,6,7-Tetrahydro-11-oxo-1H,5H,11H-[1]benzopyrano[6,7,8-ij]quinolizine-10-carbonitrile
CAS No. : 55804-68-7
Grade : >98%
Formula : $C_{16}H_{14}N_2O_2$
M.W. : 266.3 g/mole




LT-D1295

3,3'-Carbonyl-bis(7-diethylaminocoumarin)
CAS No. : 63226-13-1
Grade : >98%
Formula : $C_{27}H_{28}N_4O_5$
M.W. : 460.53 g/mole




LT-D1296

Coumarin-3-carboxylic Acid
CAS No. : 531-81-7
Grade : >98%
Formula : $C_{10}H_6O_4$
M.W. : 190.15 g/mole




LT-D1297

7-(Diethylamino)coumarin-3-carboxylic Acid
CAS No. : 50995-74-9
Grade : >98%
Formula : $C_{14}H_{15}NO_4$
M.W. : 261.28 g/mole



LT-D1298

7-(Diethylamino)-3-(2-thienyl)coumarin
CAS No. : 117850-52-9
Grade : >98%
Formula : $C_{17}H_{17}NO_2S$
M.W. : 299.39 g/mole



Coumarin Dyes

LT-D1299


7-(Diethylamino)-3-phenylcoumarin

CAS No. : 84865-19-0

Grade : >98%

Formula : $C_{19}H_{19}NO_2$

M.W. : 293.37 g/mole



LT-D1300


Ethyl 7-(diethylamino)coumarin-3-carboxylate

CAS No. : 28705-46-6

Grade : >97%

Formula : $C_{16}H_{19}NO_4$

M.W. : 289.33 g/mole



LT-D1301


Ethyl 6-[4-(diphenylamino)phenyl]coumarin-3-carboxylate

CAS No. : 1056693-13-0

Grade : >98%

Formula : $C_{30}H_{23}NO_4$

M.W. : 461.52 g/mole



LT-D1302


7-(Ethylamino)-4,6-dimethylcoumarin

CAS No. : 26078-25-1

Grade : >98% (GC)

Formula : $C_{13}H_{15}NO_2$

M.W. : 217.27 g/mole



LT-D1303


Hexyl 7-(diethylamino)coumarin-3-carboxylate

CAS No. : 851963-03-6

Grade : >98%

Formula : $C_{20}H_{27}NO_4$

M.W. : 345.44 g/mole



LT-D1304


3-(Diethylamino)-7-imino-7H-benzo[4,5]imidazo[1,2-a]chromeno[3,2-c]pyridine-6-carbonitrile

CAS No. : 52372-39-1

Grade : >98%

Formula : $C_{23}H_{19}N_5O$

M.W. : 381.44 g/mole



LT-E502 C545T

10-(Denzo[d]thiazol-2-yl)-1,1,7,7-tetramethyl-2,3,6,7-tetrahydro-1H-pyrano[2,3-f]pyrido[3,2,1-ij]quinolin-11(5H)-one

CAS No. : 155306-71-1

Grade : Sublimed >99%


TGA : >240 °C (0.5% wt. loss)

Formula : $C_{26}H_{26}N_2O_2S$

M.W. : 430.56 g/mole

UV : 473 nm (in THF)

PL : 506 nm (in THF)



LT-S9550 C1


(E)-7-(Diethylamino)-3-(3-(4-(dimethylamino)phenyl)acryloyl)-2H-chromen-2-one

CAS No. : 87897-19-6

Grade : >99%

Formula : $C_{24}H_{26}N_2O_3$

M.W. : 390.47 g/mole



LT-D1305


N,N'-Bis(4-methoxyphenyl)-3,4,9,10-perylenetetracarboxylic diimide

CAS No. : 6424-77-7

Grade : Sublimed > 99%

Formula : $C_{38}H_{22}N_2O_6$

M.W. : 602.6 g/mole



LT-D1306


N,N'-Bis(3,5-dimethylphenyl)-3,4,9,10-perylenetetracarboxylic diimide

CAS No. : 4948-15-6

Grade : Sublimed > 99%

Formula : $C_{40}H_{26}N_2O_4$

M.W. : 598.66 g/mole



LT-D1307


N,N'-Bis(2,6-diisopropylphenyl)-3,4,9,10-perylenetetracarboxylic diimide

CAS No. : 82953-57-9

Grade : Sublimed > 99%

Formula : $C_{48}H_{42}N_2O_4$

M.W. : 710.87 g/mole



LT-D1308


N,N'-Bis(2-ethylhexyl)-3,4,9,10-perylenetetracarboxylic diimide

CAS No. : 82531-03-1

Grade : Sublimed > 99%

Formula : $C_{40}H_{42}N_2O_4$

M.W. : 614.79 g/mole



LT-D1309


N,N'-Bis(2,6-diisopropylphenyl)-1,6,7,12-tetraphenoxy-3,4,9,10-perylenetetracarboxylic diimide

CAS No. : 123174-58-3

Grade : > 95%

Formula : $C_{72}H_{58}N_2O_8$

M.W. : 1079.26 g/mole



LT-D1310


N,N'-Ditridecyl-3,4,9,10-perylenetetracarboxylic diimide

CAS No. : 95689-92-2

Grade : Sublimed > 99%

Formula : $C_{50}H_{62}N_2O_4$

M.W. : 755.06 g/mole



LT-D1311


1,6,7,12-Tetrakis(4-tert-butylphenoxy)-N,N'-bis(2,6-diisopropylphenyl)-3,4,9,10-perylenetetracarboxylic diimide

CAS No. : 112078-08-7

Grade : > 98%

Formula : $C_{88}H_{90}N_2O_8$

M.W. : 1303.69 g/mole




LT-D1401

2,9-Bis(2,6-diisopropylphenyl)-5,6,12,13-tetrakis(4-methoxyphenoxy)anthra[2,1,9-def:6,5,10-d'e'f']diisoquinoline-1,3,8,10(2H,9H)-tetraone

Grade : > 98%

Formula : $C_{76}H_{66}N_2O_{12}$

M.W. : 1199.34 g/mole




LT-D1402

2,9-Bis(2,6-diisopropylphenyl)-5,6,12,13-tetrakis((6-methoxynaphthalen-2-yl)oxy)anthra[2,1,9-def:6,5,10-d'e'f']diisoquinoline-1,3,8,10(2H,9H)-tetraone

Grade : > 99%

Formula : $C_{92}H_{74}N_2O_{12}$

M.W. : 1399.58 g/mole



LT-S902 PDCDT

N,N'-Bis(2,5-di-tert-butylphenyl)-3,4,9,10-perylene dicarboximide

CAS No. : 83054-80-2

Grade : Sublimed > 99%


TGA : > 350 °C (0.5% wt. loss)

Formula : $C_{52}H_{50}N_2O_4$

M.W. : 766.96 g/mole

UV : 524 nm (in CH_2Cl_2)

PL : 544, 574 nm (in CH_2Cl_2)



LT-S904 PenPTC

N,N'-Dipentyl-3,4,9,10-perylene dicarboximide

CAS No. : 76372-75-3

Grade : Sublimed > 99%

TGA : > 350 °C (0.5% wt. loss)

Formula : $C_{34}H_{30}N_2O_4$

M.W. : 530.61 g/mole

UV : 523 nm (in CH_2Cl_2)

PL : 535, 573 nm (in CH_2Cl_2)



LT-S918 PTCBI

Bisbenzimidazo[2,1-a:1',2'-b']anthra[2,1,9-def:6,5,10-d'e'f']diisoquinoline-10,21-dione, with cis isomer

CAS No. : 79534-91-1


Grade : Sublimed > 99%

TGA : > 420 °C (0.5% wt. loss)

Formula : $C_{36}H_{16}N_4O_2$

M.W. : 536.54 g/mole

PL : 414 nm (in CH_2Cl_2)



LT-S919 | ADIDI

Anthra[2'',1'',9'':4,5,6;6'',5'',10'':4',5',6']diisoquino[2,1-a:2',1'-a']diperimidine-12,25-dione, with cis isomer

CAS No. : 6859-32-1


Grade : Sublimed >99%

TGA : >430 °C (0.5% wt. loss)

Formula : $C_{44}H_{20}N_4O_2$

M.W. : 636.66 g/mole

PL : 413 nm (in CH_2Cl_2)



LT-S920 | PTCDA

3,4,9,10-Perylenetetracarboxylic dianhydride

CAS No. : 128-69-8


Grade : Sublimed >99%

TGA : >450 °C (0.5% wt. loss)

Formula : $C_{24}H_8O_6$

M.W. : 392.32 g/mole

PL : 413 nm (in CH_2Cl_2)



LT-S921 | PTCDI

3,4,9,10-Perylenetetracarboxylic acid diimide

CAS No. : 81-33-4


Grade : Sublimed >99%

TGA : >450 °C (0.5% wt. loss)

Formula : $C_{24}H_{10}N_2O_4$

M.W. : 390.35 g/mole

PL : 413 nm (in CH_2Cl_2)



LT-S925 | MePTC

N,N'-Dimethyl-3,4,9,10-perylene dicarboximide

CAS No. : 5521-31-3

Grade : Sublimed >99%


TGA : >440 °C (0.5% wt. loss)

Formula : $C_{26}H_{14}N_2O_4$

M.W. : 418.4 g/mole

UV : 522 nm (in CH_2Cl_2)

PL : 571 nm (in CH_2Cl_2)



LT-S926 | HepPTC

N,N'-Diheptyl-3,4,9,10-perylene dicarboximide

CAS No. : 95689-91-1

Grade : Sublimed >99%


TGA : >390 °C (0.5% wt. loss)

Formula : $C_{38}H_{38}N_2O_4$

M.W. : 586.72 g/mole

UV : 524 nm (in CH_2Cl_2)

PL : 537, 571 nm (in CH_2Cl_2)



LT-S935 | 4CIPEPTC

N,N'-Bis[2-(4-chloro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide

CAS No. : 215726-51-5

Grade : Sublimed >99%


TGA : >370 °C (0.5% wt. loss)

Formula : $C_{40}H_{24}Cl_2N_2O_4$

M.W. : 667.53 g/mole

UV : 524 nm (in CH_2Cl_2)

PL : 544 nm (in CH_2Cl_2)



LT-S936 | 4FPEPTC

N,N'-Bis[2-(4-fluoro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide

CAS No. : 215726-57-1

Grade : Sublimed >99%


TGA : >370 °C (0.5% wt. loss)

Formula : $C_{40}H_{24}F_2N_2O_4$

M.W. : 634.63 g/mole

UV : 524 nm (in CH_2Cl_2)

PL : 538 nm (in CH_2Cl_2)



LT-S937 | 24CIPEPTC

N,N'-Bis[2-(2,4-dichloro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide

Grade : Sublimed >99%


TGA : >390 °C (0.5% wt. loss)

Formula : $C_{40}H_{22}Cl_4N_2O_4$

M.W. : 736.42 g/mole

UV : 524 nm (in CH_2Cl_2)

PL : 536 nm (in CH_2Cl_2)



LT-S938 | 26CIPEPTC

N,N'-Bis[2-(2,6-dichloro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide

Grade : Sublimed >99%


TGA : >440 °C (0.5% wt. loss)

Formula : $C_{40}H_{22}Cl_4N_2O_4$

M.W. : 736.42 g/mole

UV : 524 nm (in CH_2Cl_2)

PL : 536 nm (in CH_2Cl_2)



LT-S939 | PEPTC

N,N'-Bis(2-phenyl-ethyl)-3,4,9,10-perylene dicarboximide

CAS No. : 67075-37-0

Grade : Sublimed >99%


TGA : >390 °C (0.5% wt. loss)

Formula : $C_{40}H_{26}N_2O_4$

M.W. : 598.64 g/mole

UV : 524 nm (in CH_2Cl_2)

PL : 537 nm (in CH_2Cl_2)



LT-S941 | DP-PTCDI

N,N'-Diphenyl-3,4,9,10-perylene dicarboximide

CAS No. : 128-65-4

Grade : Sublimed >99%


TGA : >380 °C (0.5% wt. loss)

Formula : $C_{36}H_{18}N_2O_4$

M.W. : 542.54 g/mole

UV : 481, 515 nm (in THF)

PL : 531 nm (in THF)



LT-S956 | PDI1

N,N'-Bis(3,4,5-tridodecyloxyphenyl)-3,4,9,10-perylene dicarboximide

CAS No. : 351377-40-7


Grade : >99% (NMR)

TGA : >290 °C (0.5% wt. loss)

Formula : $C_{108}H_{162}N_2O_{10}$


M.W. : 1648.45 g/mole

UV : 489, 526 nm (in CH_2Cl_2)




LT-S960 | 4MeOPEPTC

N,N'-Bis[2-(4-methoxyphenyl)-ethyl]-3,4,9,10-perylene dicarboximide
 CAS No. : 119215-14-4
 Grade : Sublimed >99%
 TGA : >370 °C (0.5% wt. loss)
 Formula : $C_{42}H_{30}N_2O_6$
 M.W. : 658.70 g/mole
 UV : 458, 524 nm (in CH_2Cl_2)
 PL : 534 nm (in CH_2Cl_2)




LT-S970 | PTCDI- C_8

N,N'-Diethyl-3,4,9,10-perylene dicarboximide
 CAS No. : 78151-58-3
 Grade : Sublimed >99%
 TGA : >390 °C (0.5% wt. loss)
 Formula : $C_{40}H_{42}N_2O_4$
 M.W. : 614.77 g/mole
 UV : 456, 524 nm (in CH_2Cl_2)
 PL : 573 nm (in CH_2Cl_2)




LT-S9041 | PTCDI- $C_{18}H_{37}$

N,N'-Di-octadecyl-3,4,9,10-perylenedicarboximide
 CAS No. : 25834-02-0
 Grade : Sublimed >99%
 TGA : >340 °C (0.5% wt. loss)
 Formula : $C_{60}H_{82}N_2O_4$
 M.W. : 895.30 g/mole
 UV : 485, 520 nm (in Toluene)




LT-S9042 | PTCDI- $C_{13}H_{27}$

N,N'-Ditridecyl-3,4,9,10-perylenedicarboximide
 CAS No. : 95689-92-2
 Grade : Sublimed >99%
 TGA : >390 °C (0.5% wt. loss)
 Formula : $C_{50}H_{62}N_2O_4$
 M.W. : 755.04 g/mole
 UV : 484, 520 nm (in Toluene)




LT-S9049 | 24-FPEPTC

N,N'-Bis[2-(2,4-difluoro-phenyl)-ethyl]-3,4,9,10-perylene dicarboximide
 CAS No. : 1644439-37-1
 Grade : Sublimed >99%
 TGA : >340 °C (0.5% wt. loss)
 Formula : $C_{40}H_{22}F_4N_2O_4$
 M.W. : 670.61 g/mole
 UV : 245 nm (in CH_2Cl_2)




LT-S9059 | TEPTC

N,N'-Di(thiophen-2-yl)ethyl-3,4,9,10-perylene dicarboximide
 CAS No. : 1559069-50-9
 Grade : Sublimed >99%
 TGA : >400 °C (0.5% wt. loss)
 Formula : $C_{36}H_{22}N_2O_4S_2$
 M.W. : 610.70 g/mole
 UV : 260 nm (in CH_2Cl_2)




LT-S9092 | 3PenPTC

N,N'-Bis(ethylpropyl)perylene-3,4,9,10-tetracarboxylicdiimide
 CAS No. : 110590-81-3
 Grade : Sublimed >99%
 TGA : >270 °C (0.5% wt. loss)
 Formula : $C_{34}H_{30}N_2O_4$
 M.W. : 530.61 g/mole




LT-S9093 | DCyPTC

N,N'-Dicyclohexylperylene-3,4,9,10-tetracarboxylicdiimide
 CAS No. : 41572-86-5
 Grade : Sublimed >99%
 TGA : >350 °C (0.5% wt. loss)
 Formula : $C_{36}H_{30}N_2O_4$
 M.W. : 554.63 g/mole




LT-S9132 | PTCPI-CH2C3F7

N,N'-Bis(2,2,3,3,4,4,4-heptafluorobutyl)-3,4,9,10-perylene dicarboximide
 CAS No. : 1150578-28-1
 Grade : Sublimed >99%
 TGA : >300 °C (0.5% wt. loss)
 Formula : $C_{32}H_{12}F_{14}N_2O_4$
 M.W. : 756.44 g/mole




LT-S9268 | PDIN

2,9-Bis(3-(dimethylamino)propyl)anthra[2,1,9-def:6,5,10-d'e'f']-diisoquinoline-1,3,8,10(2H,9H)-tetraone
 CAS No. : 117901-97-0
 Grade : >97%
 Formula : $C_{34}H_{32}N_4O_4$
 M.W. : 560.64 g/mole




LT-S9269 |

5,12-Dibromo-2,9-bis(2-ethylhexyl)anthra[2,1,9-def:6,5,10-d'e'f']-diisoquinoline-1,3,8,10(2H,9H)-tetraone
 CAS No. : 851786-15-7
 Formula : $C_{40}H_{40}Br_2N_2O_4$
 M.W. : 772.56 g/mole



LT-S9270 |

5,12-Dibromo-2,9-bis(2-decyltetradecyl)anthra[2,1,9-def:6,5,10-d'e'f']-diisoquinoline-1,3,8,10(2H,9H)-tetraone
 CAS No. : 909019-78-9
 Formula : $C_{72}H_{104}Br_2N_2O_4$
 M.W. : 1221.42 g/mole



LT-D1233


2-[4-(4-Dimethylaminophenyl)-1,3-butadienyl]-1,3,3-trimethyl-3H-indolium perchlorate

CAS No. : 76433-27-7

Grade : >96%

Formula : $C_{23}H_{31}ClN_2O_4$

M.W. : 430.92 g/mole



LT-D1246


3,3'-Diethyloxadicarbocyanine iodide

CAS No. : 14806-50-9

Grade : >98%

Formula : $C_{23}H_{23}IN_2O_2$

M.W. : 486.35 g/mole



LT-D1312


1,1'-Diethyl-3,3,3',3'-tetramethylindocarbocyanine iodide

CAS No. : 14696-39-0

Grade : >98%

Formula : $C_{27}H_{33}IN_2$

M.W. : 512.48 g/mole



LT-D1313


2,4-Bis[4-(diethylamino)-2-hydroxyphenyl]squaraine

CAS No. : 68842-66-0

Grade : >98%

Formula : $C_{24}H_{28}N_2O_4$

M.W. : 408.5 g/mole



LT-D1314


2,4-Bis[8-hydroxy-1,1,7,7-tetramethyljulolidin-9-yl]squaraine

CAS No. : 358727-55-6

Grade : >98%

Formula : $C_{36}H_{44}N_2O_4$

M.W. : 568.76 g/mole



LT-D1315

 Cryptocyanine


1,1'-Diethyl-4,4'-carbocyanine iodide

CAS No. : 4727-50-8

Grade : >98%

Formula : $C_{25}H_{25}IN_2$

M.W. : 480.39 g/mole



LT-D1316

 Cyanine


1,1'-Diisoamyl-4,4'-cyanine iodide

CAS No. : 523-42-2

Grade : >98%

Formula : $C_{29}H_{35}IN_2$

M.W. : 538.52 g/mole



LT-D1317


3,3'-Diethyloxadicarbocyanine iodide

CAS No. : 905-96-4

Grade : >98%

Formula : $C_{21}H_{21}IN_2O_2$

M.W. : 460.32 g/mole



LT-D1318


3,3'-Diethylthiadicarbocyanine iodide

CAS No. : 905-97-5

Grade : >98%

Formula : $C_{21}H_{21}IN_2S_2$

M.W. : 492.44 g/mole



LT-D1319


3,3'-Dipropylthiadicarbocyanine iodide

CAS No. : 53213-94-8

Grade : >98%

Formula : $C_{25}H_{27}IN_2S_2$

M.W. : 546.53 g/mole



LT-D1320


3,3'-Diethyloxadicarbocyanine iodide

CAS No. : 14806-50-9

Grade : >98%

Formula : $C_{23}H_{23}IN_2O_2$

M.W. : 486.35 g/mole



LT-D1321


3,3',3'-Tetramethyl-1,1'-bis(4-sulfobutyl)benzoindicarbocyanine sodium salt

CAS No. : 64285-36-5

Grade : >98%

Formula : $C_{41}H_{45}N_2NaO_6S_2$

M.W. : 748.93 g/mole



LT-D1322


3,3',3'-Tetramethyl-1,1'-bis(4-sulfobutyl)indocarbocyanine sodium salt

CAS No. : 120724-84-7

Grade : >98%

Formula : $C_{31}H_{39}N_2NaO_6S_2$

M.W. : 622.77 g/mole



LT-D1323


1,1'-Dibutyl-3,3,3',3'-tetramethylindotricarbocyanine hexafluorophosphate

CAS No. : 134339-08-5

Grade : >98%

Formula : $C_{35}H_{45}F_6N_2P$

M.W. : 638.72 g/mole



LT-D1324


2-[2-[2-Chloro-3-[2-(1,3-trimethyl-1,3,3-trimethyl-2H-indol-2-ylidene)ethylidene]-1-cyclohexen-1-yl]ethenyl]-1,3,3-trimethyl-3H-indolium chloride

CAS No. : 199444-11-6

Grade : >90%

Formula : $C_{32}H_{36}Cl_2N_2$

M.W. : 519.55 g/mole



LT-D1325


1,1,3-Trimethyl-2-[5-(1,3-trimethyl-1,3-dihydro-2H-benzo[e]indol-2-ylidene)-1,3-pentadienyl]-1H-benzo[e]indolium iodide

CAS No. : 56289-64-6

Grade : >97%

Formula : $C_{35}H_{35}IN_2$

M.W. : 610.58 g/mole



LT-D1326


1,1'-Diethyl-2,2'-carbocyanine chloride

CAS No. : 2768-90-3

Grade : >90%

Formula : $C_{25}H_{25}ClN_2$

M.W. : 388.94 g/mole



LT-D1327


1,1'-Diethyl-2,2'-carbocyanine iodide

CAS No. : 605-91-4

Grade : >90%

Formula : $C_{25}H_{25}IN_2$

M.W. : 480.39 g/mole



K1376


4,4-Difluoro-8(4'-hydroxyphenyl)-1,3,5,7-tetramethyl-4-bora-3a,4a-diaza-s-indacene

CAS No. : 870992-10-2

Grade : >95%

Formula : $C_{19}H_{19}BF_2N_2O$

M.W. : 341.18 g/mole



K1377


4,4-Difluoro-8(4'-aminophenyl)-1,3,5,7-tetramethyl-4-bora-3a,4a-diaza-s-indacene

CAS No. : 321895-93-6

Grade : >95%

Formula : $C_{19}H_{20}BF_2N_3$

M.W. : 339.19 g/mole



LT-D1328


[[[4-tert-Butyl-3,5-dimethyl-1H-pyrrol-2-yl](4-tert-butyl-3,5-dimethyl-2H-pyrrol-2-ylidene)methyl]methane](difluoroborane)

CAS No. : 137829-79-9

Grade : >98%

Formula : $C_{22}H_{33}BF_2N_2$

M.W. : 374.33 g/mole



LT-D1329


[[[4-Butyl-3,5-dimethyl-1H-pyrrol-2-yl](4-butyl-3,5-dimethyl-2H-pyrrol-2-ylidene)methyl]methane](difluoroborane)

CAS No. : 151486-56-5

Grade : >97%

Formula : $C_{22}H_{33}BF_2N_2$

M.W. : 374.33 g/mole



LT-D1330


[[[3,5-Dimethyl-1H-pyrrol-2-yl](3,5-dimethyl-2H-pyrrol-2-ylidene)methyl]methane](difluoroborane)

CAS No. : 121207-31-6

Grade : >98%

Formula : $C_{14}H_{17}BF_2N_2$

M.W. : 262.11 g/mole



LT-D1331


[[[3,5-Dimethyl-4-sulfo-1H-pyrrol-2-yl](3,5-dimethyl-4-sulfo-2H-pyrrol-2-ylidene)methyl]methane](difluoroborane) disodium salt

CAS No. : 121461-69-6

Grade : >96%

Formula : $C_{14}H_{15}BF_2N_2Na_2O_6S_2$

M.W. : 466.19 g/mole



LT-D1333


4,4-Difluoro-1,3-dimethyl-4-bora-3a,4a-diaza-s-indacene

CAS No. : 154793-49-4

Grade : >98%

Formula : $C_{11}H_{11}BF_2N$

M.W. : 220.03 g/mole



LT-D1334


4,4-Difluoro-1-methyl-3-(4-propoxystyryl)-4-bora-3a,4a-diaza-s-indacene

CAS No. : 1201643-08-4

Grade : >98%

Formula : $C_{21}H_{21}BF_2N_2O$

M.W. : 366.22 g/mole



LT-D1335


[[[4-Ethyl-3,5-dimethyl-1H-pyrrol-2-yl](4-ethyl-3,5-dimethyl-2H-pyrrol-2-ylidene)methyl]methane](difluoroborane)

CAS No. : 131083-16-4

Grade : >98%

Formula : $C_{18}H_{25}BF_2N_2$

M.W. : 318.22 g/mole



LT-D1336


[2-[(Methylthio)(2H-pyrrol-2-ylidene)methyl]-1H-pyrrole](difluoroborane)

CAS No. : 892505-41-8

Grade : >98%

Formula : $C_{10}H_9BF_2N_2S$

M.W. : 238.06 g/mole



LT-D1337


[[[3,4,5-Trimethyl-1H-pyrrol-2-yl](3,4,5-trimethyl-2H-pyrrol-2-ylidene)methyl]carbonitrile](difluoroborane)

CAS No. : 157410-23-6

Grade : >98%

Formula : $C_{16}H_{18}BF_2N_3$

M.W. : 301.15 g/mole



LT-D1392 IBDP


2,6-Diiodo-1,3,5,7-tetramethyl-8-phenyl-4,4-difluorobora-diazasindacene

CAS No. : 1083009-44-2

Grade : >99%

Formula : $C_{19}H_{17}BF_2I_2N_2$

M.W. : 575.97 g/mole



LT-D1393 Sty-IBDP


5,5-Difluoro-2,8-diiodo-1,9-dimethyl-10-phenyl-3,7-di((E)-styryl)-5H-dipyrrolo[1,2-c:2',1'-f][1,3,2]diazaborinin

CAS No. : 1437797-58-4

Grade : >99%

Formula : $C_{33}H_{25}BF_2I_2N_2$

M.W. : 752.18 g/mole



LT-D1403 BODIPY-9


[2-[[3,8-Bis(1-methylethyl)benzo[e]pyrrolo[3,2-g]indol-2(9H)-yl]K[N1]methylene]-1,10-dihydro-3,8-bis(1-methylethyl)benzo[e]pyrrolo[3,2-g]indolato-K[N1]difluoro-Boron

CAS No. : 1467122-06-0

Grade : >99%

Formula : $C_{41}H_{41}BF_2N_4$

M.W. : 638.6 g/mole



LT-D1232


6-Amino-9-(2-carboxyphenyl)-3H-xanthen-3-iminium chloride

CAS No. : 13558-31-1

Grade : >98%

Formula : $C_{20}H_{15}ClN_2O_3$

M.W. : 366.8 g/mole



LT-D1338


Sulforhodamine B sodium salt

CAS No. : 3520-42-1

Grade : >98%

Formula : $C_{27}H_{29}N_2NaO_7S_2$

M.W. : 580.65 g/mole



LT-D1339


Alizarin violet

CAS No. : 2103-64-2

Grade : >85%

Formula : $C_{20}H_{12}O_7$

M.W. : 364.31 g/mole



LT-D1340


Dibromopyrogallolsulfonphthaleine

CAS No. : 16574-43-9

Grade : >99%

Formula : $C_{19}H_{10}Br_2O_5S$

M.W. : 558.15 g/mole



LT-D1341


2',7'-Dichlorofluorescein sodium salt

CAS No. : 80471-69-8

Grade : >98%

Formula : $C_{20}H_8Cl_2Na_2O_5$

M.W. : 445.16 g/mole



LT-D1342


Dibromofluorescein

CAS No. : 596-03-2

Grade : >98%

Formula : $C_{20}H_{10}Br_2O_5$

M.W. : 490.1 g/mole



LT-D1343


Acid Red 91

CAS No. : 548-24-3

Grade : >85%

Formula : $C_{20}H_6Br_2N_2Na_2O_9$

M.W. : 624.06 g/mole



LT-D1344


Fluorescein potassium salt

CAS No. : 6417-85-2

Grade : >98%

Formula : $C_{20}H_{10}K_2O_5$

M.W. : 408.49 g/mole



LT-D1345


Fluorescein

CAS No. : 2321-07-5

Grade : >97%

Formula : $C_{20}H_{12}O_5$

M.W. : 332.31 g/mole



LT-D1346


Uranine

CAS No. : 518-47-8

Grade : >90%

Formula : $C_{20}H_{10}Na_2O_5$

M.W. : 376.27 g/mole



LT-D1347


Pyrogallol Red

CAS No. : 32638-88-3

Grade : >95%

Formula : $C_{19}H_{12}O_6S$

M.W. : 400.36 g/mole



LT-D1348


Rhodamine 6G

CAS No. : 989-38-8

Grade : >97%

Formula : $C_{28}H_{31}ClN_2O_3$

M.W. : 479.02 g/mole



LT-D1349


Rhodamine B

CAS No. : 81-88-9

Grade : >95%

Formula : $C_{28}H_{31}ClN_2O_3$

M.W. : 479.02 g/mole



LT-D1350


Acid Red 94

CAS No. : 632-69-9

Grade : >90%

Formula : $C_{20}H_2Cl_4I_4Na_2O_5$

M.W. : 1017.64 g/mole



LT-D1351


Sulfonfluorescein

CAS No. : 4424-03-7

Grade : >75%

Formula : $C_{19}H_{12}O_6S$

M.W. : 368.36 g/mole



LT-D1352


Acid Red 87

CAS No. : 17372-87-1

Grade : >90%

Formula : $C_{20}H_6Br_4Na_2O_5$

M.W. : 691.86 g/mole



LT-D1353


2',4',5',7'-Tetrabromo-3,4,5,6-tetrachlorofluorescein

CAS No. : 13473-26-2

Grade : >85%

Formula : $C_{20}H_4Br_4Cl_4O_5$

M.W. : 785.67 g/mole



LT-D1354


3,4,5,6-Tetrachlorofluorescein

CAS No. : 6262-21-1

Grade : >98%

Formula : $C_{20}H_8Cl_4O_5$

M.W. : 470.09 g/mole



LT-D1355


Tetraiodofluorescein

CAS No. : 15905-32-5

Grade : >95%

Formula : $C_{20}H_8I_4O_5$

M.W. : 835.9 g/mole



LT-D1356


Phenylfluorone

CAS No. : 975-17-7

Grade : >99%

Formula : $C_{19}H_{12}O_5$

M.W. : 320.3 g/mole




LT-D1358

3',6'-Bis(1-methyl-2-phenylindolizin-3-yl)-2-(2-morpholinoethyl)spiro[isindoline-1,9'-xanthen]-3-one

Grade : >98%

Formula : $C_{56}H_{46}N_4O_3$

M.W. : 822.99 g/mole




LT-D1400

2,9-Dioctylquinolino[2,3-b]acridine-7,14(5H,12H)-dione

Grade : >97%

Formula : $C_{36}H_{44}N_2O_2$

M.W. : 536.75 g/mole



LT-D3001


2-(4-Benzoyl-3-hydroxyphenoxy)ethyl acrylate

CAS No. : 16432-81-8

Grade : >99%

Formula : $C_{18}H_{16}O_5$

M.W. : 312.32 g/mole



LT-D3002


4-[3-Vinylphenylazo] diphenylamine

CAS No. : 1425710-74-2

Grade : >97.5%

Formula : $C_{20}H_{17}N_3$

M.W. : 299.37 g/mole



LT-D3003


2-Hydroxy-5-methoxy-3-(5-(trifluoromethyl)-2H-benzo[d][1,2,3]triazol-2-yl)benzyl methacrylate

CAS No. : 1224932-87-9

Grade : >97%

Formula : $C_{19}H_{16}F_3N_3O_4$

M.W. : 407.34 g/mole



LT-D3004


4-(Phenylazo)-o-cresol

CAS No. : 621-66-9

Grade : >97%

Formula : $C_{13}H_{12}N_2O$

M.W. : 212.25 g/mole



LT-D3005


4-Methacryloyloxyazobenzene

CAS No. : 128818-49-5

Grade : >97%

Formula : $C_{16}H_{14}N_2O_2$

M.W. : 266.29 g/mole



LT-D3006 Disperse Yellow 3


N-[4-[2-(2-Hydroxy-5-methylphenyl)diazenyl]phenyl]-acetamide

CAS No. : 2832-40-8

Grade : >97%

Formula : $C_{15}H_{15}N_3O_2$

M.W. : 269.3 g/mole



LT-D3007


4-Phenylazophenol

CAS No. : 1689-82-3

Grade : >98%

Formula : $C_{12}H_{10}N_2O$

M.W. : 198.22 g/mole



LT-D3008


2-Hydroxy-3-((4-methoxyphenyl)diazenyl)-5-methylbenzyl methacrylate

CAS No. : 1260217-37-5

Grade : >97%

Formula : $C_{19}H_{20}N_2O_4$

M.W. : 340.37 g/mole



LT-D3009


4-(p-Aminophenylazo)-phenylmethacrylat

CAS No. : 53196-76-2

Grade : >97%

Formula : $C_{16}H_{15}N_3O_2$

M.W. : 281.31 g/mole



LT-D3010


2-(4-Phenylazophenoxy)ethyl acrylate

CAS No. : 213465-23-7

Grade : >97%

Formula : $C_{17}H_{16}N_2O_3$

M.W. : 296.32 g/mole



LT-D3011


4-Methacryloxy-2-hydroxybenzophenone

CAS No. : 2035-72-5

Grade : >99%

Formula : $C_{17}H_{14}O_4$

M.W. : 282.29 g/mole



LT-D3012


2-[3-(2H-Benzotriazol-2-yl)-4-hydroxyphenyl]ethyl methacrylate

CAS No. : 96478-09-0

Grade : >98%

Formula : $C_{18}H_{17}N_3O_3$

M.W. : 323.35 g/mole



LT-D3013

2-(((2-(4-Benzoyl-3-hydroxyphenoxy)ethoxy)carbonyl)amino)ethyl methacrylate

CAS No. : 130873-11-9

Grade : >97%

Formula : $C_{22}H_{23}NO_7$

M.W. : 413.42 g/mole

