


























K0013 42906-19-4 Formula : $C_{21}H_{19}NO$ M.W. : 301.38 g/mole Grade : >98% (HPLC)	K0019 4181-20-8 Formula : $C_{18}H_{12}I_3N$ M.W. : 623.01 g/mole Grade : >98% (HPLC)	K0030 4181-05-9 Formula : $C_{19}H_{15}NO$ M.W. : 273.33 g/mole Grade : >98% (HPLC)	K0060 531-91-9 Formula : $C_{24}H_{20}N_2$ M.W. : 336.43 g/mole Grade : >98% (HPLC)
K0061 16292-17-4 Formula : $C_{12}H_9Br_2N$ M.W. : 327.01 g/mole Grade : >98% (HPLC)	K0062 36809-26-4 Formula : $C_{18}H_{14}BrN$ M.W. : 324.21 g/mole Grade : >98% (HPLC)	K0063 202831-65-0 Formula : $C_{24}H_{18}BrN$ M.W. : 400.31 g/mole Grade : >98% (HPLC)	K0064 81090-53-1 Formula : $C_{18}H_{13}Br_2N$ M.W. : 403.11 g/mole Grade : >98% (HPLC)
K0066 532-18-3 Formula : $C_{20}H_{15}N$ M.W. : 269.34 g/mole Grade : >98% (HPLC)	K0067 10311-61-2 Formula : $C_{26}H_{24}N_2$ M.W. : 364.48 g/mole Grade : >98% (HPLC)	K0073 4669-06-1 Formula : $C_{20}H_{15}N$ M.W. : 269.34 g/mole Grade : >98% (HPLC)	K0151 845526-91-2 Formula : $C_{20}H_{18}BrN$ M.W. : 352.27 g/mole Grade : >98% (HPLC)
K0215 1469780-16-2 Formula : $C_{19}H_{13}Br_2NO$ M.W. : 431.12 g/mole Grade : >98% (HPLC)	K0353 101-70-2 Formula : $C_{14}H_{15}NO_2$ M.W. : 229.27 g/mole Grade : >98% (HPLC)	K0355 20440-95-3 Formula : $C_{20}H_{19}N$ M.W. : 273.37 g/mole Grade : >98% (HPLC)	K0388 287976-94-7 Formula : $C_{22}H_{21}Br_2N$ M.W. : 459.22 g/mole Grade : >98% (HPLC)
K0432 308144-65-2 Formula : $C_{28}H_{20}BrN$ M.W. : 450.37 g/mole Grade : >98% (HPLC)	K0463 352359-42-3 Formula : $C_{28}H_{20}BrN$ M.W. : 450.37 g/mole Grade : >98% (HPLC)	K0750 59131-00-9 Formula : $C_{26}H_{24}N_2O_2$ M.W. : 396.48 g/mole Grade : >98% (HPLC)	K0752 55389-75-8 Formula : $C_{16}H_{13}N$ M.W. : 225.33 g/mole Grade : >98% (HPLC)
K0754 626-13-1 Formula : $C_{14}H_{15}N$ M.W. : 197.28 g/mole Grade : >98% (HPLC)	K0755 203710-89-8 Formula : $C_{20}H_{18}BrN$ M.W. : 352.27 g/mole Grade : >98% (HPLC)	K0835 499128-71-1 Formula : $C_{30}H_{22}BrN$ M.W. : 476.41 g/mole Grade : >98% (HPLC)	K0837 194416-45-0 Formula : $C_{20}H_{18}BrNO_2$ M.W. : 384.27 g/mole Grade : >98% (HPLC)


K0852 ■ 78600-31-4  Formula : $C_{18}H_{14}BrN$ M.W. : 324.21 g/mole Grade : >98% (HPLC)	K0867 ■ 1467099-22-4  Formula : $C_{31}H_{20}BrN$ M.W. : 486.4 g/mole Grade : >98% (HPLC)	K0881 ■ 6267-02-3  Formula : $C_{15}H_{15}N$ M.W. : 209.29 g/mole Grade : >98% (HPLC)	K0886 ■ 3282-99-3  Formula : $C_{18}H_{22}N_2$ M.W. : 266.38 g/mole Grade : >98% (HPLC)
K0893 ■ 1342892-15-2  Formula : $C_{21}H_{18}BrN$ M.W. : 364.28 g/mole Grade : >98% (HPLC)	K0894 ■ 71041-21-9  Formula : $C_{18}H_{12}BrNO$ M.W. : 338.2 g/mole Grade : >98% (HPLC)	K0899 ■ 92-67-1  Formula : $C_{12}H_{11}N$ M.W. : 169.22 g/mole Grade : >98% (HPLC)	K0916 ■ 152670-41-2  Formula : $C_{32}H_{24}N_2$ M.W. : 436.55 g/mole Grade : >98% (HPLC)
K0940 ■ 1241891-64-4  Formula : $C_{31}H_{20}BrN$ M.W. : 486.4 g/mole Grade : >98% (HPLC)	K0964 ■ 663943-27-9  Formula : $C_{21}H_{19}Br_2N$ M.W. : 445.19 g/mole Grade : >98%	K1134 ■ 90-30-2  Formula : $C_{16}H_{13}N$ M.W. : 219.28 g/mole Grade : >99%	K1136 ■ 737-89-3  Formula : $C_{20}H_{15}N$ M.W. : 269.34 g/mole Grade : >99%
K1142 ■ 728039-63-2  Formula : $C_{36}H_{26}BrN$ M.W. : 552.5 g/mole Grade : >99%	K1285 ■ 620-84-8  Formula : $C_{13}H_{13}N$ M.W. : 183.25 g/mole Grade : >98%	K1294 ■ 4496-49-5  Formula : $C_{16}H_{19}N$ M.W. : 225.33 g/mole Grade : >98% (HPLC)	K1312 ■ 1198395-24-2  Formula : $C_{27}H_{23}N$ M.W. : 361.48 g/mole Grade : >98%
K1759 ■  Formula : $C_{19}H_{16}BrN$ M.W. : 338.24 g/mole Grade : >98%	K1762 ■  Formula : $C_{22}H_{18}Br_2N_2$ M.W. : 470.2 g/mole Grade : >98%	K1764 ■ 58047-42-0  Formula : $C_{20}H_{18}BrN$ M.W. : 352.27 g/mole Grade : >98%	K1765 ■ 1345627-73-7  Formula : $C_6H_4Br_2F_2N_2$ M.W. : 301.91 g/mole Grade : >98%
K1771 ■  Formula : $C_{14}H_{14}FNO_2$ M.W. : 247.26 g/mole Grade : >98%	K1772 ■ 5905-36-2  Formula : $C_{18}H_{16}N_2$ M.W. : 260.33 g/mole Grade : >98%	K1816 ■ 630125-70-1  Formula : $C_{11}H_9ClN_2O$ M.W. : 220.65 g/mole Grade : >98%	K1819 ■ 6265-14-1  Formula : $C_8H_9NO_3$ M.W. : 167.16 g/mole Grade : >95%

K0028 4542-77-2




Formula : $C_{12}H_{10}Br_2$
M.W. : 314.02 g/mole
Grade : >98% (HPLC)

K0089 22856-30-0




Formula : $C_{12}H_6N_2$
M.W. : 178.19 g/mole
Grade : >98% (HPLC)

K0139 13720-06-4




Formula : $C_{10}H_6Br_2$
M.W. : 285.96 g/mole
Grade : >98% (HPLC)

K0413 18937-92-3




Formula : $C_{16}H_{11}Br$
M.W. : 283.16 g/mole
Grade : >95% (HPLC)

K0589 132178-78-0




Formula : $C_{10}H_6Br_2O_2$
M.W. : 317.96 g/mole
Grade : >98% (HPLC)

K0590 245093-97-4




Formula : $C_{14}H_{14}Br_2O_4$
M.W. : 406.07 g/mole
Grade : >98% (HPLC)

K1774




Formula : $C_{20}H_{25}F_3O_3S_2$
M.W. : 434.54 g/mole
Grade : >98%

K0035 572-83-8




Formula : $C_{14}H_7BrO_2$
M.W. : 287.11 g/mole
Grade : >98% (HPLC)

K0037 201731-79-5




Formula : $C_{26}H_{17}Br$
M.W. : 409.32 g/mole
Grade : >97% (HPLC)

K0054 121848-75-7




Formula : $C_{28}H_{16}Br_2$
M.W. : 512.23 g/mole
Grade : >98% (HPLC)

K0058 474688-76-1




Formula : $C_{34}H_{21}Br$
M.W. : 509.43 g/mole
Grade : >97% (HPLC)

K0076 400607-04-7




Formula : $C_{24}H_{15}Br$
M.W. : 383.28 g/mole
Grade : >98% (HPLC)

K0077 7424-70-6




Formula : $C_{24}H_{16}$
M.W. : 304.38 g/mole
Grade : >98% (HPLC)

K0360 523-27-3




Formula : $C_{14}H_8Br_2$
M.W. : 336.02 g/mole
Grade : >98% (HPLC)

K0362 1055-23-8




Formula : $C_{28}H_{18}$
M.W. : 354.44 g/mole
Grade : >98% (HPLC)

K0404 53348-05-3




Formula : $C_{14}H_6Br_2O_2$
M.W. : 366 g/mole
Grade : >97% (HPLC)

K0464 23674-20-6




Formula : $C_{20}H_{13}Br$
M.W. : 333.22 g/mole
Grade : >98% (HPLC)

K0877 23674-15-9




Formula : $C_{21}H_{16}O$
M.W. : 284.35 g/mole
Grade : >98% (HPLC)

K0901 474688-73-8




Formula : $C_{24}H_{15}Br$
M.W. : 383.28 g/mole
Grade : >98% (HPLC)

K0909 1092390-01-6




Formula : $C_{30}H_{19}Br$
M.W. : 459.38 g/mole
Grade : >98% (HPLC)

K0935 944801-33-6




Formula : $C_{30}H_{19}Br$
M.W. : 459.38 g/mole
Grade : >98% (HPLC)

K1097 19111-87-6




Formula : $C_{18}H_{11}Br$
M.W. : 307.18 g/mole
Grade : >98%

K1098 888041-37-0




Formula : $C_{18}H_{10}Br_2$
M.W. : 386.08 g/mole
Grade : >98%

K1100 4877-80-9




Formula : $C_{18}H_{12}O_6$
M.W. : 324.28 g/mole
Grade : >98%

K1101 82632-80-2




Formula : $C_{18}H_6Br_6$
M.W. : 701.66 g/mole
Grade : >98%

K1108 13438-50-1




Formula : $C_{16}H_9Br$
M.W. : 281.15 g/mole
Grade : >98%

K1109 561064-15-1




Formula : $C_{34}H_{20}Br_2$
M.W. : 588.33 g/mole
Grade : >98%

K1110 845457-53-6




Formula : $C_{28}H_{17}Br$
M.W. : 433.34 g/mole
Grade : >98%

K1111 39069-02-8




Formula : $C_{12}H_6Br_2N_2$
M.W. : 338 g/mole
Grade : >99%

K1115 929031-39-0




Formula : $C_{34}H_{21}Br$
M.W. : 509.43 g/mole
Grade : >98%

K1119 781-43-1


















































Formula : $C_{16}H_{14}$
M.W. : 206.28 g/mole
Grade : >98%
















K1121 886363-70-8








































Formula : $C_{18}H_{18}Br_2$
M.W. : 394.14 g/mole
Grade : >99%

























K0001 171408-76-7  Formula : $C_{25}H_{15}Br$ M.W. : 395.29 g/mole Grade : >98% (HPLC)	K0002 171408-84-7  Formula : $C_{25}H_{14}Br_2$ M.W. : 474.19 g/mole Grade : >98% (HPLC)	K0003 128055-74-3  Formula : $C_{25}H_{12}Br_4$ M.W. : 631.98 g/mole Grade : >98% (HPLC)	K0004 159-66-0  Formula : $C_{25}H_{16}$ M.W. : 316.39 g/mole Grade : >98% (HPLC)
K0005 16433-88-8  Formula : $C_{13}H_8Br_2$ M.W. : 324.01 g/mole Grade : >98% (HPLC)	K0006 14348-75-5  Formula : $C_{13}H_6Br_2O$ M.W. : 337.99 g/mole Grade : >98% (HPLC)	K0009 3096-56-8  Formula : $C_{13}H_7BrO$ M.W. : 259.10 g/mole Grade : >98% (HPLC)	K0010 28320-32-3  Formula : $C_{15}H_{12}Br_2$ M.W. : 352.06 g/mole Grade : >98% (HPLC)
K0011 474918-33-7  Formula : $C_{27}H_{21}Br$ M.W. : 425.36 g/mole Grade : >98% (HPLC)	K0012 357645-37-5  Formula : $C_{27}H_{20}Br_2$ M.W. : 504.26 g/mole Grade : >98% (HPLC)	K0020 486-25-9  Formula : $C_{13}H_8O$ M.W. : 180.20 g/mole Grade : >98% (HPLC)	K0023 28320-31-2  Formula : $C_{15}H_{13}Br$ M.W. : 273.17 g/mole Grade : >98% (HPLC)
K0024 851478-90-5  Formula : $C_{15}H_{18}$ M.W. : 578.78 g/mole Grade : >98% (HPLC)	K0025 128406-10-0  Formula : $C_{25}H_{16}Br_2$ M.W. : 476.20 g/mole Grade : >98% (HPLC)	K0032 790674-48-5  Formula : $C_{25}H_{14}I_2$ M.W. : 568.19 g/mole Grade : >98% (HPLC)	K0033 67665-45-6  Formula : $C_{25}H_{18}N_2$ M.W. : 346.42 g/mole Grade : >98% (HPLC)
K0050 302554-80-9  Formula : $C_{29}H_{41}Br$ M.W. : 469.54 g/mole Grade : >98% (HPLC)	K0086 198964-46-4  Formula : $C_{29}H_{40}Br_2$ M.W. : 548.44 g/mole Grade : >98% (HPLC)	K0088 188200-93-3  Formula : $C_{29}H_{40}Br_2$ M.W. : 548.44 g/mole Grade : >98% (HPLC)	K0126  Formula : $C_{59}H_{42}Br_2N_2$ M.W. : 938.79 g/mole Grade : >98% (HPLC)
K0295 187148-75-0  Formula : $C_{27}H_{36}Br_2$ M.W. : 520.38 g/mole Grade : >98% (HPLC)	K0344 1133-80-8  Formula : $C_{13}H_9Br$ M.W. : 245.11 g/mole Grade : >98% (HPLC)	K0405 937082-81-0  Formula : $C_{25}H_{17}Br$ M.W. : 397.31 g/mole Grade : >97% (HPLC)	K0406 202831-64-9  Formula : $C_{29}H_{26}BrN$ M.W. : 468.43 g/mole Grade : >98% (HPLC)

























K0412 ■ 1185855-21-3  Formula : $C_{29}H_{16}Br_2$ M.W. : 524.25 g/mole Grade : >98% (HPLC)	K0429 ■ 673474-73-2  Formula : $C_{23}H_{30}Br_2N_2$ M.W. : 494.31 g/mole Grade : >98% (HPLC)	K0437 ■ 607739-64-0  Formula : $C_{45}H_{36}Br_2$ M.W. : 736.58 g/mole Grade : >97% (HPLC)	K0450 ■ 198142-63-1  Formula : $C_{23}H_{12}Br_2N_2$ M.W. : 476.16 g/mole Grade : >98% (HPLC)
K0467 ■ 50890-67-0  Formula : $C_{11}H_6N_2O$ M.W. : 182.18 g/mole Grade : >98% (HPLC)	K0468 ■ 171856-25-0  Formula : $C_{23}H_{14}N_2$ M.W. : 318.37 g/mole Grade : >98% (HPLC)	K0469 ■ 738580-15-9  Formula : $C_{26}H_{13}Br_2$ M.W. : 504.34 g/mole Grade : >98% (HPLC)	K0470 ■ 746-47-4  Formula : $C_{26}H_{16}$ M.W. : 328.41 g/mole Grade : >98% (HPLC)
K0531 ■ 1186096-65-0  Formula : $C_{26}H_{18}O$ M.W. : 346.42 g/mole Grade : >98% (HPLC)	K0573 ■ 438201-29-7  Formula : $C_{25}H_{31}Br_3$ M.W. : 571.23 g/mole Grade : >98% (HPLC)	K0581 ■ 169169-89-5  Formula : $C_{25}H_{16}Br_2O_2$ M.W. : 508.20 g/mole Grade : >98% (HPLC)	K0582 ■ 1173170-47-2  Formula : $C_{57}H_{40}N_2O_2$ M.W. : 784.94 g/mole Grade : >98% (HPLC)
K0604 ■ 1161009-88-6  Formula : $C_{25}H_{13}Br$ M.W. : 395.29 g/mole Grade : >98% (HPLC)	K0609 ■ 216312-73-1  Formula : $C_{13}H_6Br_2O$ M.W. : 337.99 g/mole Grade : >97% (HPLC)	K0626 ■ 295796-57-5  Formula : $C_{27}H_{34}O_2$ M.W. : 390.56 g/mole Grade : >98% (HPLC)	K0678 ■ 325461-30-1  Formula : $C_{33}H_{48}Br_2$ M.W. : 604.54 g/mole Grade : >98% (HPLC)
K0759 ■ 108714-73-4  Formula : $C_{15}H_{15}N$ M.W. : 209.29 g/mole Grade : >98% (HPLC)	K0761 ■  Formula : $C_{20}H_{17}BrO$ M.W. : 353.25 g/mole Grade : >98% (HPLC)	K0866 ■ 1242570-65-5  Formula : $C_{29}H_{16}Br_2$ M.W. : 524.25 g/mole Grade : >98% (HPLC)	K0867 ■ 1467099-22-4  Formula : $C_{31}H_{26}BrN$ M.W. : 486.4 g/mole Grade : >98% (HPLC)
K0871 ■ 1260496-44-3  Formula : $C_{53}H_{52}Br_4N_2$ M.W. : 1036.61 g/mole Grade : >98% (HPLC)	K0874 ■ 124570-65-5  Formula : $C_{37}H_{52}Br_2O_2$ M.W. : 688.62 g/mole Grade : >97% (HPLC)	K0895 ■ 865702-19-8  Formula : $C_{15}H_{12}Br_2$ M.W. : 352.06 g/mole Grade : >98% (HPLC)	K0904 ■ 1262758-37-1  Formula : $C_{41}H_{50}BrN$ M.W. : 636.75 g/mole Grade : >98% (HPLC)

K0941 2041-19-2  Formula : $C_{13}H_7BrO$ M.W. : 259.1 g/mole Grade : >98% (HPLC)	K1068 899422-06-1  Formula : $C_{25}H_{15}BrO$ M.W. : 411.29 g/mole Grade : >98%	K1071 1361227-58-8  Formula : $C_{25}H_{15}Br$ M.W. : 395.29 g/mole Grade : >99%	K1072 67665-47-8  Formula : $C_{25}H_{14}Br_2$ M.W. : 474.19 g/mole Grade : >98%
K1080 20302-14-1  Formula : $C_{25}H_{18}$ M.W. : 318.41 g/mole Grade : >99%	K1084 186259-63-2  Formula : $C_{25}H_{16}Br_2$ M.W. : 476.2 g/mole Grade : >98%	K1090 954137-48-5  Formula : $C_{19}H_{15}Br$ M.W. : 323.23 g/mole Grade : >99%	K1094 1246562-40-2  Formula : $C_{33}H_{26}BrN$ M.W. : 516.47 g/mole Grade : >99%
K1096 853234-57-8  Formula : $C_{20}H_8Br_2O_2$ M.W. : 440.08 g/mole Grade : >97%	K1243 1198396-29-0  Formula : $C_{19}H_{15}Br$ M.W. : 323.23 g/mole Grade : >98% (HPLC)	K1293 264281-45-0  Formula : $C_{52}H_{76}Br_2$ M.W. : 860.97 g/mole Grade : >98% (HPLC)	K1296 92638-81-8  Formula : $C_{25}H_{17}N$ M.W. : 331.41 g/mole Grade : >98%
K1302 188200-91-1  Formula : $C_{21}H_{24}Br_2$ M.W. : 436.22 g/mole Grade : >98% (HPLC)	K1805 3236-71-3  Formula : $C_{25}H_{18}O_2$ M.W. : 350.41 g/mole Grade : >98%	K1818 380600-91-9  Formula : $C_{31}H_{42}O_2$ M.W. : 446.66 g/mole Grade : >98% (HPLC)	









K0031 1714-29-0  Formula : C ₁₆ H ₉ Br M.W. : 281.15 g/mole Grade : >98% (HPLC)	K0034 27973-29-1  Formula : C ₁₆ H ₈ Br ₂ M.W. : 360.04 g/mole Grade : >98% (HPLC)	K0119 38303-35-4  Formula : C ₁₆ H ₈ Br ₂ M.W. : 360.04 g/mole Grade : >97% (HPLC)	K0128 78751-74-3  Formula : C ₂₀ H ₁₇ Br M.W. : 337.25 g/mole Grade : >95% (HPLC)
K0365 129-00-0  Formula : C ₁₆ H ₁₀ M.W. : 202.25 g/mole Grade : >98% (HPLC)	K0516 16391-62-1  Formula : C ₃₂ H ₂₀ M.W. : 404.50 g/mole Grade : >97% (HPLC)	K0762 187086-32-4  Formula : C ₃₂ H ₁₉ Br M.W. : 483.40 g/mole Grade : >97% (HPLC)	K0765 131222-99-6  Formula : C ₁₈ H ₁₀ Br ₂ M.W. : 386.08 g/mole Grade : >96% (HPLC)
K0818 217-59-4  Formula : C ₁₈ H ₁₂ M.W. : 228.29 g/mole Grade : >98% (HPLC)	K0888 7499-60-7  Formula : C ₂₀ H ₁₄ O ₃ M.W. : 302.32 g/mole Grade : >98% (HPLC)	K1295 950903-67-0  Formula : C ₆₄ H ₃₄ Br ₂ M.W. : 962.76 g/mole Grade : >95%	K1345  Formula : C ₂₄ H ₁₃ ClO M.W. : 352.81 g/mole Grade : >98%
K1834 4107-64-6  Formula : C ₁₇ H ₉ N M.W. : 227.26 g/mole Grade : >98%			

























K0068 ■ 57103-20-5  Formula : $C_{18}H_{11}Br_2N$ M.W. : 401.09 g/mole Grade : >98% (HPLC)	K0075 ■ 741293-42-5  Formula : $C_{22}H_{19}Br_2N$ M.W. : 457.2 g/mole Grade : >98% (HPLC)	K0112 ■ 1256704-63-8  Formula : $C_{25}H_{33}Br_2N$ M.W. : 507.34 g/mole Grade : >98% (HPLC)	K0113 ■ 955964-73-5  Formula : $C_{29}H_{41}Br_2N$ M.W. : 563.45 g/mole Grade : >98% (HPLC)
K0125 ■ 136630-39-2  Formula : $C_{12}H_7Br_2N$ M.W. : 325 g/mole Grade : >98% (HPLC)	K0152 ■ 57102-42-8  Formula : $C_{18}H_{12}BrN$ M.W. : 322.2 g/mole Grade : >98% (HPLC)	K0324 ■ 882066-02-6  Formula : $C_{18}H_{10}Br_2N_2$ M.W. : 414.09 g/mole Grade : >98% (HPLC)	K0325 ■ 1095570-49-2  Formula : $C_{50}H_{74}Br_2N_2$ M.W. : 862.94 g/mole Grade : >97% (HPLC)
K0326 ■  Formula : $C_{30}H_{34}Br_2N_2$ M.W. : 582.41 g/mole Grade : >98% (HPLC)	K0327 ■ 882066-04-8  Formula : $C_{34}H_{42}Br_2N_2$ M.W. : 638.52 g/mole Grade : >97% (HPLC)	K0328 ■ 951307-27-0  Formula : $C_{34}H_{42}Br_2N_2$ M.W. : 638.52 g/mole Grade : >98% (HPLC)	K0378 ■ 173063-52-0  Formula : $C_{20}H_{23}Br_2N$ M.W. : 437.21 g/mole Grade : >98% (HPLC)
K0433 ■ 111296-90-3  Formula : $C_{18}H_{12}N_2$ M.W. : 256.3 g/mole Grade : >98% (HPLC)	K0449 ■ 60511-85-5  Formula : $C_{18}H_{12}N_2$ M.W. : 256.3 g/mole Grade : >98% (HPLC)	K0480 ■  Formula : $C_{26}H_{18}BrN$ M.W. : 424.33 g/mole Grade : >98% (HPLC)	K0499 ■ 185112-61-2  Formula : $C_{18}H_{12}BrN$ M.W. : 322.2 g/mole Grade : >98% (HPLC)
K0510 ■ 1296229-23-6  Formula : $C_{30}H_{34}BrN_2$ M.W. : 487.39 g/mole Grade : >98% (HPLC)	K0565 ■ 109005-10-9  Formula : $C_{24}H_{15}N_3$ M.W. : 345.41 g/mole Grade : >98% (HPLC)	K0576 ■ 18628-07-4  Formula : $C_{24}H_{16}N_2$ M.W. : 332.41 g/mole Grade : >98% (HPLC)	K0577 ■ 6825-20-3  Formula : $C_{12}H_7Br_2N$ M.W. : 325 g/mole Grade : >98% (HPLC)
K0578 ■ 5599-50-8  Formula : $C_{14}H_{13}N$ M.W. : 195.26 g/mole Grade : >98% (HPLC)	K0579 ■ 56525-79-2  Formula : $C_{24}H_{17}N$ M.W. : 319.41 g/mole Grade : >98% (HPLC)	K0583 ■ 37500-95-1  Formula : $C_{20}H_{25}N$ M.W. : 279.42 g/mole Grade : >98% (HPLC)	K0591 ■ 57103-02-3  Formula : $C_{12}H_7I_2N$ M.W. : 419 g/mole Grade : >98% (HPLC)

























K0592 ■ 952308-18-8  Formula : $C_{18}H_{10}I_2N$ M.W. : 620.99 g/mole Grade : >98% (HPLC)	K0593 ■ 551951-04-3  Formula : $C_{52}H_{55}N_3$ M.W. : 722.01 g/mole Grade : >97% (HPLC)	K0611 ■ 1153-85-1  Formula : $C_{18}H_{12}BrN$ M.W. : 322.21 g/mole Grade : >98% (HPLC)	K0619 ■ 597570-65-5  Formula : $C_{38}H_{24}N_2O_2$ M.W. : 540.61 g/mole Grade : >98% (HPLC)
K0676 ■ 1268491-06-0  Formula : $C_{29}H_{41}Br_2N$ M.W. : 563.45 g/mole Grade : >98% (HPLC)	K0749 ■ 444796-09-2  Formula : $C_{18}H_{11}Br_2N$ M.W. : 401.09 g/mole Grade : >98% (HPLC)	K0766 ■ 111296-91-4  Formula : $C_{18}H_{12}N_2$ M.W. : 256.3 g/mole Grade : >98% (HPLC)	K0824 ■ 3652-90-2  Formula : $C_{12}H_8BrN$ M.W. : 246.11 g/mole Grade : >98% (HPLC)
K0829 ■ 1257220-47-5  Formula : $C_{21}H_{17}N$ M.W. : 283.37 g/mole Grade : >98% (HPLC)	K0838 ■ 150623-72-6  Formula : $C_{18}H_{19}Br_2N$ M.W. : 409.16 g/mole Grade : >98% (HPLC)	K0850 ■ 750573-26-3  Formula : $C_{18}H_{11}Br_2N$ M.W. : 401.09 g/mole Grade : >96% (HPLC)	K0871 ■ 1260496-44-3  Formula : $C_{53}H_{52}Br_4N_2$ M.W. : 1036.61 g/mole Grade : >98% (HPLC)
K0896 ■ 1592-95-6  Formula : $C_{12}H_8BrN$ M.W. : 246.11 g/mole Grade : >98% (HPLC)	K0897 ■ 502161-03-7  Formula : $C_{18}H_{12}IN$ M.W. : 369.21 g/mole Grade : >98% (HPLC)	K0906 ■ 1024598-06-8  Formula : $C_{24}H_{16}N_2$ M.W. : 332.41 g/mole Grade : >98% (HPLC)	K0908 ■ 57103-01-2  Formula : $C_{14}H_{13}NO_2$ M.W. : 227.26 g/mole Grade : >98% (HPLC)
K0922 ■ 1338919-70-2  Formula : $C_{18}H_{11}NO$ M.W. : 257.29 g/mole Grade : >98% (HPLC)	K0949 ■ 1448296-00-1  Formula : $C_{24}H_{16}N_2$ M.W. : 332.41 g/mole Grade : >98% (HPLC)	K0961 ■ 606129-90-2  Formula : $C_{36}H_{23}N_3$ M.W. : 497.59 g/mole Grade : >98% (HPLC)	K0985 ■ 608527-58-8  Formula : $C_{36}H_{27}N_3$ M.W. : 501.62 g/mole Grade : >98% (HPLC)
K0987 ■ 1329054-41-2  Formula : $C_{21}H_{17}N$ M.W. : 283.37 g/mole Grade : >98% (HPLC)	K0994 ■  Formula : $C_{24}H_{15}F_2N$ M.W. : 355.38 g/mole Grade : >98% (HPLC)	K1003 ■ 16807-11-7  Formula : $C_{12}H_8BrN$ M.W. : 246.1 g/mole Grade : >98% (HPLC)	K1006 ■ 3652-89-9  Formula : $C_{12}H_8BrN$ M.W. : 246.11 g/mole Grade : >98% (HPLC)





















K1008 ■ 1698-16-4  Formula : $C_{16}H_{10}BrN$ M.W. : 296.16 g/mole Grade : >99% (HPLC)	K1009 ■ 244-76-8  Formula : $C_{11}H_8N_2$ M.W. : 168.19 g/mole Grade : >99% (HPLC)	K1010 ■ 6336-32-9  Formula : $C_{18}H_{12}N_2$ M.W. : 256.31 g/mole Grade : >98% (HPLC)	K1012 ■ 902518-11-0  Formula : $C_{18}H_{12}BrN$ M.W. : 322.21 g/mole Grade : >98% (HPLC)
K1014 ■ 1984-49-2  Formula : $C_{24}H_{16}N_2$ M.W. : 332.41 g/mole Grade : >98% (HPLC)	K1017 ■ 194-59-2  Formula : $C_{20}H_{13}N$ M.W. : 267.32 g/mole Grade : >99%	K1018 ■ 88590-00-5  Formula : $C_{18}H_{13}N$ M.W. : 243.31 g/mole Grade : >99%	K1039 ■ 94847-10-6  Formula : $C_{18}H_{20}BrN$ M.W. : 330.26 g/mole Grade : >98%
K1041 ■ 601454-33-5  Formula : $C_{26}H_{28}BrN$ M.W. : 434.41 g/mole Grade : >98%	K1042 ■ 1226810-15-6  Formula : $C_{24}H_{16}N_2$ M.W. : 332.4 g/mole Grade : >98%	K1044 ■ 1922121-95-6  Formula : $C_{24}H_{15}NO$ M.W. : 333.38 g/mole Grade : >98% (HPLC)	K1045 ■ 1428551-28-3  Formula : $C_{24}H_{16}BrN$ M.W. : 398.29 g/mole Grade : >99%
K1051 ■ 1255308-97-4  Formula : $C_{18}H_{11}NS$ M.W. : 273.35 g/mole Grade : >98%	K1054 ■ 94994-62-4  Formula : $C_{18}H_{12}BrN$ M.W. : 322.2 g/mole Grade : >99%	K1059 ■ 1313395-18-4  Formula : $C_{22}H_{13}NS$ M.W. : 323.41 g/mole Grade : >99%	K1060 ■ 1174032-81-5  Formula : $C_{18}H_{10}BrN$ M.W. : 320.18 g/mole Grade : >99%
K1307 ■ 6558-85-6  Formula : $C_{16}H_{17}N$ M.W. : 223.31 g/mole Grade : >98% (HPLC)	K1326 ■ 750573-24-1  Formula : $C_{30}H_{19}BrN_2$ M.W. : 487.39 g/mole Grade : >98%	K1340 ■ 1247053-55-9  Formula : $C_{24}H_{16}N_2$ M.W. : 332.41 g/mole Grade : >98%	K1757 ■ 24209-95-8  Formula : $C_{15}H_8Cl_2N_4$ M.W. : 315.16 g/mole Grade : >98%
K1760 ■  Formula : $C_{26}H_{27}Br_2N$ M.W. : 513.31 g/mole Grade : >98%	K1763 ■ 870119-42-9  Formula : $C_{22}H_{18}Br_2N_2$ M.W. : 369.2 g/mole Grade : >98%	K1773 ■ 628336-85-6  Formula : $C_{20}H_{24}BrN$ M.W. : 358.32 g/mole Grade : >98%	K1776 ■  Formula : $C_{14}H_{10}Br_3N$ M.W. : 431.95 g/mole Grade : >98%

























Carbazole Derivatives

K1810  Formula : $C_{26}H_{16}N_2O$ M.W. : 372.42 g/mole Grade : >99%	K1811  Formula : $C_{25}H_{18}N_2O$ M.W. : 362.42 g/mole Grade : >99%	K1812  29875-73-8 Formula : $C_{18}H_{13}N$ M.W. : 243.3 g/mole Grade : >97%	K1814  Formula : $C_{21}H_{20}N_2$ M.W. : 300.4 g/mole Grade : >98%
K1827  1199616-66-4 Formula : $C_{18}H_{11}NO$ M.W. : 257.29 g/mole Grade : >97%	K1831  1041143-98-9 Formula : $C_{12}H_7F_2N$ M.W. : 203.19 g/mole Grade : >98%	K1843  1796549-32-0 Formula : $C_{20}H_{11}Br_2N$ M.W. : 425.12 g/mole Grade : >97%	K1844  205-95-8 Formula : $C_{18}H_{11}N$ M.W. : $C_{18}H_{11}N$ Grade : >97%

K0052 ■ 5394-23-0  Formula : $C_{12}H_6Cl_2N_2$ M.W. : 249.10 g/mole Grade : >97% (HPLC)	K0218 ■ 1159905-88-0  Formula : $C_{20}H_{27}Br_2NO_2$ M.W. : 473.24 g/mole Grade : >97% (HPLC)	K0267 ■ 148231-14-5  Formula : $C_{12}H_{12}Br_2N_2$ M.W. : 344.05 g/mole Grade : >98% (HPLC)	K0310 ■  Formula : $C_{14}H_{15}Br_2NO_2$ M.W. : 389.08 g/mole Grade : >97% (HPLC)
K0331 ■ 221241-11-8  Formula : $C_5H_5Br_2N_3$ M.W. : 266.92 g/mole Grade : >98% (HPLC)	K0333 ■ 1236490-06-4  Formula : $C_{28}H_{44}Br_2N_2$ M.W. : 568.47 g/mole Grade : >98% (HPLC)	K0340 ■ 19493-44-8  Formula : C_9H_8ClN M.W. : 163.60 g/mole Grade : >98% (HPLC)	K0349 ■ 54-96-6  Formula : $C_5H_7N_3$ M.W. : 109.13 g/mole Grade : >97%
K0386 ■  Formula : $C_{18}H_{16}ClN$ M.W. : 281.78 g/mole Grade : >98% (HPLC)	K0387 ■ 1810-71-5  Formula : C_9H_5BrClN M.W. : 242.50 g/mole Grade : >98% (HPLC)	K0430 ■ 1700-02-3  Formula : $C_9H_5Cl_2N_3$ M.W. : 226.06 g/mole Grade : >98% (HPLC)	K0439 ■ 3842-55-5  Formula : $C_{15}H_{10}ClN_3$ M.W. : 267.71 g/mole Grade : >98% (HPLC)
K0441 ■ 2620-76-0  Formula : $C_{19}H_{13}BrN_2$ M.W. : 349.22 g/mole Grade : >98% (HPLC)	K0446 ■ 1229012-68-3  Formula : $C_{24}H_{14}Cl_2N_2$ M.W. : 401.29 g/mole Grade : >98% (HPLC)	K0477 ■ 1314801-35-8  Formula : $C_{22}H_{34}Br_2N_2O_3$ M.W. : 534.32 g/mole Grade : >98% (HPLC)	K0490 ■ 30363-03-2  Formula : $C_{21}H_{12}Br_3N_3$ M.W. : 546.05 g/mole Grade : >98% (HPLC)
K0529 ■ 1147081-43-3  Formula : $C_{27}H_{17}BrN_2$ M.W. : 449.34 g/mole Grade : >98% (HPLC)	K0567 ■ 81167-60-4  Formula : $C_9H_{11}ClN$ M.W. : 169.65 g/mole Grade : >98% (HPLC)	K0571 ■ 1424369-37-8  Formula : $C_{11}H_6ClNO$ M.W. : 203.62 g/mole Grade : >98% (HPLC)	K0603 ■ 760212-58-6  Formula : $C_{19}H_{13}BrN_2$ M.W. : 349.22 g/mole Grade : >98% (HPLC)
K0605 ■ 86-76-0  Formula : $C_{12}H_7BrO$ M.W. : 247.09 g/mole Grade : >97% (HPLC)	K0606 ■ 10016-52-1  Formula : $C_{12}H_6Br_2O$ M.W. : 325.98 g/mole Grade : >97% (HPLC)	K0638 ■ 1265637-81-7  Formula : $C_{46}H_{70}Br_2N_2O_2S_4$ M.W. : 874.87 g/mole Grade : >98% (NMR)	K0639 ■ 1329114-94-4  Formula : $C_{54}H_{86}Br_2N_2O_2S_4$ M.W. : 987.08 g/mole Grade : >98% (NMR)









K0768 ■ 29176-55-4  Formula : $C_{12}H_6Cl_2N_2$ M.W. : 249.1 g/mole Grade : >97% (HPLC)	K0770 ■ 15862-19-8  Formula : $C_{10}H_7BrN_2$ M.W. : 235.08 g/mole Grade : >98% (HPLC)	K0816 ■ 1224430-28-7  Formula : $C_{62}H_{102}Br_2N_2O_2S_2$ M.W. : 1131.42 g/mole Grade : >98% (NMR)	K0817 ■ 1084334-28-0  Formula : $C_{18}H_{11}BrS$ M.W. : 339.25 g/mole Grade : >98% (HPLC)
K0841 ■ 1309387-42-5  Formula : $C_{46}H_{53}BrN_2O_4$ M.W. : 777.83 g/mole Grade : >98%	K0843 ■ 6528-85-4  Formula : $C_{14}H_{12}N_2O$ M.W. : 224.26 g/mole Grade : >98% (HPLC)	K0854 ■ 2255-80-3  Formula : $C_7H_5BrN_2S$ M.W. : 229.1 g/mole Grade : >98% (HPLC)	K0855 ■ 1457-92-7  Formula : $C_7H_6N_2S$ M.W. : 150.2 g/mole Grade : >98% (HPLC)
K0862 ■ 1821646-85-6  Formula : $C_{15}H_9BrN_2$ M.W. : 297.15 g/mole Grade : >98% (HPLC)	K0869 ■ 2081424-25-8  Formula : $C_{20}H_{13}Br_2N_3$ M.W. : 455.15 g/mole Grade : >98% (HPLC)	K0878 ■ 114415-25-7  Formula : $C_{12}H_{11}NO_4$ M.W. : 233.22 g/mole Grade : >98% (HPLC)	K0880 ■ 864377-31-1  Formula : $C_{21}H_{14}BrN_3$ M.W. : 388.26 g/mole Grade : >98% (HPLC)
K0891 ■ 58536-46-2  Formula : $C_{22}H_{15}BrN_2$ M.W. : 387.27 g/mole Grade : >98% (HPLC)	K0892 ■ 864377-28-6  Formula : $C_{22}H_{15}BrN_2$ M.W. : 387.27 g/mole Grade : >98% (HPLC)	K0911 ■ 20077-15-0  Formula : $C_{13}H_7BrO_3S$ M.W. : 323.16 g/mole Grade : >98% (HPLC)	K0915 ■ 1671-85-8  Formula : $C_{12}H_8N_5$ M.W. : 223.23 g/mole Grade : >98% (HPLC)
K0917 ■ 29874-83-7  Formula : $C_{14}H_9ClN_2$ M.W. : 240.69 g/mole Grade : >98% (HPLC)	K0924 ■ 23038-36-0  Formula : $C_{12}H_9BrO_2S$ M.W. : 297.17 g/mole Grade : >98% (HPLC)	K0925 ■ 53846-85-8  Formula : $C_{12}H_7BrO_2S$ M.W. : 295.15 g/mole Grade : >98% (HPLC)	K0938 ■ 23449-08-3  Formula : $C_{21}H_{14}BrN_3$ M.W. : 388.26 g/mole Grade : >98% (HPLC)
K1151 ■ 77989-15-2  Formula : $C_{21}H_{14}BrN_3$ M.W. : 388.26 g/mole Grade : >98%	K1153 ■ 1627917-16-1  Formula : $C_{16}H_9BrO$ M.W. : 297.15 g/mole Grade : >99%	K1157 ■ 5471-63-6  Formula : $C_{20}H_{14}O$ M.W. : 270.32 g/mole Grade : >99%	K1163 ■ 1319720-64-3  Formula : $C_{21}H_{18}BrN$ M.W. : 364.28 g/mole Grade : >99%















K1246 ■ 960509-83-5  Formula : $C_{14}H_{19}Br_2N_3$ M.W. : 389.13 g/mole Grade : >98% (HPLC)	K1248 ■ 1254062-41-3  Formula : $C_{22}H_{23}Br_2N_3S_2$ M.W. : 553.38 g/mole Grade : >98% (HPLC)	K1252 ■ 1147124-23-9  Formula : $C_{32}H_{40}Br_2N_2O_2$ M.W. : 644.48 g/mole Grade : >98% (HPLC)	K1253 ■ 1263379-85-6  Formula : $C_{56}H_{88}Br_2N_2O_2$ M.W. : 981.12 g/mole Grade : >98% (HPLC)
K1254 ■ 623558-68-9  Formula : $C_8H_7N_3OS$ M.W. : 193.23 g/mole Grade : >98%	K1261 ■ 18511-71-2  Formula : $C_{10}H_6Br_2N_2$ M.W. : 313.98 g/mole Grade : >98%	K1272 ■ 15862-18-7  Formula : $C_{10}H_6Br_2N_2$ M.W. : 313.98 g/mole Grade : >98%	K1283 ■ 27427-92-5  Formula : $C_5H_4N_2O$ M.W. : 108.1 g/mole Grade : >99%
K1286 ■ 1937210-90-6  Formula : $C_{18}H_{11}ClN_2$ M.W. : 290.75 g/mole Grade : >98%	K1300 ■ 101579-12-8  Formula : $C_{18}H_8Br_2N_4$ M.W. : 440.09 g/mole Grade : >98% (HPLC)	K1376 ■ 870992-10-2  Formula : $C_{19}H_{19}BF_2N_2O$ M.W. : 341.18 g/mole Grade : >95%	K1377 ■ 321895-93-6  Formula : $C_{19}H_{20}BF_2N_3$ M.W. : 339.19 g/mole Grade : >95%
K1725 ■ 54140-58-8  Formula : $C_{16}H_{14}O_2$ M.W. : 238.28 g/mole Grade : >98%	K1726 ■ 2378498-93-0  Formula : $C_{26}H_{26}BBrO_2$ M.W. : 461.2 g/mole Grade : >98%	K1743 ■ 2414359-15-0  Formula : $C_{25}H_{36}Br_2F_2N_2O$ M.W. : 578.38 g/mole Grade : >98%	K1808 ■  Formula : $C_{38}H_{22}N_2O_4$ M.W. : 570.59 g/mole Grade : >98%
K1809 ■  Grade : >98%	K1824 ■ 92-81-9  Formula : $C_{13}H_{11}N$ M.W. : 181.23 g/mole Grade : >98%	K1835 ■ 4144-22-3  Formula : $C_8H_{11}NO_2$ M.W. : 153.18 g/mole Grade : >97%	K1842 ■ 90723-86-7  Formula : $C_{10}H_7Cl_2N_3O$ M.W. : 256.09 g/mole Grade : >95%

K0036 562824-27-5  Formula : C ₄₄ H ₂₄ Cl ₂ Ir ₂ N ₄ F ₈ M.W. : 1216.02 g/mole Grade : >98% (NMR)	K0042 391604-55-0  Formula : C ₁₁ H ₇ F ₂ N M.W. : 191.18 g/mole Grade : >98% (HPLC)	K0044 3297-72-1  Formula : C ₁₅ H ₁₁ N M.W. : 205.25 g/mole Grade : >98% (HPLC)	K0045 612-96-4  Formula : C ₁₅ H ₁₁ N M.W. : 205.25 g/mole Grade : >98% (HPLC)
K0055 39778-14-8  Formula : C ₁₄ H ₁₃ IN ₂ M.W. : 336.17 g/mole Grade : >97% (HPLC)	K0144 87065-50-7  Formula : C ₂₁ H ₂₃ N M.W. : 289.41 g/mole Grade : >98% (HPLC)	K0145 837-97-8  Formula : C ₁₄ H ₉ NO ₂ M.W. : 223.23 g/mole Grade : >98% (HPLC)	K0149 4789-76-8  Formula : C ₁₆ H ₁₃ N M.W. : 219.28 g/mole Grade : >98% (HPLC)
K0390 536753-86-3  Formula : C ₁₇ H ₁₂ N ₂ M.W. : 244.29 g/mole Grade : >98% (HPLC)	K0440 603109-48-4  Formula : C ₄₄ H ₃₂ Cl ₂ Ir ₂ N ₄ M.W. : 1072.09 g/mole Grade : >97% (HPLC)	K0473 883129-97-3  Formula : C ₄₈ H ₂₀ Cl ₂ F ₈ Ir ₂ N ₈ M.W. : 1316.05 g/mole Grade : >75% (NMR)	K0474 1193263-65-8  Formula : C ₅₂ H ₂₈ Cl ₂ F ₂₀ Ir ₂ N ₄ M.W. : 1544.11 g/mole Grade : >95% (NMR)
K0484 1056874-43-1  Formula : C ₆₈ H ₅₆ Cl ₂ Ir ₂ N ₄ M.W. : 1384.54 g/mole Grade : >95% (NMR)	K0517 81820-65-7  Formula : C ₁₃ H ₈ NS M.W. : 211.28 g/mole Grade : >98% (HPLC)	K0518 1350748-60-5  Formula : C ₁₇ H ₁₇ NS M.W. : 267.39 g/mole Grade : >98% (HPLC)	K0520 1056451-44-5  Formula : C ₁₇ H ₁₃ N M.W. : 233.31 g/mole Grade : >98% (HPLC)
K0521  Formula : C ₂₄ H ₂₂ N ₂ M.W. : 338.44 g/mole Grade : >98% (HPLC)	K0532 458541-39-4  Formula : C ₁₇ H ₁₃ N M.W. : 231.29 g/mole Grade : >98% (HPLC)	K0559 914306-50-6  Formula : C ₂₁ H ₂₄ N ₂ M.W. : 304.43 g/mole Grade : >98% (HPLC)	K0568 1314639-66-1  Formula : C ₁₄ H ₁₄ F ₂ N ₂ M.W. : 248.27 g/mole Grade : >98% (HPLC)
K0599  Formula : C ₁₉ H ₁₇ N M.W. : 259.34 g/mole Grade : >98% (HPLC)	K0613 25364-47-0  Formula : C ₁₅ H ₂₀ N ₂ M.W. : 228.33 g/mole Grade : >98% (HPLC)	K0774 851775-42-3  Formula : C ₁₃ H ₁₃ N M.W. : 183.25 g/mole Grade : >98% (HPLC)	K0776 101893-57-6  Formula : C ₁₃ H ₁₃ N M.W. : 183.25 g/mole Grade : >98% (HPLC)

Synthetic Intermediates and Reagents

























Iridium Complexes / Ligands
























K0777 ■ 85237-71-4  Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : >98% (HPLC)	K0778 ■ 80635-92-3  Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : >98% (HPLC)	K0780 ■ 64291-96-9  Formula : C₁₃H₁₃N M.W. : 183.25 g/mole Grade : >98% (HPLC)	K0784 ■  Formula : C₅₂H₄₈Cl₂Ir₂N₄ M.W. : 1184.30 g/mole Grade : >95% (NMR)
K0786 ■ 1607469-50-0  Formula : C₅₂H₄₈Cl₂Ir₂N₄ M.W. : 1184.30 g/mole Grade : >95% (NMR)	K0859 ■ 1361941-59-4  Formula : C₁₂H₁₅N₃ M.W. : 201.27 g/mole Grade : >98% (HPLC)	K0913 ■ 1008-89-5  Formula : C₁₁H₉N M.W. : 155.2 g/mole Grade : >98% (HPLC)	K0914 ■ 14996-61-3 IrCl₃ · xH₂O Formula : IrCl₃ · xH₂O M.W. : 298.58 g/mole (anhydrous basis) Grade : >99%
K1000 ■ 1268634-30-5  Formula : C₁₈H₁₇N M.W. : 247.33 g/mole Grade : >98% (HPLC)			

K0069 18737-40-1  Formula : $C_{24}H_{19}BrSi$ M.W. : 415.40 g/mole Grade : >98% (HPLC)	K0101 188690-66-6  Formula : $C_{20}H_{28}Br_2S_2Si$ M.W. : 520.46 g/mole Grade : >97% (HPLC)	K0102 1160106-14-8  Formula : $C_{24}H_{36}Br_2S_2Si$ M.W. : 576.57 g/mole Grade : >97% (HPLC)	K0103 1089687-05-7  Formula : $C_{24}H_{36}Br_2S_2Si$ M.W. : 576.57 g/mole Grade : >98% (HPLC)
K0219 906372-08-5  Formula : $C_{20}H_{30}S_2Si$ M.W. : 362.67 g/mole Grade : >98% (HPLC)	K0220 1207627-85-7  Formula : $C_{24}H_{38}S_2Si$ M.W. : 418.77 g/mole Grade : >97% (HPLC)	K0391 438546-40-8  Formula : $C_{24}H_{16}Br_4Si$ M.W. : 652.09 g/mole Grade : >98% (HPLC)	K0414 8981182-24-2  Formula : $C_{28}H_{42}Si$ M.W. : 406.72 g/mole Grade : >97% (HPLC)
K0491 207742-50-5  Formula : $C_{14}H_{20}Br_2S_2Si_2$ M.W. : 468.42 g/mole Grade : >98% (HPLC)	K0533 1030856-97-3  Formula : $C_{24}H_{18}Br_2Si$ M.W. : 494.29 g/mole Grade : >98% (HPLC)	K0536 18733-91-0  Formula : $C_{24}H_{18}Br_2Si$ M.W. : 494.29 g/mole Grade : >98% (HPLC)	K1732 185626-73-7  Formula : $C_{24}H_{19}BrSi$ M.W. : 415.4 g/mole Grade : >98%
K1736 1089687-06-8  Formula : $C_{30}H_{54}S_2SiSn_2$ M.W. : 744.39 g/mole Grade : >97%	K1778  Formula : $C_{51}H_{38}ClN_3Si_2$ M.W. : 784.49 g/mole Grade : >98%		

Synthetic Intermediates and Reagents

























Thiophene Derivatives

























K0092 15155-41-6  Formula : $C_6H_6Br_2N_2S$ M.W. : 293.97 g/mole Grade : >98% (HPLC)	K0094 288071-87-4  Formula : $C_{14}H_6Br_2N_2S_3$ M.W. : 458.21 g/mole Grade : >98% (HPLC)	K0098 528570-55-0  Formula : $C_{21}H_{28}Br_2S_2$ M.W. : 504.39 g/mole Grade : >98% (HPLC)	K0099 478404-10-3  Formula : $C_{25}H_{36}Br_2S_2$ M.W. : 560.49 g/mole Grade : >98% (HPLC)
K0100 365547-21-3  Formula : $C_{25}H_{36}Br_2S_2$ M.W. : 560.49 g/mole Grade : >98% (HPLC)	K0101 188690-66-6  Formula : $C_{20}H_{28}Br_2S_2Si$ M.W. : 520.46 g/mole Grade : >97% (HPLC)	K0102 1160106-14-8  Formula : $C_{24}H_{36}Br_2S_2Si$ M.W. : 576.57 g/mole Grade : >97% (HPLC)	K0103 1089687-05-7  Formula : $C_{24}H_{36}Br_2S_2Si$ M.W. : 576.57 g/mole Grade : >98% (HPLC)
K0104 129415-75-5  Formula : $C_{26}H_{36}Br_2O_2S_2$ M.W. : 604.5 g/mole Grade : >98% (HPLC)	K0105 1098102-93-2  Formula : $C_{19}H_{26}Br_2O_2S_2$ M.W. : 510.35 g/mole Grade : >98% (HPLC)	K0106 1000623-95-9  Formula : $C_{30}H_{38}Br_2N_2O_2S_2$ M.W. : 682.57 g/mole Grade : >98% (HPLC)	K0107 180729-93-5  Formula : $C_{18}H_{26}Br_2N_2S_2$ M.W. : 494.35 g/mole Grade : >98% (HPLC)
K0108 853722-91-5  Formula : $C_{26}H_{36}Br_2N_2S_4$ M.W. : 658.6 g/mole Grade : >98% (HPLC)	K0110 359017-65-5  Formula : $C_{22}H_{28}Br_2O_2S_2$ M.W. : 548.39 g/mole Grade : >98% (HPLC)	K0111 1226782-13-3  Formula : $C_{26}H_{36}Br_2O_2S_2$ M.W. : 604.5 g/mole Grade : >98% (HPLC)	K0115 655249-04-0  Formula : $C_{14}H_{17}BrS_2$ M.W. : 329.32 g/mole Grade : >95% (HPLC)
K0116 1214906-01-0  Formula : $C_{26}H_{36}Br_2N_2O_2S_2$ M.W. : 626.47 g/mole Grade : >98% (NMR)	K0117 1057401-13-4  Formula : $C_{30}H_{38}Br_2N_2O_2S_2$ M.W. : 682.57 g/mole Grade : >98% (NMR)	K0122 1308671-90-0  Formula : $C_{30}H_{38}Br_2N_2O_2S_2$ M.W. : 603.68 g/mole Grade : >98% (NMR)	K0123 258527-25-2  Formula : $C_9H_4Br_2S_2$ M.W. : 336.07 g/mole Grade : >98% (HPLC)
K0127 1693-86-3  Formula : $C_{10}H_{16}S$ M.W. : 168.3 g/mole Grade : >98% (HPLC)	K0130 389-58-2  Formula : $C_9H_6S_2$ M.W. : 178.27 g/mole Grade : >98% (HPLC)	K0132 116971-11-0  Formula : $C_{10}H_{14}Br_2S$ M.W. : 326.09 g/mole Grade : >98% (HPLC)	K0140 32281-36-0  Formula : $C_{10}H_4O_2S_2$ M.W. : 220.27 g/mole Grade : >98% (HPLC)

























K0212 ■ 359017-55-3  Formula : $C_{22}H_{30}O_2S_2$ M.W. : 390.6 g/mole Grade : >98% (HPLC)	K0213 ■ 1160823-77-7  Formula : $C_{26}H_{38}O_2S_2$ M.W. : 446.71 g/mole Grade : >98% (HPLC)	K0214 ■ 1098102-94-3  Formula : $C_{26}H_{38}O_2S_2$ M.W. : 446.71 g/mole Grade : >98% (HPLC)	K0216 ■ 333432-27-2  Formula : $C_5HBr_2N_3S$ M.W. : 294.95 g/mole Grade : >98% (HPLC)
K0219 ■ 906372-08-5  Formula : $C_{20}H_{30}S_2Si$ M.W. : 362.67 g/mole Grade : >98% (HPLC)	K0220 ■ 1207627-85-7  Formula : $C_{24}H_{38}S_2Si$ M.W. : 418.77 g/mole Grade : >97% (HPLC)	K0260 ■ 566939-58-0  Formula : $C_{14}H_{17}Br_2NO_2S$ M.W. : 423.16 g/mole Grade : >98% (HPLC)	K0262 ■ 1057401-08-7  Formula : $C_{30}H_{40}N_2O_2S_2$ M.W. : 524.78 g/mole Grade : >97% (NMR)
K0263 ■ 852435-01-9  Formula : $C_{26}H_{32}N_2O_2S_2$ M.W. : 468.67 g/mole Grade : >97% (NMR)	K0264 ■ 1185885-86-2  Formula : $C_{30}H_{40}N_2O_2S_2$ M.W. : 524.78 g/mole Grade : >97% (NMR)	K0268 ■ 444177-63-3  Formula : $C_{12}H_{18}Br_2S$ M.W. : 354.14 g/mole Grade : >98% (HPLC)	K0269 ■ 149703-84-4  Formula : $C_{12}H_{18}Br_2S$ M.W. : 354.14 g/mole Grade : >98% (HPLC)
K0271 ■ 492-97-7  Formula : $C_8H_6S_2$ M.W. : 166.26 g/mole Grade : >98% (HPLC)	K0272 ■ 173448-31-2  Formula : $C_{14}H_{18}S_2$ M.W. : 250.42 g/mole Grade : >98% (HPLC)	K0276 ■ 250-84-0  Formula : $C_6H_4S_2$ M.W. : 140.23 g/mole Grade : >98% (HPLC)	K0277 ■ 251-41-2  Formula : $C_6H_4S_2$ M.W. : 140.23 g/mole Grade : >98% (HPLC)
K0278 ■ 4805-22-5  Formula : $C_8H_4Br_2S_2$ M.W. : 324.06 g/mole Grade : >98% (HPLC)	K0279 ■ 3593-75-7  Formula : $C_8H_4S_3$ M.W. : 196.31 g/mole Grade : >97% (HPLC)	K0280 ■ 2404-89-9  Formula : $C_8H_6S_2$ M.W. : 166.26 g/mole Grade : >96% (HPLC)	K0281 ■ 116971-10-9  Formula : $C_8H_{10}Br_2S$ M.W. : 298.04 g/mole Grade : >98% (HPLC)
K0282 ■ 69249-61-2  Formula : $C_{10}H_{15}BrS$ M.W. : 247.2 g/mole Grade : >98% (HPLC)	K0283 ■ 211737-28-9  Formula : $C_{10}H_{15}BrS$ M.W. : 247.2 g/mole Grade : >98% (HPLC)	K0284 ■ 98057-08-0  Formula : $C_{12}H_6Br_2S_3$ M.W. : 406.18 g/mole Grade : >98% (HPLC)	K0285 ■ 1081-34-1  Formula : $C_{12}H_8S_3$ M.W. : 248.39 g/mole Grade : >98% (HPLC)

























Synthetic Intermediates and Reagents

























Thiophene Derivatives

























K0288 65016-55-9  Formula : C ₁₄ H ₂₄ S M.W. : 224.41 g/mole Grade : >98% (HPLC)	K0290 104934-52-3  Formula : C ₁₆ H ₂₈ S M.W. : 252.46 g/mole Grade : >98% (HPLC)	K0291 139100-06-4  Formula : C ₁₆ H ₂₇ BrS M.W. : 331.35 g/mole Grade : >96% (HPLC)	K0297 566939-56-8  Formula : C ₁₂ H ₁₃ Br ₂ NO ₂ S M.W. : 395.11 g/mole Grade : >98% (HPLC)
K0298 1231160-83-0  Formula : C ₁₄ H ₁₇ Br ₂ NO ₂ S M.W. : 423.16 g/mole Grade : >98% (HPLC)	K0305 121134-38-1  Formula : C ₁₂ H ₂₀ S M.W. : 196.35 g/mole Grade : >98% (HPLC)	K0307 65016-62-8  Formula : C ₁₂ H ₂₀ S M.W. : 196.35 g/mole Grade : >98% (HPLC)	K0308 303734-52-3  Formula : C ₁₂ H ₁₉ BrS M.W. : 275.25 g/mole Grade : >98% (HPLC)
K0312 609369-40-6  Formula : C ₁₅ H ₁₈ OS ₂ M.W. : 278.43 g/mole Grade : >98% (HPLC)	K0313 942435-50-9  Formula : C ₁₆ H ₂₀ S ₂ M.W. : 276.46 g/mole Grade : >97% (HPLC)	K0314 1000623-98-2  Formula : C ₄₆ H ₇₀ Br ₂ N ₂ O ₂ S ₂ M.W. : 907 g/mole Grade : >98% (HPLC)	K0315 180729-92-4  Formula : C ₁₈ H ₂₈ N ₂ S ₂ M.W. : 336.56 g/mole Grade : >98% (HPLC)
K0330 1049034-71-0  Formula : C ₆₄ H ₇₂ Br ₂ S ₂ M.W. : 1065.19 g/mole Grade : >98% (HPLC)	K0368 88-13-1  Formula : C ₅ H ₄ O ₂ S M.W. : 128.15 g/mole Grade : >97% (HPLC)	K0376 1134789-63-1  Formula : C ₁₅ H ₆ Br ₃ N ₃ S ₃ M.W. : 564.14 g/mole Grade : >96% (HPLC)	K0379 182631-76-1  Formula : C ₁₈ H ₁₂ N ₂ S ₂ M.W. : 320.43 g/mole Grade : >98% (HPLC)
K0380 753470-95-0  Formula : C ₃₂ H ₅₂ Br ₂ S ₂ M.W. : 660.69 g/mole Grade : >98% (HPLC)	K0381 888491-16-5  Formula : C ₃₆ H ₆₀ Br ₂ S ₂ M.W. : 716.8 g/mole Grade : >98% (HPLC)	K0382 143746-72-9  Formula : C ₁₈ H ₈ O ₂ S ₂ M.W. : 320.38 g/mole Grade : >98% (NMR)	K0383 125143-53-5  Formula : C ₈ H ₂ Br ₂ S ₂ M.W. : 481.85 g/mole Grade : >98% (HPLC)
K0393 31574-87-5  Formula : C ₁₂ H ₆ Br ₂ S M.W. : 342.05 g/mole Grade : >98% (HPLC)	K0407 153312-86-8  Formula : C ₂₁ H ₃₀ S ₂ M.W. : 346.59 g/mole Grade : >98% (HPLC)	K0408 4282-29-5  Formula : C ₆ H ₄ O ₄ S M.W. : 172.16 g/mole Grade : >98% (HPLC)	K0409 773881-47-3  Formula : C ₁₈ H ₂₅ Br ₂ NO ₂ S M.W. : 479.27 g/mole Grade : >98% (HPLC)

























K0415 25796-77-4  Formula : $C_9H_4OS_2$ M.W. : 192.26 g/mole Grade : >98% (HPLC)	K0416 6007-85-8  Formula : $C_6H_2O_3S$ M.W. : 154.14 g/mole Grade : >98% (HPLC)	K0421 936711-08-9  Formula : $C_{32}H_{40}Br_2N_2S_2$ M.W. : 676.61 g/mole Grade : >98% (HPLC)	K0422 120451-23-3  Formula : $C_{32}H_{40}Br_2N_2S_2$ M.W. : 676.61 g/mole Grade : >98% (HPLC)
K0424  Formula : $C_{20}H_{17}Br_2NO_2S_3$ M.W. : 559.36 g/mole Grade : >98% (HPLC)	K0425 1286745-60-5  Formula : $C_{22}H_{21}Br_2NO_2S_3$ M.W. : 587.4 g/mole Grade : >98% (HPLC)	K0427 165617-59-4  Formula : $C_6Br_2N_4S_2$ M.W. : 352.03 g/mole Grade : >98%	K0431 2160-62-5  Formula : C_5H_2BrNS M.W. : 188.05 g/mole Grade : >98% (HPLC)
K0434 1160823-76-6  Formula : $C_{15}H_{17}Br_2FO_2S_2$ M.W. : 472.23 g/mole Grade : >98% (HPLC)	K0435 1202249-72-6  Formula : $C_{14}H_{15}Br_2FOS_2$ M.W. : 442.2 g/mole Grade : >98% (HPLC)	K0443 1347736-74-6  Formula : $C_6HBr_2FN_2S$ M.W. : 311.96 g/mole Grade : >97% (HPLC)	K0445 1260685-63-9  Formula : $C_{54}H_{86}Br_2N_2O_2S_2$ M.W. : 1019.21 g/mole Grade : >98% (HPLC)
K0448 51751-44-1  Formula : $C_8H_6Br_2S_2$ M.W. : 324.06 g/mole Grade : >98% (HPLC)	K0504 850583-75-4  Formula : $C_{14}H_8N_2O_2S_2$ M.W. : 300.36 g/mole Grade : >98%	K0513 1613310-44-3  Formula : $C_{12}H_{11}BrN_2S$ M.W. : 295.2 g/mole Grade : >98% (HPLC)	K0514 305800-44-6  Formula : $C_9H_{11}BrOS$ M.W. : 247.15 g/mole Grade : >98% (HPLC)
K0515 339985-36-3  Formula : $C_{30}H_{18}Br_3NS_3$ M.W. : 728.38 g/mole Grade : >98% (HPLC)	K0517 81820-65-7  Formula : $C_{13}H_9NS$ M.W. : 211.28 g/mole Grade : >98% (HPLC)	K0518 1350748-60-5  Formula : $C_{17}H_{17}NS$ M.W. : 267.39 g/mole Grade : >98% (HPLC)	K0538 1421862-27-2  Formula : $C_{34}H_{42}O_2S_2$ M.W. : 546.83 g/mole Grade : >98% (HPLC)
K0539 1356371-05-5  Formula : $C_{16}H_{14}Br_2O_2S_2$ M.W. : 462.22 g/mole Grade : >98% (HPLC)	K0540 1352642-35-3  Formula : $C_{34}H_{42}S_4$ M.W. : 578.96 g/mole Grade : >98% (HPLC)	K0547 217-19-6  Formula : $C_{14}H_8S_2$ M.W. : 240.34 g/mole Grade : >98% (HPLC)	K0548 1224709-68-5  Formula : $C_{38}H_{54}Br_2N_2O_2S_2$ M.W. : 794.79 g/mole Grade : >98% (HPLC)



















K0553 143367-56-0  Formula : $C_{14}H_{22}S_2Sn_2$ M.W. : 491.87 g/mole Grade : >98% (NMR)	K0554 1160823-78-8  Formula : $C_{32}H_{54}O_2S_2Sn_2$ M.W. : 772.32 g/mole Grade : >98% (NMR)	K0555 1049034-67-4  Formula : $C_{64}H_{74}S_2$ M.W. : 907.4 g/mole Grade : >98% (HPLC)	K0557 1192352-08-1  Formula : $C_{22}H_{34}Br_2N_2O_2S$ M.W. : 550.39 g/mole Grade : >98% (HPLC)
K0558 1267540-02-2  Formula : $C_{54}H_{88}N_2O_2S_2$ M.W. : 861.42 g/mole Grade : >98% (NMR)	K0560 1352642-37-5  Formula : $C_{40}H_{58}S_4Sn_2$ M.W. : 904.57 g/mole Grade : >98% (NMR)	K0562 1295502-20-3  Formula : $C_{29}H_{46}OS_2$ M.W. : 474.8 g/mole Grade : >98% (HPLC)	K0594 190723-12-7  Formula : $C_6H_2Br_2O_4S$ M.W. : 329.95 g/mole Grade : >98% (HPLC)
K0620 86134-26-1  Formula : $C_{10}H_{20}SSn_2$ M.W. : 409.75 g/mole Grade : >98% (NMR)	K0622 135831-08-2  Formula : $C_{24}H_{32}S_3$ M.W. : 416.71 g/mole Grade : >97% (HPLC)	K0623 155166-89-5  Formula : $C_{28}H_{40}S_3$ M.W. : 472.81 g/mole Grade : >97% (HPLC)	K0624 1354631-87-0  Formula : $C_{38}H_{56}N_2O_2S_2$ M.W. : 636.99 g/mole Grade : >98% (HPLC)
K0625 1044598-80-2  Formula : $C_{46}H_{72}N_2O_2S_2$ M.W. : 749.21 g/mole Grade : >98% (NMR)	K0630 1098102-95-4  Formula : $C_{32}H_{54}O_2S_2Sn_2$ M.W. : 772.32 g/mole Grade : >98% (NMR)	K0631 1044795-08-5  Formula : $C_{40}H_{70}O_2S_2Sn_2$ M.W. : 884.53 g/mole Grade : >98% (NMR)	K0632 1160823-80-2  Formula : $C_{32}H_{54}S_2Sn_2$ M.W. : 740.32 g/mole Grade : >98% (NMR)
K0633 1234306-33-2  Formula : $C_{40}H_{70}S_2Sn_2$ M.W. : 852.53 g/mole Grade : >98% (NMR)	K0634 215591-73-4  Formula : $C_{24}H_{30}Br_2S_3$ M.W. : 574.5 g/mole Grade : >97% (HPLC)	K0635 1369657-88-4  Formula : $C_{50}H_{70}Br_2N_2O_2S_4$ M.W. : 1019.17 g/mole Grade : >98% (NMR)	K0636 1270977-96-2  Formula : $C_{58}H_{86}Br_2N_2O_2S_4$ M.W. : 1131.38 g/mole Grade : >98% (NMR)
K0637 1799951-38-4  Formula : $C_{26}H_{28}Br_4N_2O_2S_2$ M.W. : 784.26 g/mole Grade : >98% (NMR)	K0640 1143585-35-6  Formula : $C_{54}H_{74}Br_2N_2O_2S_4$ M.W. : 1071.25 g/mole Grade : >98% (NMR)	K0641 1474061-54-5  Formula : $C_{62}H_{90}Br_2N_2O_2S_4$ M.W. : 1183.46 g/mole Grade : >98% (NMR)	K0644 1100761-34-9  Formula : $C_{44}H_{48}Br_2N_2O_2S_2$ M.W. : 860.8 g/mole Grade : >98% (HPLC)

K0653 469912-82-1  Formula : $C_{12}H_{20}S_2Sn_2$ M.W. : 465.84 g/mole Grade : >98% (NMR)	K0664 1025451-57-3  Formula : $C_{20}H_{24}N_2S_3Sn_2$ M.W. : 626.03 g/mole Grade : >98% (NMR)	K0665 272-43-5  Formula : $C_6H_4N_2S$ M.W. : 136.17 g/mole Grade : >98% (HPLC)	K0666 1260224-09-6  Formula : $C_{26}H_{36}Br_2N_4S_2$ M.W. : 628.53 g/mole Grade : >98% (HPLC)
K0667 2488708-32-1  Formula : $C_{26}H_{36}Br_2N_4S_2$ M.W. : 628.53 g/mole Grade : >98% (HPLC)	K0668 1279083-60-1  Formula : $C_{10}H_4Br_2N_4S_2$ M.W. : 404.1 g/mole Grade : >98% (HPLC)	K0669  Formula : $C_{34}H_{52}Br_2N_4S_2$ M.W. : 740.74 g/mole Grade : >98% (HPLC)	K0674 25121-87-3  Formula : $C_6H_2Br_2S_2$ M.W. : 298.02 g/mole Grade : >98% (HPLC)
K0675 124638-53-5  Formula : $C_6Br_4S_2$ M.W. : 455.81 g/mole Grade : >98% (HPLC)	K0679 1044795-04-1  Formula : $C_{34}H_{54}O_2S_2$ M.W. : 558.92 g/mole Grade : >98% (HPLC)	K0682 2377419-62-8  Formula : $C_{72}H_{90}S_2$ M.W. : 1019.62 g/mole Grade : >98% (HPLC)	K0683 141029-75-6  Formula : $C_{16}H_{21}NS_2$ M.W. : 291.47 g/mole Grade : >98% (HPLC)
K0688 120762-66-5  Formula : $C_{24}H_{38}S_2$ M.W. : 390.69 g/mole Grade : >98% (HPLC)	K0689 345633-76-3  Formula : $C_{32}H_{54}S_2$ M.W. : 502.9 g/mole Grade : >98% (HPLC)	K0690 1327275-63-7  Formula : $C_{36}H_{62}S_2$ M.W. : 559.01 g/mole Grade : >98% (HPLC)	K0692 125607-30-9  Formula : $C_{20}H_{30}S_2$ M.W. : 334.58 g/mole Grade : >98% (HPLC)
K0695 165190-76-1  Formula : $C_{14}H_8N_2S_3$ M.W. : 300.42 g/mole Grade : >98% (HPLC)	K0696 2322929-69-9  Formula : $C_{18}H_{28}S_2$ M.W. : 308.54 g/mole Grade : >98% (HPLC)	K0698 31486-86-9  Formula : $C_7H_4OS_2$ M.W. : 168.24 g/mole Grade : >98% (HPLC)	K0699 40985-58-8  Formula : $C_7H_3NS_2$ M.W. : 165.24 g/mole Grade : >98% (HPLC)
K0700 59918-60-4  Formula : $C_{10}H_6N_4S_2$ M.W. : 246.31 g/mole Grade : >98% (HPLC)	K0702 2488708-31-0  Formula : $C_{26}H_{38}N_4S_2$ M.W. : 470.74 g/mole Grade : >98% (HPLC)	K0709 1269004-56-9  Formula : $C_{38}H_{44}N_2O_2S_4$ M.W. : 689.03 g/mole Grade : >98% (NMR)	K0715 1231160-82-9  Formula : $C_{14}H_{19}NO_2S$ M.W. : 265.37 g/mole Grade : >98% (HPLC)

K0716 ■ 773881-43-9  Formula : $C_{14}H_{19}NO_2S$ M.W. : 265.37 g/mole Grade : >98% (HPLC)	K0718 ■ 1286745-49-0  Formula : $C_{22}H_{23}NO_2S_3$ M.W. : 429.62 g/mole Grade : >98% (HPLC)	K0719 ■ 188917-41-1  Formula : $C_{24}H_{32}S_3$ M.W. : 416.71 g/mole Grade : >98% (HPLC)	K0724 ■ 73792-02-6  Formula : $C_{13}H_{20}OS$ M.W. : 224.36 g/mole Grade : >98% (HPLC)
K0732 ■ 32364-72-0  Formula : $C_{10}H_6O_2S_2$ M.W. : 222.28 g/mole Grade : >98% (HPLC)	K0733 ■ 945265-56-5  Formula : $C_{17}H_{22}OS_2$ M.W. : 306.49 g/mole Grade : >98% (HPLC)	K0735 ■ 1003-09-4  Formula : C_4H_3BrS M.W. : 163.04 g/mole Grade : >98% (HPLC)	K0737 ■ 3141-26-2  Formula : $C_4H_2Br_2S$ M.W. : 241.93 g/mole Grade : >98% (HPLC)
K0738 ■ 3141-27-3  Formula : $C_4H_2Br_2S$ M.W. : 241.93 g/mole Grade : >98% (HPLC)	K0739 ■ 3598-03-0  Formula : C_4Br_4S M.W. : 399.72 g/mole Grade : >98% (HPLC)	K0742 ■ 932-95-6  Formula : $C_6H_4O_2S$ M.W. : 140.16 g/mole Grade : >98% (HPLC)	K0745 ■ 52431-30-8  Formula : $C_4Br_2N_2O_4S$ M.W. : 331.93 g/mole Grade : >98% (HPLC)
K0816 ■ 1224430-28-7  Formula : $C_{62}H_{102}Br_2N_2O_2S_2$ M.W. : 1131.42 g/mole Grade : >98% (NMR)	K0817 ■ 1084334-28-0  Formula : $C_{18}H_{17}BrS$ M.W. : 339.25 g/mole Grade : >98% (HPLC)	K0820 ■ 1192352-09-2  Formula : $C_{30}H_{40}N_2O_2S_3$ M.W. : 556.85 g/mole Grade : >98% (HPLC)	K0821 ■ 207805-24-1  Formula : $C_6H_2Br_2N_2S$ M.W. : 293.97 g/mole Grade : >98% (HPLC)
K0823 ■ 1234306-29-6  Formula : $C_{26}H_{38}S_2$ M.W. : 414.71 g/mole Grade : >98% (HPLC)	K0825 ■ 1359115-82-4  Formula : $C_{30}H_{37}Br_2NO_2S_3$ M.W. : 699.62 g/mole Grade : >98% (HPLC)	K0827 ■ 1948278-62-3  Formula : $C_{31}H_{40}N_2O_3S_3$ M.W. : 584.86 g/mole Grade : >98% (HPLC)	K0828 ■ 291535-21-2  Formula : $C_{11}H_{15}BrOS$ M.W. : 275.21 g/mole Grade : >98% (HPLC)
K0836 ■ 13640-78-3  Formula : $C_{10}H_8S_2$ M.W. : 192.3 g/mole Grade : >98% (HPLC)	K0854 ■ 2255-80-3  Formula : $C_7H_5BrN_2S$ M.W. : 229.10 g/mole Grade : >98% (HPLC)	K0870 ■ 1342311-48-1  Formula : $C_{29}H_{39}BrOS_3$ M.W. : 579.72 g/mole Grade : >98% (HPLC)	K0902 ■ 22439-61-8  Formula : $C_{12}H_7BrS$ M.W. : 263.15 g/mole Grade : >96% (HPLC)
























K0910 1283598-36-6  Formula : C₃₀H₃₆Br₂F₂N₂S₃ M.W. : 718.62 g/mole Grade : >98% (HPLC)	K0927 1494614-30-0  Formula : C₃₈H₄₂S₆ M.W. : 691.13 g/mole Grade : >96% (HPLC)	K0958 1190764-15-8  Formula : C₂₅H₁₇Br₂NOS M.W. : 539.28 g/mole Grade : >98% (HPLC)	K0960 636588-79-9  Formula : C₉H₂Br₂O₂ M.W. : 350.05 g/mole Grade : >98% (HPLC)
K0974 500199-09-7  Formula : C₁₈H₃₁BrS M.W. : 359.41 g/mole Grade : >98% (HPLC)	K0977 1196714-93-8  Formula : C₁₃H₁₉BrOS M.W. : 303.26 g/mole Grade : >95% (HPLC)	K0983 1613389-30-2  Formula : C₄₀H₅₈S₆Sn₂ M.W. : 968.7 g/mole Grade : >98% (NMR)	K0984 1415929-78-0  Formula : C₃₄H₃₈Br₂O₂S₄ M.W. : 766.73 g/mole Grade : >98% (HPLC)
K1123 132034-89-0  Formula : C₁₂H₇IS M.W. : 310.15 g/mole Grade : >98%	K1199 196491-93-7  Formula : C₁₀H₂Br₂O₂S₂ M.W. : 378.06 g/mole Grade : >98%	K1200 1294515-75-5  Formula : C₂₆H₃₆Br₂O₂S₂ M.W. : 604.5 g/mole Grade : >98%	K1202 1336893-15-2  Formula : C₃₄H₅₂Br₂O₂S₂ M.W. : 716.71 g/mole Grade : >98%
K1205 1443120-32-8  Formula : C₄₂H₅₈S₄ M.W. : 691.17 g/mole Grade : >98%	K1206 1421924-02-8  Formula : C₄₂H₅₈S₄ M.W. : 691.17 g/mole Grade : >98%	K1207 777079-55-7  Formula : C₁₄H₆Br₂N₂O₂S₂ M.W. : 458.15 g/mole Grade : >98%	K1208 1046864-84-9  Formula : C₂₄H₂₂Br₂N₂O₆S₂ M.W. : 658.38 g/mole Grade : >98%
K1210 1392422-47-7  Formula : C₃₆H₄₆N₂O₂S₂Sn₂ M.W. : 850.39 g/mole Grade : >98%	K1211 1312588-15-0  Formula : C₆₂H₁₀₄N₂O₂S₂ M.W. : 973.63 g/mole Grade : >98%	K1212 1296131-04-8  Formula : C₂₈H₃₆N₂O₆S₂ M.W. : 592.72 g/mole Grade : >98%	K1214 1293389-28-2  Formula : C₉H₂F₂N₂S M.W. : 172.16 g/mole Grade : >98%
K1217 1304773-89-4  Formula : C₁₄H₄Br₂F₂N₂S₃ M.W. : 494.19 g/mole Grade : >98%	K1219 1334686-71-3  Formula : C₃₈H₅₄Br₂N₂O₂S₃ M.W. : 826.85 g/mole Grade : >98%	K1221 444579-39-9  Formula : C₂₆H₃₀Br₂N₂S₃ M.W. : 626.53 g/mole Grade : >98%	K1222 457931-23-6  Formula : C₃₀H₃₈Br₂N₂S₃ M.W. : 682.64 g/mole Grade : >98%

























K1223 1179993-72-6  Formula : $C_{38}H_{54}Br_2N_2S_3$ M.W. : 794.85 g/mole Grade : >98%	K1226 910788-24-8  Formula : $C_{16}H_5S_5$ M.W. : 360.56 g/mole Grade : >98% (HPLC)	K1230 392662-65-6  Formula : $C_6H_2Br_2S_2$ M.W. : 298.02 g/mole Grade : >98%	K1231 21210-90-2  Formula : $C_{14}H_8S_4$ M.W. : 304.47 g/mole Grade : >98%
K1241 178931-63-0  Formula : $C_{18}H_{24}S_2Sn_2$ M.W. : 573.99 g/mole Grade : >98%	K1242 1040858-84-1  Formula : $C_{30}H_{38}Br_2S_2$ M.W. : 622.56 g/mole Grade : >98%	K1288 1295502-26-9  Formula : $C_{29}H_{44}Br_2OS_2$ M.W. : 632.6 g/mole Grade : >98% (NMR)	K1291 1809080-29-2  Formula : $C_{34}H_{40}Br_2S_4$ M.W. : 736.75 g/mole Grade : >98%
K1292 1987866-20-5  Formula : $C_{50}H_{72}Br_2S_4$ M.W. : 961.17 g/mole Grade : >98%	K1297 1619967-09-7  Formula : $C_{14}H_{20}F_2S_2Sn_2$ M.W. : 527.86 g/mole Grade : >98% (NMR)	K1310 1887135-96-7  Formula : $C_{30}H_{37}Br_2F_2N_3S_2$ M.W. : 701.57 g/mole Grade : >98%	K1328  Formula : $C_{32}H_{52}Br_2S_2$ M.W. : 660.69 g/mole Grade : >98%
K1331 2239295-69-1  Formula : $C_{40}H_{56}Cl_2S_4Sn_2$ M.W. : 973.46 g/mole Grade : >98%	K1333 1439937-07-1  Formula : $C_{50}H_{70}Br_2O_2S_4$ M.W. : 991.16 g/mole Grade : >98%	K1365  Formula : $C_{17}H_{18}Br_2K_2O_6S_4$ M.W. : 684.59 g/mole Grade : >97%	K1693 16587-39-6  Formula : $C_{20}H_{14}S$ M.W. : 286.39 g/mole Grade : >99%
K1708 1613460-25-5  Formula : $C_{14}H_{17}Br_2N_2O_4$ M.W. : 479.12 g/mole Grade : >98%	K1733  Formula : $C_{13}H_{19}BrOS$ M.W. : 303.26 g/mole Grade : >98%	K1734 2055812-54-7  Formula : $C_{13}H_{19}BrO_2S$ M.W. : 319.26 g/mole Grade : >98%	K1735 2035466-88-5  Formula : $C_{42}H_{66}S_4Si_2Sn_2$ M.W. : 992.82 g/mole Grade : >98%
K1737 920504-00-3  Formula : $C_{31}H_{54}S_2Sn_2$ M.W. : 728.31 g/mole Grade : >97%	K1738 289470-44-6  Formula : $C_7H_6Br_2O_2S$ M.W. : 313.99 g/mole Grade : >97%	K1739 32431-91-7  Formula : C_4HBr_2ClS M.W. : 276.38 g/mole Grade : >97%	K1740 1504626-07-6  Formula : $C_{54}H_{84}Br_2F_2N_2S_3$ M.W. : 1055.26 g/mole Grade : >98%

K1741 ■ 2433725-51-8  Grade : >98%	K1742 ■  Formula : $C_{26}H_{28}Br_2N_4S_4$ M.W. : 684.61 g/mole Grade : >98%	K1744 ■ 1884694-93-2  Formula : $C_{66}H_{74}O_2S_2$ M.W. : 963.42 g/mole Grade : >98%	K1745 ■ 1878125-76-8  Formula : $C_{70}H_{74}O_2S_4$ M.W. : 1075.60 g/mole Grade : >98%
K1766 ■  Formula : $C_{68}H_{72}Br_2S_4$ M.W. : 1177.37 g/mole Grade : >98%	K1769 ■  Formula : $C_{62}H_{66}O_2S_8$ M.W. : 1099.71 g/mole Grade : >98%	K1775 ■  Formula : $C_{58}H_{88}N_2O_2S_4$ M.W. : 973.59 g/mole Grade : >98%	K1777 ■  Formula : $C_{40}H_{68}Br_2S_2$ M.W. : 772.91 g/mole Grade : >98%
K1797 ■ 2758115-07-8  Formula : $C_{40}H_{54}N_4O_2S_3$ M.W. : 719.08 g/mole Grade : >98%	K1822 ■ 1421762-30-2  Formula : $C_{20}H_{22}F_2N_2S_3Sn_2$ M.W. : 662.01 g/mole Grade : >98%	K1823 ■ 1429119-67-4  Formula : $C_{16}H_{12}N_2O_2S_2$ M.W. : 328.41 g/mole Grade : >98%	K1826 ■ 1174223-26-7  Formula : $C_{12}H_3Br_3S_3$ M.W. : 483.06 g/mole Grade : >97%
K1830 ■  Formula : $C_{34}H_{44}Br_4N_2O_2S_2$ M.W. : 896.47 g/mole Grade : >98%	K1836 ■  Formula : $C_{10}H_{15}NaO_2S_2$ M.W. : 286.34 g/mole Grade : >95%	K1837 ■  Formula : $C_{38}H_{72}O_2S_2Sn_2$ M.W. : 862.53 g/mole Grade : >98%	K1838 ■ 1628940-31-7  Formula : $C_{25}H_{31}BrOS_3$ M.W. : 523.61 g/mole Grade : >97%
K1839 ■ 870718-97-1  Formula : $C_{10}H_{18}F_2SSn_2$ M.W. : 445.73 g/mole Grade : >97%	K1840 ■  Formula : $C_{84}H_{106}O_2S_4$ M.W. : 1275.99 g/mole		


Synthetic Intermediates and Reagents

Benzene Derivatives

K0007 ■ 69571-02-4  Formula : $C_{14}H_{12}I_2$ M.W. : 434.05 g/mole Grade : >98% (HPLC)	K0008 ■ 17919-34-5  Formula : $C_{22}H_{32}O_6P_2$ M.W. : 454.43 g/mole Grade : >98% (HPLC)	K0072 ■ 96761-85-2  Formula : $C_{24}H_{15}Br_3$ M.W. : 543.09 g/mole Grade : >98% (HPLC)	K0078 ■ 1591-30-6  Formula : $C_{14}H_8N_2$ M.W. : 204.23 g/mole Grade : >98% (HPLC)
K0079 ■ 787-70-2  Formula : $C_{14}H_{10}O_4$ M.W. : 242.23 g/mole Grade : >98% (HPLC)	K0090 ■ 146370-51-6  Formula : $C_{15}H_{24}O_2$ M.W. : 236.35 g/mole Grade : >98% (HPLC)	K0091 ■ 209625-37-6  Formula : $C_{17}H_{26}Br_2O_2$ M.W. : 422.20 g/mole Grade : >97% (HPLC)	K0118 ■ 3268-21-1  Formula : $C_{10}H_2I_4$ M.W. : 386.01 g/mole Grade : >98% (HPLC)
K0129 ■ 16400-50-3  Formula : $C_{12}H_6Br_4$ M.W. : 469.79 g/mole Grade : >96% (HPLC)	K0131 ■ 439797-69-0  Formula : $C_{12}H_7Br_2NO_2$ M.W. : 357 g/mole Grade : >98% (HPLC)	K0142 ■ 13029-09-9  Formula : $C_{12}H_8Br_2$ M.W. : 312 g/mole Grade : >98% (HPLC)	K0211 ■ 91371-12-9  Formula : $C_{12}H_6Br_4N_2O_4$ M.W. : 402 g/mole Grade : >98% (HPLC)
K0337 ■ 626-39-1  Formula : $C_6H_3Br_3$ M.W. : 314.80 g/mole Grade : >98% (HPLC)	K0338 ■ 106-37-6  Formula : $C_6H_4Br_2$ M.W. : 235.90 g/mole Grade : >98% (HPLC)	K0339 ■ 589-87-7  Formula : C_6H_4BrI M.W. : 282.90 g/mole Grade : >98% (HPLC)	K0351 ■ 3988/3/2  Formula : $C_{13}H_8Br_2O$ M.W. : 340.01 g/mole Grade : >98% (HPLC)
K0352 ■ 92-86-4  Formula : $C_{12}H_8Br_2$ M.W. : 312 g/mole Grade : >98% (HPLC)	K0354 ■ 611-97-2  Formula : $C_{15}H_{14}O$ M.W. : 210.27 g/mole Grade : >98% (HPLC)	K0356 ■ 15796-82-4  Formula : $C_{21}H_{26}O$ M.W. : 294.43 g/mole Grade : >98% (HPLC)	K0358 ■ 92-66-0  Formula : $C_{12}H_9Br$ M.W. : 233.10 g/mole Grade : >98% (HPLC)
K0385 ■ 852138-89-7  Formula : $C_{12}H_6Br_4I_2$ M.W. : 563.79 g/mole Grade : >96% (HPLC)	K0389 ■ 7511-49-1  Formula : $C_{24}H_{15}Br_3$ M.W. : 543.09 g/mole Grade : >98% (HPLC)	K0394 ■ 500729-84-0  Formula : $C_{18}H_{10}Cl_4$ M.W. : 368.08 g/mole Grade : >98% (HPLC)	K0395 ■ 103068-20-8  Formula : $C_{18}H_{13}Br$ M.W. : 309.20 g/mole Grade : >98% (HPLC)

K0410 ■ 24239-82-5  Formula : $C_6H_2Br_2N_2O_4$ M.W. : 325.90 g/mole Grade : >98% (HPLC)	K0456 ■ 1100761-32-7  Formula : $C_{30}H_{42}O_4$ M.W. : 466.65 g/mole Grade : >98% (HPLC)	K0570 ■ 4720-99-4  Formula : $C_{16}H_{12}O_2$ M.W. : 236.27 g/mole Grade : >98% (HPLC)	K0574 ■  Formula : $C_{39}H_{32}O_6S_2$ M.W. : 660.8 g/mole Grade : >98% (HPLC)
K0586 ■ 93869-52-4  Formula : $C_{18}H_{13}Br_2OP$ M.W. : 436.08 g/mole Grade : >98% (HPLC)	K0587 ■ 1415633-83-8  Formula : $C_{30}H_{21}Br_2OP$ M.W. : 588.27 g/mole Grade : >98% (HPLC)	K0610 ■ 1650594-31-2  Formula : $C_{22}H_{36}O_{10}$ M.W. : 460.52 g/mole Grade : >98% (HPLC)	K0614 ■ 860815-31-2  Formula : $C_{18}H_{27}BrO_3$ M.W. : 371.31 g/mole Grade : >98% (HPLC)
K0615 ■ 746633-97-6  Formula : $C_{18}H_{27}BrO_2$ M.W. : 335.31 g/mole Grade : >98% (HPLC)	K0647 ■ 69272-50-0  Formula : $C_6H_6Br_2N_2$ M.W. : 265.93 g/mole Grade : >98% (HPLC)	K0649 ■ 498572-72-8  Formula : $C_{30}H_{42}O_4$ M.W. : 466.65 g/mole Grade : >98% (HPLC)	K0757 ■ 121623-97-0  Formula : $C_9H_2F_4N_2$ M.W. : 214.12 g/mole Grade : >98% (HPLC)
K0758 ■ 96392-77-7  Formula : $C_{16}H_{14}Br_2$ M.W. : 366.09 g/mole Grade : >98% (HPLC)	K0839 ■ 117635-21-9  Formula : $C_{18}H_{28}Br_2$ M.W. : 404.22 g/mole Grade : >98% (HPLC)	K0900 ■ 577-19-5  Formula : $C_6H_5BrNO_2$ M.W. : 202.01 g/mole Grade : >98% (HPLC)	K0944 ■ 160892-07-9  Formula : $C_8H_3BrN_2$ M.W. : 207.03 g/mole Grade : >98% (HPLC)
K0971 ■ 632-51-9  Formula : $C_{26}H_{20}$ M.W. : 332.44 g/mole Grade : >98%	K0973 ■ 23703-22-2  Formula : $C_{12}H_{17}Br$ M.W. : 241.17 g/mole Grade : >98%	K1167 ■ 92-88-6  Formula : $C_{12}H_{10}O_2$ M.W. : 186.21 g/mole Grade : >99%	K1183 ■ 16400-51-4  Formula : $C_{12}H_8Br_2$ M.W. : 312 g/mole Grade : >99%
K1189 ■ 59951-65-4  Formula : $C_{16}H_{11}Br$ M.W. : 283.16 g/mole Grade : >98%	K1190 ■ 667940-23-0  Formula : $C_{16}H_{11}Br$ M.W. : 283.16 g/mole Grade : >99%	K1191 ■ 204530-94-9  Formula : $C_{16}H_{11}Br$ M.W. : 283.16 g/mole Grade : >96%	K1324 ■ 17788-94-2  Formula : $C_{18}H_{12}Br_2$ M.W. : 388.1 g/mole Grade : >98%


K1755



























Formula : $C_{21}H_{30}O$
 M.W. : 298.46 g/mole
 Grade : >98%

K1817

1608-41-9



















































Formula : $C_{22}H_{18}$
 M.W. : 282.38 g/mole
 Grade : >98%

B0003 ■ 100622-34-2  Formula : $C_{14}H_{11}BO_2$ M.W. : 222.04 g/mole Grade : >97%	B0004 ■ 98-80-6  Formula : $C_6H_7BO_2$ M.W. : 121.92 g/mole Grade : >97%	B0005 ■ 4688-76-0  Formula : $C_{12}H_{11}BO_2$ M.W. : 198.02 g/mole Grade : >97%	B0022 ■ 151169-74-3  Formula : $C_6H_5BCl_2O_2$ M.W. : 190.81 g/mole Grade : >97%
B0045 ■ 163517-62-2  Formula : $C_7H_7BF_2O_2$ M.W. : 153.95 g/mole Grade : >96%	B0052 ■ 156641-98-4  Formula : $C_{11}H_{11}BO_3$ M.W. : 202.01 g/mole Grade : >97%	B0053 ■ 163105-89-3  Formula : $C_6H_8BNO_3$ M.W. : 152.94 g/mole Grade : >98%	B0063 ■ 68572-87-2  Formula : $C_{14}H_{11}BO_2$ M.W. : 222.05 g/mole Grade : >97%
B0067 ■ 164461-18-1  Formula : $C_{16}H_{11}BO_2$ M.W. : 246.07 g/mole Grade : >97%	B0078 ■ 182482-25-3  Formula : $C_6H_4BF_3O_2$ M.W. : 175.9 g/mole Grade : >97%	B0079 ■ 143418-49-9  Formula : $C_6H_4BF_3O_2$ M.W. : 175.9 g/mole Grade : >95%	B0081 ■ 139301-27-2  Formula : $C_7H_6BF_3O_3$ M.W. : 205.93 g/mole Grade : >97%
B0082 ■ 201802-67-7  Formula : $C_{18}H_{16}BNO_2$ M.W. : 289.14 g/mole Grade : >97%	B0083 ■ 122775-35-3  Formula : $C_8H_{11}BO_4$ M.W. : 181.98 g/mole Grade : >97%	B0087 ■ 4151-80-8  Formula : $C_{12}H_{12}B_2O_4$ M.W. : 241.84 g/mole Grade : >98%	B0090 ■ 172975-69-8  Formula : $C_8H_{11}BO_2$ M.W. : 149.98 g/mole Grade : >98%
B0091 ■ 5980-97-2  Formula : $C_9H_{13}BO_2$ M.W. : 164.01 g/mole Grade : >98%	B0092 ■ 711026-06-1  Formula : $C_{45}H_{72}B_2O_4$ M.W. : 698.67 g/mole Grade : >97%	B0094 ■ 861455-18-7  Formula : $C_{37}H_{38}B_2O_4$ M.W. : 568.32 g/mole Grade : >97%	B1005 ■ 149104-90-5  Formula : $C_8H_9BO_3$ M.W. : 163.96 g/mole Grade : >97%
B1006 ■ 206551-43-1  Formula : $C_6H_7BO_3S$ M.W. : 169.99 g/mole Grade : >96%	B1009 ■ 98437-23-1  Formula : $C_8H_7BO_2S$ M.W. : 178.02 g/mole Grade : >97%	B1011 ■ 98437-24-2  Formula : $C_8H_7BO_3$ M.W. : 161.95 g/mole Grade : >97%	B1012 ■ 268218-94-6  Formula : $C_{13}H_{11}BO_3$ M.W. : 226.04 g/mole Grade : >97%

Synthetic Intermediates and Reagents

























Boronic Acids / Boronic Esters

























B1016 ■ 146631-00-7  Formula : C ₁₃ H ₁₃ BO ₃ M.W. : 228.05 g/mole Grade : >98%	B1017 ■ 5122-95-2  Formula : C ₁₂ H ₁₁ BO ₂ M.W. : 198.03 g/mole Grade : >97%	B1018 ■ 5122-94-1  Formula : C ₁₂ H ₁₁ BO ₂ M.W. : 198.03 g/mole Grade : >98%	B1019 ■ 73852-19-4  Formula : C ₈ H ₅ BF ₆ O ₂ M.W. : 257.93 g/mole Grade : >98%
B1022 ■ 135884-31-0  Formula : C ₉ H ₁₄ BNO ₄ M.W. : 211.02 g/mole Grade : >98%	B1024 ■ 68162-47-0  Formula : C ₇ H ₈ BBrO ₂ M.W. : 214.85 g/mole Grade : >97%	B1025 ■ 244205-40-1  Formula : C ₆ H ₆ BBrO ₂ M.W. : 200.83 g/mole Grade : >96%	B1026 ■ 5467-74-3  Formula : C ₆ H ₆ BBrO ₂ M.W. : 200.83 g/mole Grade : >97%
B1028 ■ 105365-51-3  Formula : C ₁₀ H ₁₅ BO ₃ M.W. : 194.04 g/mole Grade : >98%	B1031 ■ 123324-71-0  Formula : C ₁₀ H ₁₅ BO ₂ M.W. : 178.04 g/mole Grade : >98%	B1038 ■ 219735-99-6  Formula : C ₇ H ₆ BClO ₃ M.W. : 186.4 g/mole Grade : >97%	B1042 ■ 63503-60-6  Formula : C ₆ H ₆ BClO ₂ M.W. : 156.37 g/mole Grade : >97%
B1044 ■ 1679-18-1  Formula : C ₆ H ₆ BClO ₂ M.W. : 156.37 g/mole Grade : >97%	B1045 ■ 162607-18-3  Formula : C ₄ H ₄ BClO ₂ S M.W. : 162.4 g/mole Grade : >97%	B1046 ■ 150255-96-2  Formula : C ₇ H ₆ BNO ₂ M.W. : 146.94 g/mole Grade : >97%	B1049 ■ 68716-47-2  Formula : C ₆ H ₃ BCl ₂ O ₂ M.W. : 190.82 g/mole Grade : >98%
B1052 ■ 151169-75-4  Formula : C ₆ H ₃ BCl ₂ O ₂ M.W. : 190.82 g/mole Grade : >96%	B1053 ■ 67492-50-6  Formula : C ₆ H ₃ BCl ₂ O ₂ M.W. : 190.82 g/mole Grade : >97%	B1054 ■ 121219-16-7  Formula : C ₆ H ₃ BF ₂ O ₂ M.W. : 157.91 g/mole Grade : >97%	B1055 ■ 144025-03-6  Formula : C ₆ H ₃ BF ₂ O ₂ M.W. : 157.91 g/mole Grade : >98%
B1059 ■ 156545-07-2  Formula : C ₆ H ₃ BF ₂ O ₂ M.W. : 157.91 g/mole Grade : >98%	B1061 ■ 107099-99-0  Formula : C ₈ H ₁₁ BO ₄ M.W. : 181.98 g/mole Grade : >97%	B1068 ■ 100379-00-8  Formula : C ₈ H ₁₁ BO ₂ M.W. : 149.98 g/mole Grade : >98%	B1070 ■ 380430-53-5  Formula : C ₉ H ₁₁ BO ₄ M.W. : 193.99 g/mole Grade : >96%

B1071 ■ 4334-88-7  Formula : $C_9H_{11}BO_4$ M.W. : 193.99 g/mole Grade : >98%	B1073 ■ 63139-21-9  Formula : $C_8H_{11}BO_2$ M.W. : 149.98 g/mole Grade : >97%	B1075 ■ 149507-26-6  Formula : $C_7H_8BFO_3$ M.W. : 169.95 g/mole Grade : >98%	B1079 ■ 768-35-4  Formula : $C_6H_6BFO_2$ M.W. : 139.92 g/mole Grade : >97%
B1080 ■ 1993-03-9  Formula : $C_6H_6BFO_2$ M.W. : 139.92 g/mole Grade : >98%	B1081 ■ 1765-93-1  Formula : $C_6H_6BFO_2$ M.W. : 139.92 g/mole Grade : >98%	B1082 ■ 174669-73-9  Formula : $C_5H_5BFNO_2$ M.W. : 140.91 g/mole Grade : >98%	B1083 ■ 351019-18-6  Formula : $C_5H_5BFNO_2$ M.W. : 140.91 g/mole Grade : >98%
B1084 ■ 27329-70-0  Formula : $C_9H_9BO_4$ M.W. : 139.90 g/mole Grade : >98%	B1085 ■ 87199-16-4  Formula : $C_7H_7BO_3$ M.W. : 149.94 g/mole Grade : >97%	B1086 ■ 40138-16-7  Formula : $C_7H_7BO_3$ M.W. : 149.94 g/mole Grade : >97%	B1087 ■ 87199-17-5  Formula : $C_7H_7BO_3$ M.W. : 149.94 g/mole Grade : >97%
B1088 ■ 4347-31-3  Formula : $C_5H_5BO_3S$ M.W. : 155.97 g/mole Grade : >98%	B1089 ■ 17303-83-2  Formula : $C_5H_5BO_3S$ M.W. : 155.97 g/mole Grade : >96%	B1090 ■ 4347-33-5  Formula : $C_5H_5BO_3S$ M.W. : 155.97 g/mole Grade : >97%	B1091 ■ 13331-23-2  Formula : $C_4H_5BO_3$ M.W. : 111.89 g/mole Grade : >97%
B1096 ■ 89466-08-0  Formula : $C_6H_7BO_3$ M.W. : 137.93 g/mole Grade : >97%	B1097 ■ 71597-85-8  Formula : $C_6H_7BO_3$ M.W. : 137.93 g/mole Grade : >98%	B1100 ■ 192182-56-2  Formula : $C_9H_8BNO_2$ M.W. : 172.98 g/mole Grade : >96%	B1107 ■ 99768-12-4  Formula : $C_8H_9BO_4$ M.W. : 179.97 g/mole Grade : >97%
B1108 ■ 10365-98-7  Formula : $C_7H_9BO_3$ M.W. : 151.96 g/mole Grade : >98%	B1110 ■ 5720-07-0  Formula : $C_7H_9BO_3$ M.W. : 151.96 g/mole Grade : >97%	B1112 ■ 94839-07-3  Formula : $C_7H_7BO_4$ M.W. : 165.94 g/mole Grade : >98%	B1115 ■ 17933-03-8  Formula : $C_7H_9BO_2$ M.W. : 135.96 g/mole Grade : >97%

Synthetic Intermediates and Reagents

























Boronic Acids / Boronic Esters

























B1116 ■ 16419-60-6  Formula : $C_7H_9BO_2$ M.W. : 135.96 g/mole Grade : >98%	B1117 ■ 5720-05-8  Formula : $C_7H_9BO_2$ M.W. : 135.96 g/mole Grade : >97%	B1118 ■ 84110-40-7  Formula : $C_6H_{11}BO_2$ M.W. : 101.94 g/mole Grade : >97%	B1121 ■ 98546-51-1  Formula : $C_7H_9BO_2S$ M.W. : 168.02 g/mole Grade : >98%
B1122 ■ 13922-41-3  Formula : $C_{10}H_9BO_2$ M.W. : 171.99 g/mole Grade : >98% (HPLC)	B1123 ■ 32316-92-0  Formula : $C_{10}H_9BO_2$ M.W. : 171.99 g/mole Grade : >98%	B1124 ■ 13331-27-6  Formula : $C_6H_6BNO_4$ M.W. : 166.93 g/mole Grade : >97%	B1127 ■ 100124-07-0  Formula : $C_{12}H_9BO_3S$ M.W. : 244.07 g/mole Grade : >97%
B1128 ■ 4612-26-4  Formula : $C_6H_8B_2O_4$ M.W. : 165.75 g/mole Grade : >98%	B1132 ■ 1692-15-5  Formula : $C_5H_6BNO_2$ M.W. : 122.95 g/mole Grade : >98%	B1133 ■ 191162-39-7  Formula : $C_9H_8BNO_2$ M.W. : 172.98 g/mole Grade : >97%	B1134 ■ 86-58-8  Formula : $C_9H_8BNO_2$ M.W. : 172.98 g/mole Grade : >98%
B1135 ■ 6165-68-0  Formula : $C_4H_5BO_2S$ M.W. : 127.96 g/mole Grade : >97%	B1136 ■ 6165-69-1  Formula : $C_4H_5BO_2S$ M.W. : 127.96 g/mole Grade : >98%	B1137 ■ 1423-26-3  Formula : $C_7H_6BF_3O_2$ M.W. : 189.93 g/mole Grade : >97%	B1138 ■ 128796-39-4  Formula : $C_7H_6BF_3O_2$ M.W. : 189.93 g/mole Grade : >97%
B1140 ■ 552846-17-0  Formula : $C_{14}H_{23}BN_2O_4$ M.W. : 294.15 g/mole Grade : >98%	B1151 ■ 214360-73-3  Formula : $C_{12}H_{18}BNO_2$ M.W. : 219.09 g/mole Grade : >97%	B1154 ■ 248924-59-6  Formula : $C_{10}H_{15}BO_3$ M.W. : 194.04 g/mole Grade : >98%	B1156 ■ 685103-98-4  Formula : $C_{15}H_{18}BNO_2$ M.W. : 255.12 g/mole Grade : >95%
B1158 ■ 171364-83-3  Formula : $C_{12}H_{16}BNO_4$ M.W. : 249.07 g/mole Grade : >98%	B1161 ■ 269410-08-4  Formula : $C_9H_{15}BN_2O_2$ M.W. : 194.04 g/mole Grade : >98%	B1162 ■ 329214-79-1  Formula : $C_{11}H_{16}BNO_2$ M.W. : 205.06 g/mole Grade : >97%	B1163 ■ 181219-01-2  Formula : $C_{11}H_{16}BNO_2$ M.W. : 205.06 g/mole Grade : >97%

B1167 ■ 1073355-14-2  Formula : $C_{12}H_{15}BN_3O_3$ M.W. : 246.07 g/mole Grade : >98%	B1168 ■ 236389-21-2  Formula : $C_{25}H_{17}BO_2$ M.W. : 360.21 g/mole Grade : >97%	B1170 ■ 1193104-83-4  Formula : $C_{27}H_{23}BO_2$ M.W. : 390.28 g/mole Grade : >97%	B1171 ■ 1706525-40-7  Formula : $C_{27}H_{26}B_2O_4$ M.W. : 434.1 g/mole Grade : >97%
B1172 ■ 333432-28-3  Formula : $C_{15}H_{15}BO_2$ M.W. : 238.09 g/mole Grade : >97%	B1175 ■ 597553-98-5  Formula : $C_{26}H_{19}BO_2$ M.W. : 374.24 g/mole Grade : >97%	B1176 ■ 852475-03-7  Formula : $C_{24}H_{21}BO_2Si$ M.W. : 380.32 g/mole Grade : >97%	B1177 ■ 254755-24-3  Formula : $C_{37}H_{56}B_2O_4$ M.W. : 586.46 g/mole Grade : >97%(HPLC)
B1178 ■ 196207-58-6  Formula : $C_{41}H_{64}B_2O_4$ M.W. : 642.57 g/mole Grade : >97%	B1179 ■ 357219-41-1  Formula : $C_{41}H_{64}B_2O_4$ M.W. : 642.57 g/mole Grade : >95%	B1183 ■ 958261-51-3  Formula : $C_{41}H_{65}B_2NO_4$ M.W. : 657.58 g/mole Grade : >97%	B1185 ■ 1240488-30-5  Formula : $C_{41}H_{65}B_2NO_4$ M.W. : 657.6 g/mole Grade : >95%
B1186 ■ 542504-04-3  Formula : $C_{20}H_{13}BO_2$ M.W. : 302.2 g/mole Grade : >97%	B1188 ■ 105365-50-2  Formula : $C_{12}H_{19}BO_2$ M.W. : 206.09 g/mole Grade : >97%	B1189 ■ 1692-25-7  Formula : $C_5H_6BNO_2$ M.W. : 122.92 g/mole Grade : >98%	B1193 ■  Formula : $C_{42}H_{58}B_2N_2O_4$ M.W. : 676.5 g/mole Grade : >95%(HPLC)
B1194 ■ 882066-06-0  Formula : $C_{46}H_{66}B_2N_2O_4$ M.W. : 732.7 g/mole Grade : >95%(HPLC)	B1195 ■ 1507388-01-3  Formula : $C_{46}H_{66}B_2N_2O_4$ M.W. : 732.65 g/mole Grade : >95%(HPLC)	B1196 ■ 175361-81-6  Formula : $C_{16}H_{26}B_2O_4S$ M.W. : 336.06 g/mole Grade : >97%	B1205 ■ 313545-72-1  Formula : $C_6H_5BClFO_2$ M.W. : 174.37 g/mole Grade : >98%
B1210 ■ 254993-59-4  Formula : $C_7H_5BClF_3O_2$ M.W. : 224.37 g/mole Grade : >97%	B1211 ■ 163105-90-6  Formula : $C_6H_8BNO_3$ M.W. : 152.94 g/mole Grade : >98%	B1221 ■ 182163-96-8  Formula : $C_9H_{13}BO_5$ M.W. : 212.01 g/mole Grade : >98%	B1222 ■ 1423-27-4  Formula : $C_7H_6BF_3O_2$ M.W. : 189.93 g/mole Grade : >97%

Synthetic Intermediates and Reagents

























Boronic Acids / Boronic Esters

























B1224 ■ 89598-96-9  Formula : $C_6H_5BBrO_2$ M.W. : 200.83 g/mole Grade : >98%	B1227 ■ 121219-12-3  Formula : $C_{11}H_{17}BO_2$ M.W. : 192.06 g/mole Grade : >97%	B1228 ■ 355386-94-6  Formula : $C_9H_7BNO_2$ M.W. : 172.98 g/mole Grade : >98%	B1231 ■ 192182-55-1  Formula : $C_9H_{10}BNO_2$ M.W. : 174.99 g/mole Grade : >98%
B1240 ■ 351422-73-6  Formula : $C_7H_8BNO_3$ M.W. : 165 g/mole Grade : >98%	B1245 ■ 179113-90-7  Formula : $C_{10}H_{13}BF_3O_3$ M.W. : 205.9 g/mole Grade : >97%	B1250 ■ 89694-48-4  Formula : $C_7H_8BClO_3$ M.W. : 186.4 g/mole Grade : >96%	B1252 ■ 870774-25-7  Formula : $C_{16}H_{13}BO_2$ M.W. : 248.1 g/mole Grade : >97%
B1258 ■ 80460-73-7  Formula : $C_6H_8BClNO_2$ M.W. : 173.4 g/mole Grade : >98%	B1263 ■ 4612-28-6  Formula : $C_6H_8B_2O_4$ M.W. : 165.7 g/mole Grade : >97%	B1270 ■ 247564-72-3  Formula : $C_6H_4BF_3O_2$ M.W. : 175.9 g/mole Grade : >97%	B1278 ■ 160591-91-3  Formula : $C_6H_5BClFO_2$ M.W. : 174.4 g/mole Grade : >98%
B1280 ■ 137504-86-0  Formula : $C_6H_5BClFO_2$ M.W. : 174.4 g/mole Grade : >98%	B1282 ■ 109299-78-7  Formula : $C_4H_5BN_2O_2$ M.W. : 123.9 g/mole Grade : >98%	B1283 ■ 108847-20-7  Formula : $C_{12}H_8BO_2S$ M.W. : 228.1 g/mole Grade : >97%	B1286 ■ 872041-85-5  Formula : $C_5H_5BClNO_2$ M.W. : 157.4 g/mole Grade : >97%
B1288 ■ 411235-57-9  Formula : $C_3H_7BO_2$ M.W. : 85.9 g/mole Grade : >98%	B1289 ■ 80041-89-0  Formula : $C_4H_9BO_2$ M.W. : 87.9 g/mole Grade : >98%	B1290 ■ 4441-56-9  Formula : $C_6H_{13}BO_2$ M.W. : 128 g/mole Grade : >99%	B1291 ■ 352535-96-7  Formula : $C_7H_5BF_4O_2$ M.W. : 207.9 g/mole Grade : >98%
B1296 ■ 179923-32-1  Formula : $C_6H_3BF_4O_2$ M.W. : 193.9 g/mole Grade : >95%	B1298 ■ 511295-01-5  Formula : $C_6H_3BF_4O_2$ M.W. : 193.9 g/mole Grade : >96%	B1299 ■ 1582-24-7  Formula : $C_6H_3BF_5O_2$ M.W. : 211.9 g/mole Grade : >95%	B1302 ■ 40972-86-9  Formula : $C_8H_{11}BO_4$ M.W. : 182 g/mole Grade : >98%

B1313 ■ 936249-33-1  Formula : C ₇ H ₅ BClNO ₂ M.W. : 181.4 g/mole Grade : >97%	B1315 ■ 1150114-78-5  Formula : C ₇ H ₆ BClO ₃ M.W. : 184.4 g/mole Grade : >97%	B1324 ■ 352534-79-3  Formula : C ₇ H ₆ FO ₃ M.W. : 167.9 g/mole Grade : >98%	B1326 ■ 127972-02-5  Formula : C ₈ H ₉ BO ₄ M.W. : 180 g/mole Grade : >98%
B1327 ■ 419536-33-7  Formula : C ₁₈ H ₁₄ BNO ₂ M.W. : 287.1 g/mole Grade : >98%	B1331 ■ 864377-33-3  Formula : C ₁₈ H ₁₄ BNO ₂ M.W. : 287.1 g/mole Grade : >98%	B1340 ■ 603122-41-4  Formula : C ₉ H ₁₁ BO ₅ M.W. : 210 g/mole Grade : >98%	B1353 ■ 1162753-18-5  Formula : C ₂₀ H ₂₀ BNO ₂ M.W. : 317.2 g/mole Grade : >97%
B1357 ■ 374538-01-9  Formula : C ₇ H ₆ FO ₃ M.W. : 167.9 g/mole Grade : >98%	B1361 ■ 654067-65-9  Formula : C ₂₀ H ₂₀ BNO ₂ M.W. : 317.2 g/mole Grade : >97%(HPLC)	B1365 ■ 850991-69-4  Formula : C ₆ H ₈ BNO ₃ M.W. : 152.9 g/mole Grade : >96%	B1366 ■ 173999-18-3  Formula : C ₆ H ₈ BNO ₂ M.W. : 136.9 g/mole Grade : >96%
B1371 ■ 104376-24-1  Formula : C ₉ H ₁₁ BO ₂ M.W. : 114 g/mole Grade : >98%	B1380 ■ 1072952-26-1  Formula : C ₅ H ₆ BCl ₂ NO ₃ M.W. : 209.8 g/mole Grade : >95%	B1392 ■ 579525-46-5  Formula : C ₇ H ₁₃ BN ₂ O ₃ M.W. : 184 g/mole Grade : >98%	B1393 ■ 85107-53-5  Formula : C ₉ H ₁₄ BNO ₂ M.W. : 179.02 g/mole Grade : >98%
B1411 ■ 1003042-59-8  Formula : C ₇ H ₈ BClO ₃ M.W. : 186.4 g/mole Grade : >97%	B1416 ■ 1003845-06-4  Formula : C ₄ H ₄ BClN ₂ O ₂ M.W. : 158.35 g/mole Grade : >98%	B1419 ■ 1003042-92-9  Formula : C ₉ H ₁₁ BO ₄ M.W. : 193.99 g/mole Grade : >98%	B1422 ■ 871126-22-6  Formula : C ₇ H ₆ FO ₃ M.W. : 167.93 g/mole Grade : >98%
B1427 ■ 94838-88-7  Formula : C ₈ H ₈ BO ₅ M.W. : 193.95 g/mole Grade : >96%	B1428 ■ 139962-95-1  Formula : C ₈ H ₉ BO ₄ M.W. : 179.97 g/mole Grade : >97%	B1429 ■ 1218790-89-6  Formula : C ₈ H ₈ BF ₃ O ₄ M.W. : 233.94 g/mole Grade : >98%	B1430 ■ 40138-18-9  Formula : C ₈ H ₉ BO ₄ M.W. : 179.97 g/mole Grade : >97%

Synthetic Intermediates and Reagents

























Boronic Acids / Boronic Esters

B1431 ■ 40138-17-8  Formula : $C_9H_9BO_3$ M.W. : 163.97 g/mole Grade : >97%	B1434 ■ 104116-17-8  Formula : $C_{11}H_{11}BO_3$ M.W. : 202.01 g/mole Grade : >98%	B1438 ■ 628692-15-9  Formula : $C_5H_7BN_2O_3$ M.W. : 153.93 g/mole Grade : >98%	B1442 ■ 1015480-87-1  Formula : $C_6H_9BN_2O_4$ M.W. : 183.96 g/mole Grade : >98%
B1443 ■ 352525-94-1  Formula : $C_7H_{11}BClNO_2$ M.W. : 187.43 g/mole Grade : >98%	B1450 ■ 178752-79-9  Formula : $C_8H_{12}BNO_2$ M.W. : 165 g/mole Grade : >98%	B1455 ■ 99349-68-5  Formula : $C_9H_{10}BNO_3$ M.W. : 190.99 g/mole Grade : >98%	B1456 ■ 850689-36-0  Formula : $C_6H_7BClNO_2$ M.W. : 171.39 g/mole Grade : >98%
B1468 ■ 519054-53-6  Formula : $C_9H_5BO_4S$ M.W. : 171.97 g/mole Grade : >96%	B1475 ■ 1072952-53-4  Formula : $C_7H_6BClO_3$ M.W. : 184.38 g/mole Grade : >96%	B1476 ■ 1256355-22-2  Formula : $C_5H_7BClNO_3$ M.W. : 175.38 g/mole Grade : >96%	B1477 ■ 324024-80-8  Formula : $C_4H_4BClO_2S$ M.W. : 162.4 g/mole Grade : >95%
B1479 ■ 1218790-94-3  Formula : $C_9H_{11}BO_3$ M.W. : 177.99 g/mole Grade : >98%	B1485 ■ 1106869-99-1  Formula : $C_8H_9BO_3$ M.W. : 163.97 g/mole Grade : >97%	B1487 ■ 4347-32-4  Formula : $C_5H_5BO_3S$ M.W. : 155.97 g/mole Grade : >98%	B1489 ■ 1072952-50-1  Formula : $C_6H_{10}BNO_4$ M.W. : 170.96 g/mole Grade : >98%
B1492 ■ 75705-21-4  Formula : $C_7H_{11}BClNO_2$ M.W. : 187.43 g/mole Grade : >98%	B1498 ■ 28611-39-4  Formula : $C_8H_{12}BNO_2$ M.W. : 165 g/mole Grade : >97%	B1502 ■ 489446-42-6  Formula : $C_{12}H_{18}BNO_4$ M.W. : 251.09 g/mole Grade : >97%	B1507 ■ 947533-41-7  Formula : $C_6H_5BF_3NO_2$ M.W. : 190.92 g/mole Grade : >95%
B1511 ■ 263368-72-5  Formula : $C_8H_7BO_2$ M.W. : 145.95 g/mole Grade : >98%	B1514 ■ 1310384-23-6  Formula : $C_8H_8BF_3O_3$ M.W. : 181.96 g/mole Grade : >98%	B1515 ■ 156428-81-8  Formula : $C_8H_9BO_3$ M.W. : 163.97 g/mole Grade : >98%	B1516 ■ 62306-78-9  Formula : $C_5H_5BO_4$ M.W. : 139.9 g/mole Grade : >97%

B1518 355004-67-0  Formula : $C_6H_7BNO_4$ M.W. : 170.96 g/mole Grade : >97%	B1519 162607-15-0  Formula : $C_7H_7BO_3S$ M.W. : 141.98 g/mole Grade : >96%	B1532 1072952-28-3  Formula : $C_7H_7BO_3S$ M.W. : 169.99 g/mole Grade : >98%	B1533 175592-59-3  Formula : $C_7H_5BO_3S$ M.W. : 155.97 g/mole Grade : >97%
B1536 913836-11-0  Formula : $C_6H_6BNO_4$ M.W. : 166.93 g/mole Grade : >98%	B1539 203927-98-4  Formula : $C_{25}H_{36}B_2O_4$ M.W. : 422.17 g/mole Grade : >97%	B1543 63076-51-7  Formula : $C_5H_{11}BO_3$ M.W. : 113.95 g/mole Grade : >96%	B1544 100124-06-9  Formula : $C_{12}H_9BO_3$ M.W. : 212.01 g/mole Grade : >97%
B1546 144104-59-6  Formula : $C_8H_8BNO_2$ M.W. : 160.97 g/mole Grade : >98%	B1547 147621-18-9  Formula : $C_8H_8BNO_2$ M.W. : 160.97 g/mole Grade : >96%	B1549 371766-08-4  Formula : $C_9H_8BNO_2$ M.W. : 172.98 g/mole Grade : >97%	B1556 213318-44-6  Formula : $C_{13}H_{16}BNO_4$ M.W. : 261.08 g/mole Grade : >97%
B1560 371764-64-6  Formula : $C_9H_8BNO_2$ M.W. : 172.98 g/mole Grade : >98%	B1563 728911-52-2  Formula : $C_{37}H_{38}B_2O_4$ M.W. : 568.32 g/mole Grade : >97%	B1570 402960-38-7  Formula : $C_{10}H_{16}BN_3O_2$ M.W. : 221.06 g/mole Grade : >98%	B1575 264925-45-3  Formula : $C_{31}H_{46}BO_2$ M.W. : 460.5 g/mole Grade : >97%
B1576 302554-81-0  Formula : $C_{35}H_{53}BO_2$ M.W. : 516.61 g/mole Grade : >97%	B1578 884336-44-1  Formula : $C_{31}H_{51}BO_2$ M.W. : 442.36 g/mole Grade : >97%	B1579 286961-14-6  Formula : $C_{16}H_{28}BNO_4$ M.W. : 309.21 g/mole Grade : >98%	B1583 929203-04-3  Formula : $C_{17}H_{26}BNO_2$ M.W. : 281.16 g/mole Grade : >97%
B1585 908350-80-1  Formula : $C_{17}H_{20}BNO_2$ M.W. : 281.16 g/mole Grade : >97%	B1586 24388-23-6  Formula : $C_{12}H_{17}BO_2$ M.W. : 204.1 g/mole Grade : >97%	B1587 87100-28-5  Formula : $C_{13}H_{19}BO_2$ M.W. : 218.1 g/mole Grade : >97%	B1588 210907-84-9  Formula : $C_{12}H_{18}BNO_2$ M.W. : 219.1 g/mole Grade : >98%

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

B1591 ■ 73183-34-3  Formula : $C_{12}H_{24}B_2O_4$ M.W. : 253.9 g/mole Grade : >99%	B1592 ■ 761446-44-0  Formula : $C_{10}H_{17}BN_2O_2$ M.W. : 208.1 g/mole Grade : >97%	B1594 ■ 377780-72-8  Formula : $C_{13}H_{18}BBrO_2$ M.W. : 297 g/mole Grade : >96%	B1598 ■ 349666-24-6  Formula : $C_{22}H_{21}BO_2$ M.W. : 328.2 g/mole Grade : >97%(HPLC)
B1605 ■ 141091-37-4  Formula : $C_{12}H_{21}BO_2$ M.W. : 208.1 g/mole Grade : >98%	B1609 ■ 239075-02-6  Formula : $C_{20}H_{28}B_2O_4S_2$ M.W. : 418.2 g/mole Grade : >98%	B1617 ■ 957198-30-0  Formula : $C_{14}H_{22}BN_3O_3$ M.W. : 291.2 g/mole Grade : >98%	B1620 ■ 1056904-43-8  Formula : $C_{16}H_{22}BNO_3$ M.W. : 287.2 g/mole Grade : >98%
B1621 ■ 957065-99-5  Formula : $C_{13}H_{18}BNO_4$ M.W. : 263.1 g/mole Grade : >98%	B1629 ■ 956229-69-9  Formula : $C_{17}H_{25}BO_4$ M.W. : 304.2 g/mole Grade : >97%	B1640 ■ 868944-75-6  Formula : $C_{11}H_{13}BN_2O_2$ M.W. : 216 g/mole Grade : >98%	B1642 ■ 1025708-31-9  Formula : $C_{11}H_{14}BN_2O_2$ M.W. : 231.1 g/mole Grade : >98%
B1647 ■ 1073354-14-9  Formula : $C_{12}H_{16}BNO_3$ M.W. : 233.07 g/mole Grade : >98%	B1655 ■ 610768-32-6  Formula : $C_{12}H_{16}BNO_2$ M.W. : 219.08 g/mole Grade : >98%	B1661 ■ 153737-25-8  Formula : $C_{13}H_{25}BO_4$ M.W. : 256.14 g/mole Grade : >95%	B1664 ■ 944392-68-1  Formula : $C_{16}H_{21}BO_6$ M.W. : 320.14 g/mole Grade : >98%
B1665 ■ 832114-00-8  Formula : $C_{11}H_{18}BNO_3$ M.W. : 223.07 g/mole Grade : >98%	B1667 ■ 287944-16-5  Formula : $C_{11}H_{19}BO_3$ M.W. : 210.07 g/mole Grade : >97%	B1673 ■ 916326-10-8  Formula : $C_{14}H_{20}BNO_4$ M.W. : 277.12 g/mole Grade : >96%	B1675 ■ 1036991-19-1  Formula : $C_{15}H_{25}BClNO_2$ M.W. : 297.62 g/mole Grade : >97%
B1691 ■ 540752-87-2  Formula : $C_{21}H_{33}BN_2O_4$ M.W. : 388.3 g/mole Grade : >97%	B1692 ■ 207611-87-8  Formula : $C_{24}H_{32}B_2O_4$ M.W. : 406.13 g/mole Grade : >98%	B1698 ■ 878197-87-6  Formula : $C_{15}H_{25}BClNO_2$ M.W. : 297.62 g/mole Grade : >98%	B1708 ■ 1072944-28-5  Formula : $C_{17}H_{22}B_2ClNO_4$ M.W. : 361.44 g/mole Grade : >98%

























Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

B1712 ■ 1073354-66-1  Formula : $C_{14}H_{19}BO_3$ M.W. : 246.11 g/mole Grade : >98%	B1714 ■ 470478-90-1  Formula : $C_{21}H_{33}BN_2O_4$ M.W. : 388.31 g/mole Grade : >98%	B1722 ■ 848093-29-8  Formula : $C_{12}H_{16}BNO_3$ M.W. : 233.07 g/mole Grade : >98%	B1730 ■ 201733-56-4  Formula : $C_{10}H_{20}B_2O_4$ M.W. : 225.89 g/mole Grade : >98%
B1741 ■ 1025707-92-9  Formula : $C_{20}H_{26}BNO_5$ M.W. : 371.24 g/mole Grade : >98%	B1746 ■ 849677-21-0  Formula : $C_{14}H_{15}BO_5$ M.W. : 274.08 g/mole Grade : >98%	B1753 ■ 1131912-76-9  Formula : $C_{11}H_{21}BO_3$ M.W. : 212.09 g/mole Grade : >96%	B1754 ■ 943899-12-5  Formula : $C_{18}H_{16}BNO_2$ M.W. : 289.1 g/mole Grade : >97%
B1755 ■ 1269004-46-7  Formula : $C_{42}H_{62}B_2N_2O_6S_2$ M.W. : 776.7 g/mole Grade : >96%	B1756 ■ 214360-65-3  Formula : $C_{13}H_{16}BF_3O_2$ M.W. : 272.07 g/mole Grade : >97%	B1757 ■ 890042-13-4  Formula : $C_{24}H_{23}BO_2$ M.W. : 354.25 g/mole Grade : >97%	B1758 ■ 1334549-69-7  Formula : $C_{38}H_{56}B_2O_4$ M.W. : 598.47 g/mole Grade : >97%
B1759 ■ 452972-14-4  Formula : $C_{11}H_{15}BFNO_2$ M.W. : 223.05 g/mole Grade : >97%	B1760 ■ 474918-37-1  Formula : $C_{39}H_{44}B_2O_4$ M.W. : 598.39 g/mole Grade : >97%	B1762 ■ 267221-88-5  Formula : $C_{24}H_{26}BNO_2$ M.W. : 371.28 g/mole Grade : >97%	B1763 ■ 1017967-97-3  Formula : $C_{42}H_{55}B_3O_6$ M.W. : 684.28 g/mole Grade : >97%(NMR)
B1764 ■ 792909-35-4  Formula : $C_{34}H_{32}BNO_2$ M.W. : 497.43 g/mole Grade : >97%	B1765 ■ 528610-01-7  Formula : $C_{28}H_{28}BNO_2$ M.W. : 421.34 g/mole Grade : >97%	B1767 ■ 618442-57-2  Formula : $C_{30}H_{35}B_2NO_4$ M.W. : 495.23 g/mole Grade : >97%	B1768 ■ 99770-93-1  Formula : $C_{18}H_{28}B_2O_4$ M.W. : 330.03 g/mole Grade : >97%
B1771 ■ 947533-51-9  Formula : $C_6H_5BF_3NO_2$ M.W. : 190.92 g/mole Grade : >96%	B1772 ■ 219834-95-4  Formula : $C_{11}H_{11}BO_3$ M.W. : 202.01 g/mole Grade : >97%	B1773 ■ 1126522-69-7  Formula : $C_{24}H_{24}BNO_2$ M.W. : 369.26 g/mole Grade : >97%	B1776 ■ 1146340-38-6  Formula : $C_{25}H_{25}BN_2O_2$ M.W. : 396.29 g/mole Grade : >97%















Synthetic Intermediates and Reagents

Boronic Acids / Boronic Esters

B1783 ■ 939430-30-5  Formula : $C_{17}H_{26}BNO_2$ M.W. : 281.16 g/mole Grade : >97%	B1785 ■ 875667-84-8  Formula : $C_{26}H_{30}BNO_4$ M.W. : 431.33 g/mole Grade : >98%	B1788 ■ 214360-48-2  Formula : $C_{13}H_{16}BNO_2$ M.W. : 229.08 g/mole Grade : >98%	B1794 ■ 374934-77-7  Formula : $C_{30}H_{32}B_2O_4$ M.W. : 498.35 g/mole Grade : >98%
B1796 ■ 1643935-09-4  Formula : $C_{27}H_{30}BNO_2$ M.W. : 411.34 g/mole Grade : >98%(HPLC)	B1797 ■ 1647121-47-8  Formula : $C_{24}H_{24}BNO_3$ M.W. : 385.26 g/mole Grade : >98%	B1798 ■ 747413-21-4  Formula : $C_{17}H_{27}BN_2O_2$ M.W. : 302.22 g/mole Grade : >98%	B1799 ■ 1028729-05-6  Formula : $C_{22}H_{23}BO_2$ M.W. : 330.23 g/mole Grade : >98%
B1801 ■ 1030834-61-7  Formula : $C_{47}H_{62}BNO_2$ M.W. : 683.81 g/mole Grade : >98%	B1806 ■ 854952-58-2  Formula : $C_{18}H_{14}BNO_2$ M.W. : 287.12 g/mole Grade : >99.5%(HPLC)	B1810 ■ 597554-03-5  Formula : $C_{24}H_{17}BO_2$ M.W. : 348.2 g/mole Grade : >98%(HPLC)	B1813 ■ 858131-73-4  Formula : $C_{24}H_{18}BNO_2$ M.W. : 363.22 g/mole Grade : >98%(HPLC)
B1817 ■ 1133057-98-3  Formula : $C_{22}H_{16}BNO_2$ M.W. : 337.18 g/mole Grade : >98%(HPLC)	B1821 ■ 668983-97-9  Formula : $C_{12}H_8BO_2S$ M.W. : 228.07 g/mole Grade : >98%	B1824 ■ 402936-15-6  Formula : $C_{12}H_9BO_3$ M.W. : 212.01 g/mole Grade : >98%	B1831 ■ 1246669-45-3  Formula : $C_{24}H_{24}BNO_2$ M.W. : 369.26 g/mole Grade : >98%
B1839 ■ 1421789-05-0  Formula : $C_{25}H_{17}BO_2$ M.W. : 360.21 g/mole Grade : >98%	B1840 ■ 371193-08-7  Formula : $C_{25}H_{35}BO_2$ M.W. : 378.36 g/mole Grade : >98%	B1842 ■ 334658-75-2  Formula : $C_{20}H_{15}BO_2$ M.W. : 298.14 g/mole Grade : >98%	B1845 ■ 113893-08-6  Formula : $C_8H_7BO_2S$ M.W. : 178.02 g/mole Grade : >97%
B1846 ■ 317830-83-4  Formula : $C_8H_7BO_3$ M.W. : 161.95 g/mole Grade : >98%	B1847 ■ 1061350-97-7  Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : >98%	B1848 ■ 881913-20-8  Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : >97%	B1849 ■ 870774-29-1  Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : >98%
















Synthetic Intermediates and Reagents

























Boronic Acids / Boronic Esters

























B1850 ■ 870774-25-7  Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : >98%	B1851 ■ 918655-03-5  Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : >98%	B1852 ■ 372521-91-0  Formula : $C_{16}H_{13}BO_2$ M.W. : 248.08 g/mole Grade : >98%	B1853 ■ 363607-69-6  Formula : $C_{20}H_{15}BO_2$ M.W. : 298.14 g/mole Grade : >98%
B1854 ■ 145965-14-6  Formula : $C_{10}H_8BBrO_2$ M.W. : 250.88 g/mole Grade : >97%	B1866 ■ 1214723-26-8  Formula : $C_{19}H_{15}BN_2O_2$ M.W. : 314.15 g/mole Grade : >98%	B1869 ■ 851775-62-7  Formula : $C_{37}H_{54}B_2Br_2O_4$ M.W. : 744.25 g/mole Grade : >97%	B1870 ■ 2131092-68-5  Formula : $C_{50}H_{60}B_4O_8$ M.W. : 832.25 g/mole Grade : >97%
B1873 ■ 1421789-04-9  Formula : $C_{25}H_{17}BO_2$ M.W. : 360.21 g/mole Grade : >98%(HPLC)	B1875 ■ 677743-50-9  Formula : $C_7H_5BClNO_2$ M.W. : 181.38 g/mole Grade : >98%	B1877 ■ 928055-49-6  Formula : $C_{36}H_{49}B_2NO_4$ M.W. : 581.4 g/mole Grade : >98%	B1878 ■ 1073371-85-3 HCl  Formula : $C_{15}H_{25}BClNO_2$ M.W. : 297.63 g/mole Grade : >98%
B1892 ■ 355135-06-7  Formula : $C_{33}H_{48}B_2O_4$ M.W. : 530.35 g/mole Grade : >97%	K1841 ■ 108847-76-3  Formula : $C_{12}H_8BO_2S_2$ M.W. : 260.14 g/mole Grade : >97%		













Synthetic Intermediates and Reagents

Metal Catalysts / Reductants

K0545 14221-01-3  Formula : $\text{Pd}[(\text{C}_6\text{H}_5)_3\text{P}]_4$ M.W. : 1155.56 g/mole Grade : >99%	K0552 51364-51-3  Formula : $(\text{C}_6\text{H}_5\text{CH}=\text{CHCOCH}=\text{CHC}_6\text{H}_5)_2\text{Pd}_2$ M.W. : 915.72 g/mole Grade : >97%	K0787 603-35-0  Formula : $(\text{C}_6\text{H}_5)_3\text{P}$ M.W. : 262.29 g/mole Grade : >99%	K0790 247940-06-3  Formula : $\text{C}_{24}\text{H}_{31}\text{P}$ M.W. : 350.48 g/mole Grade : >97%
K0792 53199-31-8  Formula : $\text{C}_{24}\text{H}_{54}\text{P}_2\text{Pd}$ M.W. : 511.05 g/mole	K0795 13782-33-7  Formula : $\text{Pd}(\text{NH}_3)_2\text{Cl}_2$ M.W. : 211.39 g/mole Grade : >99%	K0798 14220-64-5  Formula : $(\text{C}_6\text{H}_5\text{CN})_2\text{PdCl}_2$ M.W. : 383.57 g/mole Grade : >95%	K0800 59831-02-6  Formula : $\text{C}_{27}\text{H}_{26}\text{P}_2 \cdot \text{PdCl}_2$ M.W. : 589.77 g/mole Grade : >98%
K0801 95464-05-4  Formula : $\text{C}_{35}\text{H}_{30}\text{Cl}_4\text{FeP}_2\text{Pd}$ M.W. : 816.64 g/mole Grade : >98%	K0808 72287-26-4  Formula : $(\text{C}_{17}\text{H}_{14}\text{P})_2\text{Fe} \cdot \text{PdCl}_2$ M.W. : 731.7 g/mole Grade : >98%	K0810 32005-36-0  Formula : $(\text{C}_6\text{H}_5\text{CH}=\text{CHCOCH}=\text{CHC}_6\text{H}_5)_2\text{Pd}$ M.W. : 575.00 g/mole	K0811 3375-31-3  Formula : $\text{C}_4\text{H}_6\text{O}_4\text{Pd}$ M.W. : 224.51 g/mole Grade : AR, Pd 46.0 - 48.0 %
K0812 1295-35-8  Formula : $\text{C}_{16}\text{H}_{24}\text{Ni}$ M.W. : 275.06 g/mole Grade : >98%	K0814 12112-67-3  Formula : $\text{C}_{16}\text{H}_{24}\text{Cl}_2\text{Ir}_2$ M.W. : 671.7 g/mole Grade : >97%	K0815 13965-03-2  Formula : $[(\text{C}_6\text{H}_5)_3\text{P}]_2\text{PdCl}_2$ M.W. : 701.9 g/mole Grade : >98%	

K0040 216978-79-9  Formula : C ₁₇ H ₂₃ NO M.W. : 257.37 g/mole Grade : >98% (HPLC)	K0041 33985-71-6  Formula : C ₁₃ H ₁₅ NO M.W. : 201.26 g/mole Grade : >98% (HPLC)	K0055 39778-14-8  Formula : C ₁₄ H ₁₃ IN ₂ M.W. : 336.17 g/mole Grade : >97% (HPLC)	K0056 28286-88-6  Formula : C ₁₀ H ₈ N ₂ O M.W. : 172.18 g/mole Grade : >98% (HPLC)
K0070 1090-13-7  Formula : C ₁₈ H ₁₀ O ₂ M.W. : 258.27 g/mole Grade : >98% (HPLC)	K0451 58519-06-5  Formula : C ₂₀ H ₁₇ N ₃ M.W. : 299.37 g/mole Grade : >98% (HPLC)	K0488 3029-32-1  Formula : C ₂₂ H ₁₂ O ₂ M.W. : 308.33 g/mole Grade : >97% (HPLC)	K0498 910324-13-9  Formula : C ₂₀ H ₁₁ I ₃ M.W. : 632.01 g/mole Grade : >98% (HPLC)
K0534 1080-74-6  Formula : C ₁₂ H ₆ N ₂ O M.W. : 194.19 g/mole Grade : >98% (HPLC)	K0535 2459928-39-1  Formula : C ₁₅ H ₁₇ NO M.W. : 227.30 g/mole Grade : >97% (HPLC)	K0597 250734-47-5  Formula : C ₁₉ H ₁₈ BF ₂ IN ₂ M.W. : 450.07 g/mole Grade : >97% (HPLC)	K0843 6528-85-4  Formula : C ₁₄ H ₁₂ N ₂ O M.W. : 224.26 g/mole Grade : >98% (HPLC)
K0890 89827-45-2  Formula : C ₁₂ H ₇ BrO M.W. : 247.09 g/mole Grade : >98% (HPLC)	K1339 2083617-82-5  Formula : C ₁₂ H ₄ F ₂ N ₂ O M.W. : 230.17 g/mole Grade : >98%	K1758 760212-40-6  Formula : C ₁₉ H ₁₃ BrN ₂ M.W. : 349.22 g/mole Grade : >98%	K1761  Formula : C ₁₈ H ₁₀ BBrO ₂ M.W. : 348.99 g/mole Grade : >98%
K1767  Formula : C ₁₅ H ₁₄ O ₃ M.W. : 242.27 g/mole Grade : >98%	K1768  Formula : C ₂₀ H ₁₆ O ₂ M.W. : 288.34 g/mole Grade : >98%	K1770 118129-60-5  Formula : C ₂₄ H ₆ Br ₂ O ₆ M.W. : 550.1 g/mole Grade : >98%	K1795 2264042-89-7  Formula : C ₃₄ H ₂₈ N ₄ O M.W. : 508.61 g/mole Grade : >98%
K1796  Formula : C ₁₉ H ₂₂ N ₂ O ₄ S M.W. : 374.45 g/mole Grade : >98%	K1820  Formula : C ₃₂ H ₇₂ Mo ₆ N ₂ O ₁₉ M.W. : 1364.55 g/mole Grade :	K1821 41168-79-0  Formula : C ₂₂ H ₁₄ Cl ₂ N ₆ O ₈ M.W. : 561.29 g/mole Grade : >97%	K1828 19057-50-2  Formula : C ₄₂ H ₂₄ Br ₆ M.W. : 1008.06 g/mole Grade : >95%

Z0002  Grade : >98%	Z0003  Grade : >98%	Z0006  Grade : >98%	Z0007  Grade : >98%
Z0014  Grade : >98%	Z0015 883550-98-9  Grade : >98%	Z0016 1808158-43-1  Grade : >98%	Z0017  Grade : >98%
Z0019  Grade : >98%	Z0020 1723-27-9  Grade : >98%	Z0021 28162-32-5  Grade : >98%	Z0022  Grade : >98%
Z0025  Grade : >98%	Z0029 1015071-22-3  Grade : >98%	Z0034  Grade : >98%	Z0037  Grade : >98%
Z0038  Grade : >98%	Z0039 133878-93-0  Grade : >98%	Z0040 882883-55-8  Grade : >98%	Z0043 5060-82-2  Grade : >98%
Z0045  Grade : >98%	Z0046  Grade : >98%	Z0047 701270-26-0  Grade : >98%	Z0049  Grade : >98%

Z0050 63857-00-1  Grade : >98%	Z0052 56382-53-7  Grade : >98%	Z0054  Grade : >98%	Z0055  Grade : >98%
Z0056  Grade : >98%	Z0058 106047-28-3  Grade : >98%	Z0059  Grade : >98%	Z0060  Grade : >98%
Z0065  Grade : >98%	Z0067  Grade : >98%	Z0068 2765-14-2  Grade : >98%	Z0069 211308-81-5  Grade : >98%